

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-05814
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	NORTH MONUMENT G/SA UNIT BLK. 23
8. Well No.	16
9. Pool name or Wildcat	EUNICE MONUMENT G/SA

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator AMERADA HESS CORPORATION
3. Address of Operator POST OFFICE DRAWER D, MONUMENT, NEW MEXICO 88265	4. Well Location Unit Letter <u>P</u> : <u>330</u> Feet From The <u>SOUTH</u> Line and <u>988</u> Feet From The <u>EAST</u> Line

Section <u>34</u>	Township <u>19S</u>	Range <u>37E</u>	NMPM	LEA	County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)					

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER: <input type="checkbox"/>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/> OTHER: <u>TA'd well.</u> <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.  
 4-11 thru 4-20-95  
 Moved in and rigged up Pride Well Service and Star Tool. TOH w/rods and pump. Installed BOP & TOH w/tubing. TIH w/5-1/2" CIBP. Set at 3,706'. TIH w/5-1/2" fullbore packer. Set at 3,503'. Unflanged BOP. Unscrewed 5-1/2" x 8-1/8" 6rd Hinderliter tubinghead and installed 5-1/2" 8rd x 7-1/16"-3M Midland Wellhead Inc. tubinghead. Re-installed BOP. Loaded 5-1/2" casing w/60 bbls. fresh water and press. tested csg. & isolated casing leak interval from 3,503'-3,696'. TOH w/pkr. TIH w/5-1/2" cement retainer at 3,408'. Halliburton est. inj. rate & mixed and pumped 200 sacks Class "C" cement at 2.5 BPM, 700# max. pp. Reversed 4 bbls. (17 sks.) to pit. Waiting on cement. TIH w/4-3/4" bit. Tagged at 3,407'. Drilled cement from 3,407'-3,408', cement retainer from 3,408'-3,410' and hard cement from 3,410'-3,450'. Circ. hole clean. Drilled out cement from 3,450'-3,704' (2' above CIBP). Circ. hole clean. Pressure tested 5-1/2" 14# casing to 560 psi and charted 30 min. test. Well passed the casing integrity test.  
 (Continued On Back)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.  
 SIGNATURE Terry L. Harvey TITLE Sr. Staff Assistant DATE 04-25-95  
 TYPE OR PRINT NAME Terry L. Harvey TELEPHONE NO. 393-2144

(This space for State Use)  
**ORIGINAL SIGNED BY JERRY SEXTON**  
**DISTRICT I SUPERVISOR**  
 APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE MAY 01 1995  
 CONDITIONS OF APPROVAL, IF ANY:

This Approval of Temporary  
 Abandonment Expires 4-25-2000

JCS

NMGSAU #2316 Continued -Page 2-

Drilled cement from 3,704'-3,705' and 1' of sand to CIBP at 3,706'. Drilled CIBP from 3,706'-3,708', sand and fill from 3,708'-3,816' PBTD. Circ. hole clean. TOH w/bit. Circ. wellbore w/120 bbls. fresh water w/corrosion inhibitor mixed. Removed BOP and installed wellhead. Rigged down pulling unit and cleaned location. Closed in. Well TA'd for future use in NMGSAU.

AMERADA HESS CORPORATION

CALIBRATED  
CHARTS

J.H. WILLIAMS #1

APRIL 18, 1995

MI-PD-1000-8-96MIN

Bill Treadwell  
PRODUCTION FOREMAN

24 MIN

24 MIN

40 MIN

60 MIN

80 MIN

100 MIN

120 MIN

140 MIN

160 MIN

180 MIN

200 MIN

220 MIN