

RECORD OF DRILL-STEM AND SPECIAL TESTS

IF DRILL-STEM OR OTHER SPECIAL TESTS OR DEVIATION SURVEYS WERE MADE, SUBMIT REPORT ON SEPARATE SHEET AND ATTACH HERETO Maximum Deviation $1\frac{1}{2}$ deg. at 3840 by TOTCO
 No drill stem tests taken.

TOOLS USED

ROTARY TOOLS WERE USED FROM 0 FEET TO 3950 FEET, AND FROM _____ FEET TO _____ FEET.
 CABLE TOOLS WERE USED FROM _____ FEET TO _____ FEET, AND FROM _____ FEET TO _____ FEET.

PRODUCTION

PUT TO PRODUCING April 4, 1958

OIL WELL: THE PRODUCTION DURING THE FIRST 24 HOURS WAS 69 BARRELS OF LIQUID OF WHICH 38 % WAS OIL; _____ % WAS EMULSION; 12 % WATER; AND _____ % WAS SEDIMENT. A.P.I. GRAVITY 35.4

GAS WELL: THE PRODUCTION DURING THE FIRST 24 HOURS WAS _____ M.C.F. PLUS _____ BARRELS OF LIQUID HYDROCARBON. SHUT IN PRESSURE _____ LBS.

LENGTH OF TIME SHUT IN _____

PLEASE INDICATE BELOW FORMATION TOPS (In Conformance With Geographical Section Of State):

| SOUTHEASTERN NEW MEXICO | | NORTHWESTERN NEW MEXICO | |
|-------------------------|----------------------|-----------------------------|--|
| T. ANHY. <u>1467</u> | T. DEVONIAN _____ | T. OJO ALAMO _____ | |
| T. SALT <u>1550</u> | T. SILURIAN _____ | T. KIRTLAND-FRUITLAND _____ | |
| B. SALT <u>2612</u> | T. MONTOYA _____ | T. FARMINGTON _____ | |
| T. YATES <u>2763</u> | T. SIMPSON _____ | T. PICTURED CLIFFS _____ | |
| T. 7 RIVERS <u>3023</u> | T. MCKEE _____ | T. MENEPEE _____ | |
| T. QUEEN <u>3603</u> | T. ELLENBURGER _____ | T. POINT LOOKOUT _____ | |
| T. GRAYBURG <u>3892</u> | T. GR. WASH. _____ | T. MANCOS _____ | |
| T. SAN ANDRES _____ | T. GRANITE _____ | T. DAKOTA _____ | |
| T. GLORIETA _____ | T. _____ | T. MORRISON _____ | |
| T. DRINKARD _____ | T. _____ | T. PENN. _____ | |
| T. TUBES _____ | T. _____ | T. _____ | |
| T. ABO _____ | T. _____ | T. _____ | |
| T. PENN. _____ | T. _____ | T. _____ | |
| T. MISS _____ | T. _____ | T. _____ | |

FORMATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION | FROM | TO | THICKNESS IN FEET | FORMATION |
|------|------|-------------------|--|------|----|-------------------|-----------|
| 0 | 1467 | 1467 | Redbeds | | | | |
| 1467 | 1550 | 83 | Anhydrite | | | | |
| 1550 | 2612 | 1062 | Salt & anhydrite | | | | |
| 2612 | 3023 | 411 | Shale, salt & anhydrite | | | | |
| 3023 | 3603 | 580 | Dolomite, anhydrite & shale | | | | |
| 3603 | 3892 | 289 | Sandstone, shale, dolomite and anhydrite | | | | |
| 3892 | 3950 | 58 | Dolomite & anhydrite | | | | |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I HEREBY SWEAR OR AFFIRM THAT THE INFORMATION GIVEN HEREWITH IS A COMPLETE AND CORRECT RECORD OF THE WELL AND ALL WORK DONE ON IT SO FAR AS CAN BE DETERMINED FROM AVAILABLE RECORDS.

Apr 11 1958

COMPANY OR OPERATOR Humble Oil & Refining Company ADDRESS P. O. Box 2527 Hobbs, New Mexico

NAME R. G. Jenkins POSITION OR TITLE Supv

Drilled by TOTCO (Name of Drilling Contractor) W. L. H. Drilling Co. (Name of Drilling Contractor) W. L. H. Drilling Co. (Name of Drilling Contractor)