

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation	8. Farm or Lease Name E. S. Adkins
3. Address of Operator Drawer D, Monument, New Mexico 88265	9. Well No. 1
4. Location of Well UNIT LETTER <u>M</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>5</u> TOWNSHIP <u>20S</u> RANGE <u>37E</u> NMPM.	10. Field and Pool, or Wildcat Eunice Monument C/SA
15. Elevation (Show whether DF, RT, GR, etc.) 3565' DF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	PLUG AND ABANDONMENT <input type="checkbox"/>
	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

February 8, 1985 thru February 15, 1985 - Pulled rods & plgr., checked for fill and pulled tbq. & working bbl. Ran cement bond log, GR & collar log inside 5-1/2" csg. fr. 3808' to 2100' & found good cement bond fr. 3808' to 3000'. Ran Dresser Atlas carbon/oxygen log fr. 3815' to 3215'. Selectively perforated 5-1/2" csg. opposite Grayburg San Andres zone as follows: 3678', 3679', 3680', 3681', 3682', 3683', 3710', 3711', 3712', 3713', 3714', 3733', 3734', 3735', 3737', 3738', 3739', 3778', 3779', 3780', 3781' & 3782' w/one SPF, total of 22 shots. Set retrievable bridge plug in 5-1/2" csg. at 3810' & tested bridge plug w/600#. Held OK. Swab tested csg. perms. as above. Released pkr., recovered retrievable bridge plug & trip out. Re-ran tbq. w/working bbl., ran plgr. & rods and resumed pumping.

No test reported.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. S. Sexton TITLE Supv. Adm. Ser. DATE 2-15-85

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE FEB 18 1985

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

FEB 18 1985

G.C.D.
HOURS OFFICE