CO OIL CONSERVATION C'MY ON

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

visable, or the rejection by the Con- lowed, and work should not begin un- the Commission. Indi	cate nature	of notice	by checking below:	
OTICE OF INTENTION TO TEST CASING		I	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
OTICE OF INTENTION TO CHANGE PL			NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
			NOTICE OF INTENTION TO PLUG WELL	
OTICE OF INTENTION TO REPAIR WI				
OTICE OF INTENTION TO DEEPEN W			10 1056	4
		Wir	nk, Texas, November 18, 1936 Place Date	
IL CONSERVATION COMMISSION,				
anta Fe, New Mexico. Sentlemen:			THE TEXAS COMP	ANY
collowing is a notice of intentiton to c	io certain wo	rk as des	scribed below at the	
	J. W. C	coper	Well No. in DW	of NE
Company or Operator	Lease	E , 1	N. M. P. M., Monument	Field,
_				
Dea	_County.			
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack	TIONS IN TH	E RULES	POSED PLAN OF WORK AND REGULATIONS OF THE COMMISSION D 24# 10thd seamless casing calar cement. Completed cement	(120 Ji
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli	3744' of	e RULES f 7" 0 ro reg	AND REGULATIONS OF THE COMMISSION	
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli	3744' of	e RULES f 7" 0 ro reg	and regulations of the commission D 24# 10thd seamless casing cular cement. Completed cement	
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli 12Noon 11-20-36.	3744' of s El Tor	r 7" 0 ro reg	OD 24# 10thd seamless casing gular coment. Completed coment. Completed coment. Completed coment.	
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli 12Noon 11-20-36.	3744' of s El Tor	e RULES f 7" 0 ro reg	and regulations of the commission D 24# 10thd seamless casing gular cement. Completed cement cesting casing by pressure metals.	
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli 12Noon 11-20-36.	3744' of s El Tor	r 7" 0 ro reg	THE TEXAS COMPANY	thod a
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli 12Noon 11-20-36.	3744' of s El Tor	r 7" 0 ro reg	THE TEXAS COMPANY Position District Superintende	fod a
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli 12Noon 11-20-36.	3744' of s El Tor	r 7" 0 ro reg	THE TEXAS COMPANY Position District Superintende Send communications regarding to	thod at
T.D. 3760' Lime. Set and cemented at 3760' with 350 sack 12Noon 11-17-36. Anticipate drilli 12Noon 11-20-36.	3744' of s El Tor	f 7" Oro reg	THE TEXAS COMPANY Position District Superintende	thod at

at the second of the second

Parties and Application Maria production of the state of the

21. 1945 er i de de mantalità de la company

groupe (1) to the company of the com

ing the state of t

A PROBLEMSON SCIPLING WELL THE TO

ON Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

of the Commission. Indicate nature of report by checking below: REPORT ON REPAIRING WELL REPORT ON BEGINNING DRILLING OPERATIONS REPORT ON PULLING OR OTHERWISE ALTERING CASING REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL REPORT ON RESULT OF TEST OF CASING SHUT-OFF REPORT ON DEEPENING WELL T REPORT ON RESULT OF PLUGGING OF WELL Wink, Texas, November 2, Place OIL CONSERVATION COMMISSION, Santa Fe, New Mexico. Gentlemen: Following is a report on the work done and the results obtained under the heading noted above at the J. W. Cooper THE TEXAS COMPANY Well No. in the Company or Operator 37 E NE. . N. M. P. M., of Sec Lea Monument .County. Field, . See below The dates of this work were as follows: 10-30-36 Notice of intention to do the work was [wish not] submitted on Form C-102 on... 19 and approval of the proposed plan was [was not] obtained. (Cross out incorrect words.) DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED Set and cemented 1182' of 9-5/8" 40# 8thd seamless casing at 1199' with 600 sacks Trinity common cement. Completed cementing 8AM 10-29-36. Drilled plug 12:30AM 11-2-36. Tested casing with 1200# pressure before and after drilling plug; tested OK. Witnessed by_ Title Company Name I hereby swear or affirm that the information given above Subscribed and sworn to before : le this is true and correct. November Name aday of District Superintendent Position THE TEXAS COMPANY Notary Public Representing Wink, Texas 5-31-37 Box K, My Commission expires. Address. Remarks: Name

Title

THE THEF CHEENEST OF DVO OF THE TORY

रहा है और अपने वाल के का स्वर्धित

MISCRILLANDED SERVICE OF PELLS

on the first season of the forest and the first colors of the first of

The state of the s	· · · · · · · · · · · · · · · · · · ·
takanne i ili namana da da an da	the states of known t
ender with the second s	And the first factor of the state of the sta
A STATE OF THE AND STATE OF THE	and there were a summer as a second of the consequent
and the second of the second o	existe Anna Section 1964 - Common Carlos Common Carlos Car
	and the second of the second o
Service of the servic	A Company of the Comp
	to the second of
	i ti Otamakala (C. v. Vizika filo vizika kisisis ki girgi i Pent z ek (C. b. 1921) an oleh kisis
e de la composition della comp	Constitution of the Consti
er en	1.6(1) (1) (2) (3) (3) (4) (4) (4) (5)
and the second of the second o	
	and the second s
and the second of the control was for the second was been	Table of the many of the section and the control of
n 19 57 den 198 2 e esta parte descritor de constante d	The state of the s
GIR AMBORIL HIAR SARRIGE IS	A SA TO TRUEDOS GENERACIO
oli di Silando de la Recolo III de la Re	en var de Stadie van de St Georgia van de Stadie van d
	The second secon
	The second section of the second second second second section we have second sections as
Allowed the the absence of the art has to survey a fine to	e e e e e e e e e e e e e e e e e e e
and the second of the second o	- 大
and the second of the second o	- #
in the second of	sand standard of the standard
en de la companya de La companya de la co	en e
 Marchael Control of the Control of the	

I N MI CO OIL CONSERVATION M' ON

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

or the Commission.	Indicate nature		· · · · · · · · · · · · · · · · · · ·
NOTICE OF INTENTION TO TEST CAS	SING SHUT-OFF	x	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE	PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR	R WELL	-	NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPER	WELL		
_		Win	k, Texas, October 30, 1936
OIL CONSERVATION COMMISSIO	N,		Title 2 and
anta Fe, New Mexico.			
Gentlemen:			THE TEXAS COMPANY
Following is a notice of intentiton			Well No. 3 in NE
Company or Operator	Lease	:	
of Sec. 5 , T. 20 S	, _{R.} 37	E	N. M. P. M., Monument Field
Lea	County.		
T. D. 1200' Anh Set and cemente	ydrite. d 1182' o:	f 9 - 5/	8" 40# 8thd seamless casing at 1199 Completed cementing 8AM 10-29-3
T. D. 1200' Anh Set and cemente with 600 sacks Trinit Anticipate dril	ydrite. d 1182° o y common	f 9-5/ cement	8" 40# 8thd seamless casing at 119". Completed cementing 8AM 10-29-3
T. D. 1200' Anh Set and cemente ith 600 sacks Trinit Anticipate dril	ydrite. d 1182° o y common	f 9-5/ cement	8" 40# 8thd seamless casing at 119 c. Completed cementing 8AM 10-29-3
T. D. 1200' Anh Set and cemente ith 600 sacks Trinit Anticipate dril	ydrite. d 1182° o y common	f 9-5/ cement	8" 40# 8thd seamless casing at 1196. Completed cementing 8AM 10-29-36 esting casing by pressure method at
T. D. 1200' Anh Set and cemente ith 600 secks Trinit Anticipate dril AM 11-1-36.	ydrite. d 1182' o y common ling plug	f 9-5/ cement	8" 40# 8thd seamless casing at 119 c. Completed cementing 8AM 10-29-3 cesting casing by pressure method at THE TEXAS COMPANY
T. D. 1200' Anh Set and cemente ith 600 secks Trinit Anticipate dril AM 11-1-36.	ydrite. d 1182' o y common ling plug	f 9-5/ cement and t	8" 40# 8thd seamless casing at 1196. Completed cementing 8AM 10-29-36 esting casing by pressure method at
T. D. 1200' Anh Set and cemente ith 600 secks Trinit Anticipate dril AM 11-1-36.	ydrite. d 1182' o y common ling plug	f 9-5/ cement and t	8" 40# 8thd seamless casing at 1199. Completed cementing 8AM 10-29-3 Sesting casing by pressure method at THE TEXAS COMPANY Compary of Operator By
T. D. 1200' Anh Set and cemente ith 600 secks Trinit Anticipate dril AM 11-1-36.	ydrite. d 1182' o y common ling plug	f 9-5/ cement and t	8" 40# 8thd seamless casing at 1199. Completed cementing 8AM 10-29-3 Sesting casing by pressure method at THE TEXAS COMPANY Compared or Operator
T. D. 1200' Anh Set and cemente with 600 secks Trinit Anticipate dril BAM 11-1-36.	ydrite. d 1182' o y common ling plug	f 9-5/ cement and t	THE TEXAS COMPANY Compared communications regarding well to
T. D. 1200' Anh Set and cemente with 600 secks Trinit Anticipate dril BAM 11-1-36. Approved except as follows:	ydrite. d 1182' or y common ling plug	f 9-5/ cement and t	8" 40# 8thd seamless casing at 1199 Completed cementing 8AM 10-29-3 Sesting casing by pressure method at the Texas company of Operator By District Superintendent
T. D. 1200' Anh Set and cemente with 600 secks Trinit Anticipate dril BAM 11-1-36. Approved except as follows:	ydrite. d 1182' o y common ling plug	f 9-5/ cement and t	THE TEXAS COMPANY Position Di strict Superintendent Send communications regarding well to THE TEXAS COMPANY BOX K. Wink. Texas
T. D. 1200' Anh Set and cemente with 600 secks Trinit Anticipate dril BAM 11-1-36. Approved except as follows:	ydrite. d 1182' or y common ling plug	f 9-5/ cement and t	THE TEXAS COMPANY Compared of Operator By District Superintendent Send communications regarding well to THE TEXAS COMPANY

18