

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Boscon Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-05930
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER TA'D	7. Lease Name or Unit Agreement Name No monument G/SA Unit Blk. 20 #8 Formerly: L. M. Lambert #6
2. Name of Operator Amerada Hess Corporation	8. Well No. 8
3. Address of Operator Drawer D	9. Pool name or Wildcat Eunice Monument G/SA
4. Well Location Unit Letter <u>H</u> : <u>2084</u> Feet From The <u>North</u> Line and <u>660</u> Feet From The <u>East</u> Line	

Section <u>6</u> Township <u>20S</u> Range <u>37E</u> NMMP	Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
<b>NOTICE OF INTENTION TO:</b>	<b>SUBSEQUENT REPORT OF:</b>
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
WELL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING CPNS. <input type="checkbox"/>
OTHER: Cement squeeze & TA well. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plan to MIRU pulling unit, remove well head & install BOP. TOH w/Baker Md. R pkr. TIH w/ RBP set at 2500' & dump 50' of sand on top of plug. Perf. csg. at 2360' & est. rate through surface & circ. out 7" & 9-5/8" annulus. TIH w/cement retainer to 2260' & pump 50 bbls. fresh water followed by 360 sks. Class "C" neat cement w/2% CACL. WOC. If cement didn't circ., run temperature survey to determine cement top. TIH w/6-1/8" bit & drill out well. Press. test csg. to 500# for 30 min. Wash sand off RBP, release RBP & TOH. TIH w/ pkr. & tbg. & circ. well w/trt. fluid. Remove BOP & install well head. RDPU & clean location Resume TA'd status on well for future operations as North Monument G/SA Unit Blk. 20 Well No. 8.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE R. L. Wheeler, Jr. TITLE Supv. Adm. Svc. DATE 4-20-92

TYPE OR PRINT NAME R. L. Wheeler, Jr. TELEPHONE NO. 505 393-2144

This space for State Use

APR 23 '92

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: