

4  
 (Revised 7/1)  
 (Form C-1)  
**RECEIVED**  
 ATLANTIC COMMISSION  
 Mexico  
 OCT 28 1953  
 OIL CONSERVATION COMMISSION  
 COLO  
 HOBBS-OFFICE

### ..Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 4300 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 9-23, 1953

OIL WELL: The production during the first 24 hours was 193 barrels of liquid of which 99.7% was oil; % was emulsion; % water; and .3% was sediment. A.P.I. Gravity 36° API

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1580		T. Devonian		
T. Salt.	1685		T. Silurian		
B. Salt.	2563		T. Montoya		
T. Yates			T. Simpson		
T. 7 Rivers			T. McKee		
T. Queen			T. Ellenburger		
T. Grayburg	3878		T. Gr. Wash		
T. San Andres	4099		T. Granite		
T. Glorieta			T.		
T. Drinkard			T.		
T. Tubbs			T.		
T. Abo			T.		
T. Penn			T.		
T. Miss			T.		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0'	92	92	Caliche	4072	4130	58	Lime
92	330	238	Sand and Red Bed	4130	4176	46	Lime
330	1330	1000	Red Bed	4176	4220	44	Lime
1330	1602	272	Red Bed and Shale	4220	4300	80	Lime
1602	1725	123	Shale and Anhydrite				
1725	2103	378	Red Bed and Anhydrite				
2103	2773	670	Anhydrite and salt				
2773	2854	81	Anhydrite, salt and gyp.				
2854	3196	342	Anhydrite and gyp.				
3196	3297	101	Anhydrite gyp & sandy lime				
3297	3350	53	Anhydrite and gyp.				
3350	3395	45	Gyp and Anhydrite				
3395	3412	17	Anhydrite and Lime				
3412	3498	86	Anhydrite and gyp.				
3498	3561	63	Anhydrite and gyp.				
3561	3645	84	Anhydrite and lime				
3645	3730	85	Anhydrite and lime				
3730	3785	55	Anhydrite and lime				
3785	3866	81	Lime				
3866	3904	38	Lime				
3904	3935	31	Lime and anhydrite				
3935	3948	13	Lime and anhydrite				
3948	4015	67	Lime				
4015	4072	57	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

October 26, 1953

Company or Operator Stanolind Oil and Gas Company

Address Box 68, Hobbs, New Mexico

Name Ralph Neuhauser

Position or Title Field Superintendent