

Santa Fe, New Mexico

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Pan American Petroleum Corporation
(Company or Operator)

B. L. Thompson
(Lynn)

Well No. 10, in NE ¼ of NE ¼, of Sec. 10, T41S, R38E, NMPM.

.....**Habbe**.....**Pool,**.....**Lee**.....**County.**

Well is 660 feet from North line and 990 feet from East line

of Section 10 If State Land the Oil and Gas Lease No. is

Drilling Commenced May 2, 1957 Drilling was Completed May 28, 1957

Name of Drilling Contractor..... **Gackla Drilling Corporation**

Address Fort Worth, Texas

Elevation above sea level at Top of Tubing Head.....3614 FBM..... The information given is to be kept confidential until
Not Confidential 19

No. 1, from None to No. 4, from to

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.

No. 2, from to feet.

No. 3, from.....to.....feet.

No. 4, from to feet.

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	2 1/2	New	293	Float	None		Surface
5 1/2	1 1/2	New	4347	Float	None *		Oil String

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4	8 5/8	306	260	Howe		
7 7/8	5 1/2	4360	1600	Howe		

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

* Perforate 4350-60 w/4 shots per foot. Acidized perforations w/500 gal 15% acid, perforate 4313-20, 4332-37, w/4 shots per foot. Acidized w/1000 gal 15% acid. Squeezed perforation 4350-60, 4313-20, 4332-37 w/134 sacks cement. Perforated 4122-20, 4142-50, 4158-60 w/4 shots per foot and fracked with 21840 gallons oil containing 3/4 to 1/2 pound of sand per gallon.

Result of Production Stimulation.....Produced no oil.

Depth Cleaned Out.....

drill-stem or other special tool joint surveying tool joint

Rotary tools were used from 0 feet to 4360 feet
Cable tools were used from 0 feet to 4360 feet

PRODUCTION

Put to Producing. **Temporarily Abandoned** 8-4-57
OIL WELL: The production during the first 24 hours was none
was oil: none % was emulsion: none % was water: none % was sediment: A.P.I.
Gravity: none
GAS WELL: The production during the first 24 hours was none M.C.F. plus none barrels of
liquid Hydrocarbon. Shut in Pressure: none lbs.
Length of Time Shut in: none

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	1786	T. Devonian	T. Ojo Alamo
T. Salt	1800	T. Silurian	T. Kirtland-Fruitland
B. Salt		T. Montoya	T. Farmington
T. Yates	2816	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	3038	T. McKee	T. Menace
T. Queen	3290	T. Ellenburger	T. Point Lookout
T. Grayburg (Sandy)	4120	T. Gr. Wash	T. Mangos
T. San Andres	4194	T. Granite	T. Dakota
T. Glorieta			T. Morrison
T. Drinkard			T. Penn.
T. Tubbs			
T. Abo			
T. Penn.			
T. Miss			

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	235	235	Caliche, red bed				
235	307	72	Red Bed				
307	1347	1040	Red Rock				
1347	1675	328	Red Bed Anhy.				
1675	1886	211	Anhy. Red Rock				
1886	2667	781	Anhy. Salt				
2667	3007	340	Anhy. Gyp.				
3007	3070	63	Red Rock, Anhy. Gyp. Shale				
3070	3265	195	Anhy., Gyp.				
3265	3310	45	Anhy., Red rock, Lime				
3310	3575	265	Anhy., Gyp.				
3575	3620	45	Anhy. Lime				
3620	3776	156	Anhy. Lime, Gyp. Shale				
3776	3828	52	Anhy. Lime				
3828	3953	125	Anhy. Red Rock Shale, Lime				
3953	4095	142	Anhy. Lime				
4095	4360	265	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given hereon is a complete and correct record of the well and all work done on it so far as can be determined from available records

Company or Operator **PanAmerican Petroleum Corp.** Box 68, Hobbs New Mexico
Name **Robert Henderson** Field Supt.
August 13, 1957 (Date)