

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

RECEIVED
MAY 3 1937

Hobbs, New Mexico April 30, 1937


OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____

Stanolind Oil and Gas Company Thorpe 30X Well No. 30X in NE 1
Company or Operator Lease

of Sec. 10, T. 19S, R. 38E, N. M. P. M., Hobbs Field, Lee County.



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is 1980' feet [N.] [S.] of the N line and 2310' feet [E.] [W.] of the E line of section 10

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is B. L. Thorpe

Address Hobbs, New Mexico

If government land the permittee is _____

Address _____

The lessee is Stanolind Oil and Gas Company

Address Philcade Bldg. Tulsa, Okla.

We propose to drill well with drilling equipment as follows: _____

Rotary Method

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Bond now on file with Commission

We propose to use the following strings of casing and to land or cement them as indicated:

| Size of Hole | Size of Casing | Weight Per Foot | New or Second Hand | Depth | Landed or Cemented | Sacks Cement |
|--------------|----------------|-----------------|--------------------|-------|--------------------|--------------|
| 17" | 13" | 50# | New | 220 | Cemented | To surface |
| 12 1/2" | 9 5/8" | 36# | New | 1670 | Cemented | 400 sack |
| 8 3/4" | 7" | 22# | New | 4080 | Cemented | 350 sack |

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4130 feet.

Additional information:

We propose to drill well with rotary tools to an approximate depth of 4200' unless oil or gas in commercial quantities is encountered at a lesser depth with casing program as outlined above. All work to be done in accordance with the best oil field procedure and in conformance with all oil & gas regulations of the State of New Mexico. **MAY 3 1937**

Approved _____ 19____
except as follows:

Sincerely yours,

Stanolind Oil and Gas Company

By Ralph L. Hendrickson

Position Field Supt.

Send communication regarding well to

Name Ralph L. Hendrickson

Address Box F, Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By G. D. Macy

Title State Geologist,

Member Oil Conservation C'm's'n.

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

