NEW MEXICO STATE LAND OFFICE Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable. a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

You are hereby notified that we intend to test the shut-off of water in Well No. 6 in St. 14 , T. 198 , R. 38E N. M. P. M., Hobbs Oil Field Lea Cou on Jan. 20, 1950 36 lb. casing was { landed cemented formation at a depth of 4071*5" feet on 1950 1950 1950 1950 1950 1950 1950 1950	
Santa Fe, New Mexico. Dear Sir: You are hereby notified that we intend to test the shut-off of water in Well No. 6 in State of Sec. 14 , T. 198 , R. 38E N. M. P. M., Hobbs Oil Field Lea Country on Jan. 20, 1950 19	
Well No. 6 in Sec. 14 T. 198 R. 38E N. M. P. M., Hobbs Oil Field Lea Court on Jan. 20, 1930 lb. casing was feet on 1.1me cemented feet on 1.1me formation at a depth of 407115" feet on 1930 1930	
Well No. in Sec. 14 T. 198 R. 38E N. M. P. M., Hobbs Oil Field Lea Course on Jan. 20, 19 30 lb. casing was feet on 1 in 1 in formation at a depth of 4071 15" feet on 19 30	
Well No. in Sec. 14 T. 198 R. 38E N. M. P. M., Hobbs Oil Field Lea Course on Jan. 20, 19 30 lb. casing was feet on 1 in 1 in formation at a depth of 4071 15" feet on 19 30	
formation at a depth of $\frac{36}{4071^{15}}$ lb. casing was $\frac{1 \text{ line}}{\text{cemented}}$ in $\frac{1.1 \text{ line}}{\text{comented}}$ feet on $\frac{36}{160}$ lb. casing was $\frac{1 \text{ line}}{\text{cemented}}$ in $\frac{1.1 \text{ line}}{\text{location}}$	
formation at a depth of $\frac{36}{4071^{15}}$ lb. casing was $\frac{1 \text{ line}}{\text{cemented}}$ in $\frac{1.1 \text{ line}}{\text{comented}}$ feet on $\frac{36}{160}$ feet on $\frac{36}{160}$ in $\frac{1.1 \text{ line}}{\text{comented}}$	inty
	••••••
sacks of cement were used.	
The method used in placing the cement was as follows: Halliburton 2-plug system.	
Additional information:	,,,, ,,,
Approved Sincerely yours,	
Except as follows.	••••••••••••••••••••••••••••••••••••••
By Jana Sallin	to r.
1 OSITION	
Send communication regarding well to Name The Midwest Refining Company	
Name Name	•••••
Address New Mexico	