

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐

Name of Operator
Chevron U.S.A. Inc.

Address of Operator
P.O. Box 670 Hobbs, NM 88240

Location of Well

UNIT LETTER B 660 FEET FROM THE North LINE AND 1980 FEET FROM
THE East LINE, SECTION 13 TOWNSHIP 20S RANGE 36E N.M.P.M.

7. Unit Agreement Name

8. Farm or Lease Name
H.T. Orcutt (NCT-D)

9. Well No.
1

10. Field and Pool, or Whitcat
Eunice Monument GB/S

15. Elevation (Show whether DF, RT, GR, etc.)

12. County
Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

FORM REMEDIAL WORK ☐
PERMANENTLY ABANDON ☐
OR ALTER CASING ☐
PLUG AND ABANDON ☐
CHANGE PLANS ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOBS ☐
OTHER perf, acidz ☒
ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD:3876 PB: 3842 Work performed 4-2 / 4-5-88

POOH w/ production equipment. Perf 3820-26 w/2 1/8" gund, 1 SPF, 180° phas. Set pkr at 3826, spot 100 gallons acid to btm of tbg, PUH to 3805, set pkr load tbg, press to 4000psi, unable to pmp into form, rel pkr, RIH to 3826, spot 200 gallons 15% NEFE acidz. PUH to 3805, set pkr, load tbg w/ 4.5bbbls press to 4000psi, could not pmp into form. POOH w/ pkr, Perf w/ 2 1/2" guns 3820-26, 1 SPF, 180° phasing, Spot 250 gal 15% NEFE acid to btm of tbg, PUH to 3805, set pkr, put acid away, acidz w/400gallons 15% NEFE, Swab well. TIH w/ prod. tbg, ND BOP, NU WH, RU rods and pmp. space well and hang on, clean location. Turn over to production.

(prod. tbg is 2 3/8", J-55, 4.7#, EUE, 8rd, set at 3804'.)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

L.H. Elmore / M.E. Atkins

TITLE: Staff Drilling Engr.

DATE: April 27, 1988

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT 1 SUPERVISOR

TITLE

DATE: APR 26 1988

REMARKS OF APPROVAL, IF ANY:

RECEIVED
JAN 10 1961
OCD
HOLDS OFFICE