

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL		

October 22, 1948

Monument, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Amerada Petroleum Corporation

State F

Well No. 5

in the _____

Company or Operator

Lease

SE 1/4 SW 1/4

of Sec. 36

T. 19S

R. 36E

N. M. P. M., _____

Monument-Paddock

Field, Lea

County.

The dates of this work were as follows: October 18 - 22, 1948

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on October 10, 1948 and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

10255' Total Depth, Granite. Drilled cement out to 4490' and tested with 2800# but would not hold. Set Baker Retrievable Retainer at 4377' and squeezed perforations at 4460' with 35 ax regular cement. Built up and released pressure periodically until pressure reached 4000# and held. Reversed out 1 sx cement 7AM, 10-19-48. WOC for 12 hours and drilled out cement left from squeeze job and bottom plug from 9894' to 9930'. Ran Lane Wells Gamma Ray and Neutron Curve and perforated 5 1/2" casing from 9890'-9893' w/12 shots. Ran DST with packer at 9884' with gas in 3 min. and oil in 12 min. In 24 hrs. to 10:10AM, 10-22-48, well flowed 594.98 bbls. oil, 1,840,300 cu.ft. gas, GOR 3093. Recovered 300' oil when tool pulled.

Witnessed by C. E. Telge

Amerada Petroleum Corporation

Farm Boss

Name

Company

Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

22nd. day of October 19 48

Name [Signature]

Will Hairo Taylor
Notary Public

Position Asst. Dist. Supt.

Representing Amerada Petroleum Corporation
Company or Operator

My commission expires _____

Address Drawer D, Monument, New Mexico

Remarks:

[Signature]
Name _____
Title _____