Submit 3 Copies to Appropriate District Office

Energy, nerals and Natural Resources Department

Form C-103 Revised 1-1-29

DISTRICT!
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

OIL CONSERVATION DIVISION
P.O. Box 2088

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

S. Indicate Type of Leave

P.O. Drawer DD, Artesia, NM 12210 Daniel 1 of 146W Mickigs 8/304-2088			
DISTRICT III 1000 Rio Brizos Rd., Aziec, NM 87410			
		6. State Oil & Gas Lease No. B-1543-1	
AND REPORTS ON WE	LLS	///////////////////////////////////////	
TOO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEDEN OR DULI ON THE			
(FORM C-101) FOR SUCH PROPOSALS.)			
		NORTH MONUMENT G/SA UNIT	
OTHERS.		PLOCK 14	
		BLOCK 14	
		16	
		9. Pool name or Wildcat	
88265		EUNICE MONUMENT G/SA	
COUTH			
Feet From The SUUTH	Line and 330	Feet From The EAST Line	
Township 19S	36E		
10. Elevation (Show whether	DF, RKB, RT, GR, etc.)	NMPM LEA County	
		<i>\(\(\(\(\(\(\(\(\(\(\(\(\(\(\(\(\(\(\(</i>	
ropriate Box to Indicate	Nature of Notice, R	eport, or Other Data	
NOTICE OF INTENTION TO:		SEQUENT REPORT OF:	
PLUG AND ABANDON	1	_	
CHANGE PLANS			
	COMMENCE DRILLING OPNS. L PLUG AND ABANDONMENT		
	CASING TEST AND CE	MENT JOB .	
	OTHER: TESTED CSG. & CI.		
<u> </u>			
Clearly state all pertinent desails as	والمستحدث		
Clearly state all pertinent details, as	nd give pertinent dates, inclu	ting estimated date of starting any proposed	
	ALS TO DRILL OR TO DEEPEN L USE 'APPLICATION FOR PEFOR SUCH PROPOSALS.) OTHER 88265 Feet From The SOUTH Township 19S R. 10. Elevation (Show whether propriate Box to Indicate TION TO: PLUG AND ABANDON CHANGE PLANS	See Application for Permitters of Such Proposals.) See Application for Permitters of Such Proposals.)	

MIRU DA&S WELL SERVICE PULLING UNIT. RELEASED ON-OFF TOOL & TOH WITH A 1-1/2" X 36' POLISHED ROD, 3 7/8" X 2' PONY RODS, 2 2-7/8" X 4' PONY RODS, 7/8" X 6' PONY ROD, 45 7/8" SUCKER RODS, 100 3/4" SUCKER RODS, 3/4" X 2' PONY ROD AND TOP HALF OF HP ON-OFF TOOL. NOTE: LEFT BOTTOM HALF OF ON-OFF TOOL, 3/4" X 2' PONY ROD, 1-1/4" X 16' POLISHED ROD AND A 2-3/4" X 3' PUMP PLUNGER IN PUMP BARREL. REMOVED 6" 900 TUBINGHEAD FLANGE AND INSTALLED A 6" 900 MANUAL BOP. TOH WITH TBG., 7" BAKER TAC & PUMP BARREL. TIH WITH 6" BIT & TAGGED TOP OF FILL AT 3,754' & TOH. TIH WITH A 5-7/8" LEAD IMPRESSION BLOCK TAGGED AT 3,754' & TOH. LEAD BLOCK SHOWED AN IMPRESSION OF A 3-1/2" EUE TBG. COLLAR. TIH WITH A 5-3/4" CUT LIP GUIDE, 5-3/4" OVERSHOT, WITH A 4.5" GRAPPLE. TAGGED TOP OF FISH AT 3,754', WORKED GRAPPLE OVER FISH AND TOH WITH RECOVERED 3-1/2" TBG. COLLAR (SPLIT), 3-1/2" X 2-7/8" SWAGE, 1 JT. 2-7/8" TBG., 2-7/8" COLLAR AND A 2-7/8" BULL PLUG. TOTAL LENGTH OF FISH AT 33.58'. BASED ON LENGTH OF FISH, TOP

I hereby certify that the information above is true and complete to get best of any knowledge and belief.

SHONATURE SUPV. ADMIN. SER. DATE 7-20-93

TYPE OR PRINT NAME ROY L. WHEELER, JR.

TELEPHONE NO393-2144

(This space for State Use)
Orig. Signed by
Paul Kautz
Geologist

JUL 27 1993

DATE

CONDITIONS OF AFFROVAL, IF ANY:

OF CIBP IS LOCATED AT 3,787'. TIH WITH A 7" ELDER FULLBORE PACKER. SET AT 3,756' & PRESS. TESTED CIBP AT 3,787'. FOUND CIBP WAS NOT LEAKING. RELEASED PACKER & TOH. TIH WITH A 7" ELDER LOK-SET RETRIEVABLE BRIDGE PLUG SET AT 3,698' & PRESS. TESTED CASING FROM O' TO 3,698'. CIRC. CASING WITH 140 BBLS. FRESH WATER AND RECOVERED 60 BBLS. OIL. PRESS. TESTED CASING FROM O' TO 3,698'. HELD OK. CHECKED SURFACE-INTERMEDIATE AND INTERMEDIATE PRODUCTION CASING ANNULI AND FOUND NO PRESS. OR FLOW. RELEASED RBP AND TOH. TIH WITH 2-3/8" 8RD EUE TBG. REMOVED 6" 900 MANUAL BOP & INSTALLED A 6" 900 FLANGE AND SLIP ASSEMBLY. SET SN AT 3,694' AND BOTTOM OF TUBING AT 3,698'. TIH WITH RODS. RIGGED DOWN PULLING UNIT, CLEANED LOCATION AND CLOSED WELL IN PENDING AFE.