

Submit 3 Copies To Appropriate District Office.

District I

1625 N. French Dr., Hobbs, NM 87240

District II

811 South First, Artesia, NM 87210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-025-12801

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

EME SWD

8. Well No.

9

9. Pool name or Wildcat
SWD SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other SWD Well

2. Name of Operator

RICE OPERATING COMPANY

3. Address of Operator

122 W. TAYLOR, HOBBS, NM 88240

4. Well Location

Unit Letter M : 100 feet from the SOUTH line and 250 feet from the WEST line

Section 9 Township 20S Range 37E NMPM LEA County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3525' GL; 3537' KB

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

REMEDIAL WORK ☒ ALTERING CASING ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

CASING TEST / CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

INSTALL INJECTION PACKER PURSUANT TO NM UIC LETTER 12-01-99:

MIRU. Had trouble releasing slips. NUBOP. Set up casing jacks. POOH w/143 jts 5 1/2" FG DuOline tbg. GIH w/ 2 7/8" workstring and TFF @ 4698' (202' fill). POOH. GIH w/packer and set @ 4231'. Pressure to 500# and it held. POOH w/workstring laying down. GIH w/ 7" casing packer, 81 jts 5 1/2" FG DuOline, 61 jts 5 1/2" IPC tbg. NDBOP. Displace annulus w/60 bbls Champion R-2264 Packer Fluid. Set pkr @ 4220'. Load w/ 12 bbls PF. Could not get test. NUBOP. POOH. Packer grips damaged. GIH w/PC AD-1 Large Bore Tension Packer, 81 jts 5 1/2" FG DuOline, 61 jts 5 1/2" IPC tbg. NDBOP, displace annulus w/60 bbls Champion R-2264 packer fluid. Set pkr @ 4220' w/25 pts tension. Load annulus w/ 12 bbls PF. Pressure up annulus to 500# several times to displace trapped air. RU 96 minute clock recorder with chart. Pressure up to 520#. Run chart for 43 minutes. Held. NMOCD rep was not present but was notified in advance of test. Connect wellhead to flowline and return well to disposal activity.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Carolyn Doran Haynes TITLE OPERATIONS ENGINEER DATE 12/18/00

Type or print name CAROLYN DORAN HAYNES

Telephone No. 505-393-9174

(This space for State use)

APPROVED BY _____ TITLE _____

Conditions of approval, if any:

DATE 28 2000

JCS

8

EME JWD Well M-9

100' FSL & 250' FWL, Sec 9, T20S, R37E, Lea Co. NM

KB 3537'

GL 3525'

API # 30-025-12801

12 1/4" hole
500 sx

T/Anhydrite 1078'

T/Salt 1210'

8 3/4" hole
850 sx

B/Salt 2323'

T/Yates 2500'

T/7 Rivers 2612'

T/Queen 3213'

T/Grayburg 3613'

T/San Andres 3855'

9 5/8" 32.3#
csg @ 802'

Casing annulus filled with
Champion R-2264 Packer Fluid

TOC @ 1555'

61 jts 5 1/2" IPC tbg
81 jts 5 1/2" DuOline FG Tbg
1 jt 5 1/2" DuOline FG Tbg tailpipe

Tbg set @ 4251'

7" AD1 LargeBore Tension Pkr @ 4221'

7" 20# CSG @ 4295'

6 1/4" hole

OH TD @ 4900'

Drawn	By
12/18/00	CDH

RICE OPERATING COMPANY

122 WEST TAYLOR
HOBBS, NM 88240

EME M-9

100' FSL & 250' FWL
SEC 9, T20S, R37E
LEA COUNTY, NM

