

FEB 13 1964

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 5 Copies

AREA 640 ACRES LOCATE WELL CORRECTLY

Shelly Oil Company

L. Van Buren

Well No. 11, in NE 1/4 of SE 1/4, of Sec. 9, T. 20-S, R. 37-E, NMPM.

Monument Tubb

Lea

Well is 1900 feet from South line and 660 feet from East line

of Section 9-20S-37E. If State Land the Oil and Gas Lease No. is

Drilling Commenced December 4, 1963, Drilling was Completed December 29, 1963

Name of Drilling Contractor Sackie Drilling Company

Address Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3555' DF

Not Confidential, 1963. The information given is to be kept confidential until

OIL SANDS OR ZONES

- No. 1, from 642' to 6572'
- No. 2, from to
- No. 3, from to
- No. 4, from to
- No. 5, from to
- No. 6, from to

IMPORTANT WATER SANDS

- No. 1, from to feet
- No. 2, from to feet
- No. 3, from to feet
- No. 4, from to feet

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	New	1223'	Guide			Surface
5-1/2"	15.5	New	666'	Float		(642'-6572') (Intervals)	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	8-5/8"	1233'	675	Pump & Plug		
7-7/8"	5-1/2"	687'	549	Pump & Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treated with 6500 gallons 15% Acid, 15,000 gallons Lease Oil and 15,000# 20/40 sand.

Result of Production Stimulation Well pumped 55 barrels of oil and 3 barrels of water in 24 hours.

Depth Cleared Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6000 feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing January 15, _____, 1964

OIL WELL: The production during the first 24 hours was 58 barrels of liquid of which .95 % was oil; _____ % was emulsion; .05 % water; and _____ % was sediment. A.P.I. Gravity 36.5°

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates..... 2508'	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers..... 2899'	T. McKee.....	T. Menefee.....
T. Queen..... 3362'	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg..... 3650'	T. Gr. Wash.....	T. Mancos.....
T. San Andres..... 3996'	T. Granite.....	T. Dakota.....
T. Glorieta..... 5120'	T. Panrose 3470'	T. Morrison.....
T. Drinkard..... 6579'	T. Paddock 5220'	T. Penn.....
T. Tubbs..... 6248'	T. Blinchery 5630'	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2508	2508	Sand & Anhydrite				
2508	2899	271	Sand, Anhydrite & Dolomite				
2899	3362	503	Sand & Anhydrite				
3362	3470	108	Sand				
3470	3650	180	Sand & Dolomite				
3650	3996	346	Dolomite				
3996	5120	1124	Sand & Dolomite				
5120	5220	100	Sand & Dolomite				
5220	5630	418	Lime				
5630	6248	618	Sand				
6248	6579	331	Lime				
6579	6000	301	Lime				
	6000		Total Depth				
	6577		Plug Back Total Depth				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

..... February 6, 1964 (Date)

Company or Operator..... Shelly Oil Company Address..... P. O. Box 730, Hobbs, New Mexico

Name..... **(ORIGINAL SIGNED) H. E. Aab** Position or Title..... Dist. Supt.