

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
110885 OFFICE A.C.C.  
GEOLOGICAL SURVEY

SUBMIT IN TRIPI  
(Other instructions  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

MO-62479

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NONE

7. UNIT AGREEMENT NAME

NONE

8. FARM OR LEASE NAME

U.S. GOVERNMENT

9. WELL NO.

ONE

10. FIELD AND POOL, OR WILDCAT

WILDCAT

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

3-205-334

12. COUNTY OR PARISH 13. STATE

LEA NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER **DRY**

2. NAME OF OPERATOR

**ROGER C. HANKS**

3. ADDRESS OF OPERATOR

**1102 Oil & Gas Bldg., Wichita Falls, Texas 76301**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

**1980' FEL and 1980' FNL of the Section**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

**Ltr. dated 8-11-66 3581' Gr.**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recombination Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spud Date: 8-16-66

Plugging Date: 8-22-66

Summary: Well was drilled to depth of 3460' (Driller).

No porosity was encountered during drilling of well.

A 65' core of 100% anhydrite was recovered from interval 3395'-3460'.

Due to low structural position of the well, it was abandoned with no further drilling.

Ran a Schlumberger Gamma-Ray Sonic Log.

Plug #1	3410'-3240'	170'	70	sk. of con. ce.
#2	3225'-3025'	200'	60	sk. of con. ce.
#3	1420'-1220'	200'	60	sk. of con. ce.
#4	350'-250'	100'	30	sk. of con. ce.
#5	25'-0-0'	25'	10	sk. of con. ce.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Roger C. Hanks*

TITLE **Owner & Operator**

DATE **11-15-66**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

**APPROVED**

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

NOV 17 1966

\*See Instructions on Reverse Side

J L GORDON  
ACTING DISTRICT ENGINEER

**Instructions**

General: This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 1: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned or final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1989-O-688229  
807-6811

ACTIVE DISTRICT ENGINEER  
J. F. GORDON  
NOV 1 1989  
APPROVED

NOV 23 11 02 AM '89  
HOBBBS OFFICE O.C.C.