

MEASURED DEPTH FEET	DRIFT ANGLE D-M	DRIFT DIRECTION D	TRUE VERTICAL DEPTH FEET	RECTANGULAR COORDINATES FEET	DOG LEG SEVERITY DEG/100FT
3000.	1 0	N 51 E	2999.80	14.34 N 10.41 E	.1
3100.	1 15	N 49 E	3099.78	15.60 N 11.92 E	.3
3200.	1 0	N 57 E	3199.77	16.78 N 13.48 E	.3
3300.	1 15	N 56 E	3299.75	17.87 N 15.12 E	.3
3400.	1 0	N 60 E	3399.73	18.91 N 16.78 E	.3
3500.	1 0	N 49 E	3499.71	19.92 N 18.20 E	.2
3600.	1 15	N 59 E	3599.69	21.07 N 19.79 E	.3
3700.	1 45	N 55 E	3699.66	22.50 N 21.98 E	.5
3800.	2 0	N 42 E	3799.60	24.66 N 24.43 E	.5
3900.	1 0	N 44 E	3899.57	26.57 N 26.21 E	1.0
4000.	1 0	N 22 E	3999.55	28.03 N 27.16 E	.4
4100.	1 0	N 13 E	4099.54	29.69 N 27.68 E	.2
4200.	1 15	N 12 E	4199.52	31.61 N 28.11 E	.3
4300.	1 15	N 13 E	4299.49	33.74 N 28.58 E	.0
4362.	1 0	N 23 E	4361.48	34.89 N 28.96 E	.5
4400.	1 15	N 32 E	4399.48	35.56 N 29.30 E	.8
4500.	1 15	N 36 E	4499.45	37.36 N 30.52 E	.1
4600.	1 15	N 34 E	4599.43	39.15 N 31.77 E	.0
4700.	1 15	N 45 E	4699.40	40.83 N 33.16 E	.2
4800.	1 0	N 60 E	4799.38	42.02 N 34.71 E	.4
4900.	1 0	N 68 E	4899.37	42.79 N 36.28 E	.1
5000.	1 0	N 61 E	4999.35	43.54 N 37.85 E	.1
5100.	1 0	N 55 E	5099.34	44.46 N 39.33 E	.1
5200.	1 0	N 54 E	5199.32	45.48 N 40.75 E	.0
5308.	0 45	N 28 E	5307.31	46.71 N 41.82 E	.4
5401.	0 45	N 30 E	5400.30	47.78 N 42.41 E	.0
5494.	0 45	N 17 E	5493.29	48.89 N 42.90 E	.2
5587.	0 45	N 33 E	5586.29	49.99 N 43.41 E	.2
5680.	0 45	N 14 E	5679.28	51.10 N 43.89 E	.3
5773.	0 45	N 3 E	5772.27	52.30 N 44.07 E	.2