

MEASURED DEPTH FEET	DRIFT ANGLE D M	DRIFT DIRECTION D	TRUE VERTICAL DEPTH FEET	RECTANGULAR COORDINATES		DOG SEVERITY DEG/100FT	LEG
				X	Y		
11700.	25 0	N 20 W	11231.83	2177.26 N	450.02 W	1.0	
11800.	25 15	N 18 W	11322.36	2217.40 N	463.84 W	.9	
11900.	24 30	N 19 W	11413.09	2257.29 N	477.19 W	.9	
12000.	23 45	N 18 W	11504.35	2296.05 N	490.16 W	.9	
12100.	23 0	N 18 W	11596.14	2333.78 N	502.42 W	.8	
12200.	22 0	N 18 W	11688.53	2370.18 N	514.24 W	1.0	
12300.	21 0	N 18 W	11781.57	2405.03 N	525.57 W	1.0	
12400.	21 0	N 18 W	11874.93	2439.12 N	536.64 W	0.0	
12500.	21 45	N 19 W	11968.05	2473.68 N	548.21 W	.8	
12600.	24 0	N 20 W	12060.18	2510.32 N	561.18 W	2.3	
12700.	23 30	N 20 W	12151.71	2548.17 N	574.95 W	.5	
12800.	23 0	N 20 W	12243.59	2585.26 N	588.46 W	.5	
12900.	23 0	N 20 W	12335.64	2621.98 N	601.82 W	0.0	
13000.	24 15	N 18 W	12427.26	2659.86 N	614.87 W	1.5	
13100.	26 0	N 17 W	12517.79	2700.36 N	627.63 W	1.8	
13200.	25 45	N 17 W	12607.77	2742.09 N	640.39 W	.2	
13300.	25 30	N 16 W	12697.93	2783.56 N	652.68 W	.5	
13400.	24 45	N 16 W	12788.47	2824.37 N	664.38 W	.8	
13500.	23 15	N 9 W	12879.82	2864.06 N	673.18 W	3.2	
13600.	21 15	N 10 W	12972.37	2901.40 N	679.43 W	2.0	
13700.	19 15	N 6 W	13066.18	2935.66 N	684.24 W	2.4	
13800.	17 45	N 5 W	13161.01	2967.25 N	687.28 W	1.5	
13900.	17 0	N 6 W	13256.45	2996.97 N	690.14 W	.8	
14000.	16 15	N 5 W	13352.27	3025.45 N	692.89 W	.8	
14100.	15 45	N 2 W	13448.39	3052.96 N	694.57 W	1.0	
14150.	15 15	N 1 W	13496.58	3066.32 N	694.92 W	1.1	

FINAL CLOSURE - DIRECTION: N 12 DEGS 46 MINS 9 SECS W
 DISTANCE: 3144.08 FEET