

MEASURED DEPTH FEET	DRIFT ANGLE D M	DRIFT DIRECTION D	TRUE		VERTICAL SECTION FEET	R E C T A N G U L A R C O O R D I N A T E S FEET	DOG LEG SEVERITY DEG/100FT
			VERTICAL DEPTH FEET	VERTICAL SECTION FEET			
11413.	25 0	N 82 W	11027.82	1873.79	266.48 N	1855.57 W	0.7
11506.	25 30	N 83 W	11111.93	1913.43	271.65 N	1894.91 W	0.7
11599.	26 0	N 78 W	11195.70	1953.82	278.32 N	1934.74 W	2.4
11691.	28 0	N 74 W	11277.66	1995.47	288.42 N	1975.26 W	2.9
11784.	28 45	N 75 W	11359.49	2039.45	300.23 N	2017.85 W	1.0
11977.	30 0	N 76 W	11440.53	2084.92	311.65 N	2062.02 W	1.4
11970.	31 15	N 76 W	11520.55	2132.17	323.11 N	2107.98 W	1.3
12062.	32 0	N 75 W	11598.89	2180.25	335.19 N	2154.69 W	1.0
12155.	33 0	N 74 W	11677.32	2229.98	348.55 N	2202.84 W	1.2
12248.	33 30	N 74 W	11755.10	2280.68	362.60 N	2251.85 W	0.5
12341.	34 0	N 75 W	11832.42	2332.10	376.41 N	2301.65 W	0.8
12433.	34 15	N 75 W	11908.58	2383.51	389.77 N	2351.50 W	0.3
12526.	35 0	N 74 W	11985.11	2436.10	403.89 N	2402.42 W	1.0
12619.	35 0	N 74 W	12061.29	2489.13	418.59 N	2453.70 W	0.0
12712.	35 30	N 76 W	12137.24	2542.59	432.48 N	2505.54 W	1.4
12804.	36 15	N 75 W	12211.78	2596.33	445.98 N	2557.74 W	1.0
12897.	36 15	N 75 W	12286.78	2651.10	460.22 N	2610.86 W	0.0
12990.	36 0	N 75 W	12361.90	2705.71	474.41 N	2663.82 W	0.3
13083.	35 30	N 75 W	12437.37	2759.83	488.47 N	2716.30 W	0.5
13175.	36 0	N 74 W	12512.04	2813.32	502.83 N	2768.10 W	0.8
13268.	36 0	N 74 W	12587.28	2867.67	517.90 N	2820.65 W	0.0
13361.	35 45	N 74 W	12662.63	2921.86	532.92 N	2873.04 W	0.3
13454.	34 45	N 73 W	12738.58	2975.17	548.17 N	2924.50 W	1.2
13546.	32 0	N 72 W	12815.40	3025.33	563.38 N	2972.76 W	3.0
13639.	28 0	N 70 W	12895.92	3071.23	578.52 N	3016.72 W	4.4
13732.	25 15	N 69 W	12979.05	3112.19	593.11 N	3055.75 W	3.0
13825.	24 15	N 68 W	13063.50	3150.32	607.38 N	3091.98 W	1.2
13917.	23 15	N 66 W	13147.71	3186.40	621.86 N	3126.08 W	1.4
14010.	23 0	N 65 W	13233.24	3221.74	637.00 N	3159.32 W	0.5
14103.	21 30	N 64 W	13319.31	3255.65	652.16 N	3191.10 W	1.7