

Form 9-331
Dec. 1973Form Approved.
Budget Bureau No. 42-R1424UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other2. NAME OF OPERATOR
Amoco Production Company3. ADDRESS OF OPERATOR
P. O. Box 68, Hobbs, NM 882404. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1980' FNL x 1980' FWL, Sec. 14
AT SURFACE: (Unit F, SE/4 NW/4)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☒
☐
☐
☐
☐
☐
☐
☐
☐RECEIVED
FEB 28 1980
U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO5. LEASE
NM-16835

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Federal AG Com.9. WELL NO.
110. FIELD OR WILDCAT NAME
Wildcat West Osudo Morrow11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
14-20-3512. COUNTY OR PARISH
Lea13. STATE
NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3595.12 RDB

(Notes: Report results of multiple completion or zone on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Big West Drilling Co. (Rig #22) drilled to a TD of 398' and ran 16" casing set at 398'. Cemented with 75 sx Class C cement with 2% CACL. Plugged down 4:00 AM 2-9-80. WOC 20 hrs. Tested casing with 1500# for 30 min. Test OK. Reduced hole to 14-3/4" and resumed drilling.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Bob Davis TITLE Assist. Admin. Ana. DATE 2-25-80

(This space for use by State or Federal use)

APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

0+4 USGS-H, 1-Hou, 1-Susp, 1-BD

*See Instructions on Reverse Side

ACCEPTED FOR RECORD
FEB 28 1980
U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO



LTR



Job separation sheet

Form 9-331
Dec. 1973Form Approved.
Budget Bureau No. 42-R1424UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other
well well2. NAME OF OPERATOR
Amoco Production Company3. ADDRESS OF OPERATOR
P. O. Box 68, Hobbs, NM 882404. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1980' FNL x 1980' FWL, Sec. 14
AT SURFACE: (Unit F, SE/4 NW/4)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☒
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED

FEB 13 1980

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

NOTE: Report results of multiple completion or zone change on Form 9-330.)

5. LEASE

NM-16835

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal AG Com.

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Wildcat West Osudo Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

14-20-35

12. COUNTY OR PARISH

Lea

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3677.4 GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

on 1-21-80 Abbott Bros. Rat Hole Service spudded a 20" hole at 10:00 A.M. with cable tools. Drilled to a TD of 285' and released unit. Currently rigging up rotary tools.

RECEIVED
FEB 13 1980U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Bob Davis

TITLE Assist. Admin. Ana

DATE

2-7-80

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

10-4 USGS-H, 1-Hou, 1-Susp, 1-BD