

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 30 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and resistivity logs run in the well and a summary of all special tests conducted, including drill stem tests. All logs reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multi-zone wells, Zones 1 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on state land, where six copies are required. See Rule 11.3.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy <u>1752</u>	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt <u>1672</u>	T. Strawn <u>10,422</u>	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>3151</u>	T. Atoka <u>10,551</u>	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>3392</u>	T. Miss <u>11,398</u>	T. Cliff House _____	T. Leadville _____
T. 7 Rivers <u>3713</u>	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen <u>4405</u>	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinbry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand <u>5297</u>	T. Entrada _____	T. _____
T. Abe _____	T. Bone Springs <u>7276</u>	T. Wingate _____	T. _____
T. Wolfcamp <u>10,217</u>	T. Morrow Clastics <u>11013</u>	T. Chino _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 4, from.....to.....
No. 2, from.....to.....	No. 5, from.....to.....
No. 3, from.....to.....	No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....None tested.....to.....	feet. ....
No. 2, from.....to.....	feet. ....
No. 3, from.....to.....	feet. ....
No. 4, from.....to.....	feet. ....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	375	375	Caliche & Redbed	10880	11013	138	Lime & Shale
375	1752	1377	Redbeds, Shells & Gyp	11013	11290	272	Shale
1752	1872	120	Anhydrite	11290	11398	108	Sand & Shale
1872	3151	1279	Anhydrite, Gyp & Salt	11398	11620	222	Lime & Chert
3151	3392	241	Anhydrite, Lime & Dol	11620			Total Depth
3392	3713	321	Sand & Anhydrite				
3713	4405	692	Anhydrite, Sand & Lime				
4405	4800	395	Shale, Sand & Lime				
4800	5297	497	Dolomite, Lime & Sand				
5297	5580	283	Sand & Lime Stks				
5580	6050	470	Dolomite & Sand				
6050	6310	260	Lime & Sand				
6310	7330	1020	Sand, Shale & Lime				
7330	8420	1090	Lime, Chert & Shale				
8420	10217	1797	Lime, Sand & Shale				
10217	10422	205	Lime				
10422	10551	129	Lime & Chert				
10551	10880	329	Lime & Shale				