

WRS COMPLETION REPORTCOMPLETIONS SEC 25 TWP 20S RGE 36E
PI# 30-T-0019 08/29/88 30-025-30277-0000 PAGE 1NMEX LEA * 560FSL 860FWL SEC SW SW
STATE COUNTY FOOTAGE SPOT
CHEVRON USA D DO
OPERATOR WELL CLASS INIT FIN
122 EUNICE-MONUMENT SOUTH UNIT
WELL NO. LEASE NAME
3555KB 3544GR EUNICE-MONUMENT
OPER ELEV FIELD POOL AREAAPI 30-025-30277-0000
LEASE TYPE/NO. PERMIT OR WELL I.D. NO.
06/11/1988 07/28/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4300 GRAYBURG CACTUS DRLG 57 RIG SUB 10
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4210 PB 4125 FM/TD GRAYBURG
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.LOCATION DESCRIPTION

6 MI SW MONUMENT, NM

WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM GRAYBURG-SAN ANDRES

CASING/LINER DATACSG 8 5/8 @ 1210 W/ 750 SACKS
CSG 5 1/2 @ 4210 W/ 800 SACKSTUBING DATA

TBG 2 7/8 AT 4092

INITIAL POTENTIALIPP 20BOPD 74 MCFD 93BW 24HRS
GRAYBURG PERF W/ 120/IT 3820- 4074 GROSS
GTY 33.7 GOR 3700

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1165 2390	
LOG	SALT		1370 2185	
LOG	QUEEN		3496 59	
LOG	GRAYBURG		3853 -298	
SUBSEA MEASUREMENTS FROM KB				

CONTINUED IC# 300257007888

Copyrighted 1988
Petroleum
Information Corporation**Petroleum Information****DB** a company of
The Dun & Bradstreet CorporationPI-WRS-GET
Form No 187

COMPLETIONS
PI# 30-T-0019 08/29/88 SEC 25 TWP 20S RGE 36E
30-025-30277-0000 PAGE 2

CHEVRON USA
122 EUNICE-MONUMENT SOUTH UNIT D DO

CORES

CORE 1 3800- 3920 REC119.00FT QN-GRBRG CONV D
NO DESCRIPTION AVAILABLE

CORE 2 3920- 3980 REC 60.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

CORE 3 3980- 4160 REC180.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

GRAYBURG PERF W/ 61/IT 3940- 4074 GROSS
PERF 3940- 3948 3960- 3974 3981- 3990 4000- 4018
PERF 4062- 4074
ACID 3940- 4074 3000GALS
15% NEFE HCL

GRAYBURG PERF W/ 59/IT 3820- 3924 GROSS
PERF 3820- 3828 3838- 3842 3860- 3876 3887- 3900
PERF 3906- 3924
ACID 3820- 3924 2900GALS
15% NEFE HCL

PTP 20BOPD 74 MCFD 97BW 24HRS
GRAYBURG PERF 3820- 4074 GROSS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	GR	MSFL	DLL
LOGS	LDT	CNL	EPT
LOGS	CBL	CET	CCL

DRILLING MEDIA /TYPE,DEPTH/

2417 10.0 PPG

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240

CONTINUED

COMPLETIONS
PI# 30-T-0019 08/29/88 SEC 25 TWP 20S RGE 36E
30-025-30277-0000 PAGE 3

CHEVRON USA
122 EUNICE-MONUMENT SOUTH UNIT D DO

DRILLING PROGRESS DETAILS

02/12 505-393-4121
06/17 LOC/1988/
06/17 DRLG 2417
06/23 4160 TD, TOH W/CORE
06/24 4210 TD, WOCT
06/24 DEV SURVEYS @ 1210 (1 DEG), 2285 (3.5 DEG),
4210 (1.75 DEG)
07/08 4210 TD, WOCT
07/21 4210 TD, WOCT
07/22 4210 TD, PB 4125, POP
08/05 4210 TD, PB 4125, TOP
08/25 TD REACHED 06/23/88 RIG REL 06/23/88
4210 TD, PB 4125
COMP 7/28/88, IPP 20 BO, 74 MCFG, 93 BWPD,
GOR 3700, GTY 33.7
PROD ZONE - GRAYBURG 3820-4074
THREE CORES, NO DSTS RPTD