

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy 1163
 T. Salt 1262
 B. Salt 2498
 T. Yates 2650
 T. 7 Rivers 2848
 T. Queen 3413
 T. Grayburg 3801
 T. San Andres 4193
 T. Glorieta 5067
 T. Paddock 5604
 T. Blinbry 6601
 T. Tubb _____
 T. Drinkard _____
 T. Abo 7099
 T. Wolfcamp 8023
 T. Penn _____
 T. Cisco (Bough C) _____

T. Canyon _____
 T. Strawn _____
 T. Atoka _____
 T. Miss _____
 T. Devonian _____
 T. Silurian _____
 T. Montoya _____
 T. Simpson _____
 T. McKee _____
 T. Ellenburger _____
 T. Gr. Wash _____
 T. Delaware Sand _____
 T. Bone Springs _____
 T. _____
 T. _____
 T. _____
 T. _____

Northwestern New Mexico

T. Ojo Alamo _____
 T. Kirtland-Fruitland _____
 T. Pictured Cliffs _____
 T. Cliff House _____
 T. Menefee _____
 T. Point Lookout _____
 T. Mancos _____
 T. Gallup _____
 Base Greenhorn _____
 T. Dakota _____
 T. Morrison _____
 T. Todilto _____
 T. Entrada _____
 T. Wingate _____
 T. Chinle _____
 T. Permian _____
 T. Penn "A" _____

T. Penn. "B" _____
 T. Penn. "C" _____
 T. Penn. "D" _____
 T. Leadville _____
 T. Madison _____
 T. Elbert _____
 T. McCracken _____
 T. Ignacio Otzte _____
 T. Granite _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 3540 to 3730 No. 3, from 6604 to 6624
 No. 2, from 5610 to 5640 No. 4, from 7223 to 7428

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	1163	1163	Red Bed				
1163	1262	99	Anhydrite, Red Bed				
1262	2498	1236	Salt, Red Bed				
2498	2650	152	Anhydrite, Dolomite				
2650	2848	198	Dolomite, Anhydrite Sandstone				
2848	3413	565	Dolomite, Anhydrite, Sandstone				
3413	3801	388	Sandstone, Dolomite, Anhydrite				
3801	4193	392	Dolomite				
4193	5067	874	Dolomite, Sandstone				
5067	5604	537	Sandstone, Dolomite				
5604	6601	997	Dolomite, Sandstone				
6601	7099	498	Dolomite				
7099	8023	924	Dolomite				