



# HALLIBURTON

CENTRAL OPERATIONS LABORATORY  
WATER ANALYSIS REPORT  
HOBBS, NEW MEXICO

COMPANY Nearburg  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Midland Fax-----915-686-7806

REPORT DATE 99-082  
June 3, 1999  
DISTRICT Hobbs, NM

SUBMITTED BY Pro Well Testers

WELL NAME Viper 1 DEPTH                      FORMATION                       
COUNTY Lea, NM FIELD                      SOURCE                     

SAMPLE		DEPTH		FORMATION	
Sample Temp.	<u>69</u> °F		<u>                    </u> °F		<u>                    </u> °F
SISTIVITY	<u>0.1187</u>				
ECIFIC GR.	<u>1.050</u>				
	<u>4.54</u>				
LCIUM	<u>3,200</u> mpl		<u>                    </u> mpl		<u>                    </u> mpl
MNESIUM	<u>1,400</u> mpl		<u>                    </u> mpl		<u>                    </u> mpl
CHLORIDE	<u>42,250</u> mpl		<u>                    </u> mpl		<u>                    </u> mpl
SULFATES	<u>0</u> mpl		<u>                    </u> mpl		<u>                    </u> mpl
CARBONATES	<u>0</u> mpl		<u>                    </u> mpl		<u>                    </u> mpl
SOLUBLE IRON	<u>500+</u> mpl		<u>                    </u> mpl		<u>                    </u> mpl
Sodium	<u>0</u> mpl		<u>0</u> mpl		<u>0</u> mpl
S	<u>46,850</u> mpl		<u>0</u> mpl		<u>0</u> mpl
GRAVITY	<u>@</u> °F		<u>@</u> °F		<u>@</u> °F

REMARKS  
Submitted sample appears to be load water  
\_\_\_\_\_  
\_\_\_\_\_

Resistivity measured in: Ohm/m2/m

This report is the property of Halliburton Company and neither it nor any thereof nor a copy thereof is to be published or disclosed without first obtaining the express written approval of laboratory management; it may never be used in the course of regular business operations by any person other than the person to whom it was issued and employees thereof receiving such report from Halliburton Co.

ANALYST: \_\_\_\_\_

5  
L

RECEIVED

MAY 12 2000

BLM  
ROSWELL, NM