


(SUBMIT IN TRIPLICATE)

DUPLICATE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		
* * * to Plug Back		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1 is located 660 ft. from N line and 660 ft. from E line of sec. 1
SW 1/4 Sec. 1 T-21-S R-37-E N 1/2 P 1 (Meridian)
Wildest (Field) Lee (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 9494 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

After drilling this well to a total depth of 8370', we tested from 8333' to 8370' and recovered 6230' fluid, top 2630' oil and mud cut salt water, bottom 2600' salt water. We now propose to plug back from 8370' to 8280' with cement with a Baker cement retainer.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pullerton Oil Company

Address Box 2227

Hobbs, New Mexico

By L. W. Jernigan
Title Office Manager