


DUPLICATE

(Form C-103)
(Revised 7/1/52)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico



MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other) PLUG BACK	XX

April 16, 1953
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation

(Company or Operator)

Harry Leonard "A"

(Lease)

Fran Drilling Company

(Contractor)

, Well No. 24 in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 2

T. 21-S, R. 37-E, NMPM, Hare Pool, Lea County.

The Dates of this work were as follows: April 9 - 11, 1953

Notice of intention to do the work ~~XXXX~~ (was not) submitted on Form C-102 on _____, 19____,
(Cross out incorrect words)

and approval of the proposed plan ~~XXXX~~ (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

TD 8700' - Spotted plug thru tubing at 8700' to 8500' w/55 sacks Longhorn Neat cement. Pulled up and spotted plug at 8400' to 8230' w/60 sacks Longhorn Neat cement. Pulled up to 8200' & cleaned tubing w/10 bbls mud. WOC 24 hours. Drilled plug and cleaned out to 8282'.

Witnessed by W. G. Cagle
(Name)

Gulf Oil Corporation
(Company)

Drilling Foreman
(Title)

Approved: OIL CONSERVATION COMMISSION

Roy Yankrough
(Name)
District Office Inspector

(Title)

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Edmund Sheehan

Position Asst. Area Prod. Supt.

Representing Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico

APR 17 1953

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

RECEIVED

APR 17 1953

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other) PERFORATING	XX

April 16, 1953
(Date)Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation

(Company or Operator)

Harry Leonard "A"

(Lease)

Fram Drilling Company

(Contractor)

Well No. 24 in the NW 1/4 SE 1/4 of Sec. 2

T. 21-S, R. 37-E, NMPM, Hare Pool, Lea County.

The Dates of this work were as follows: April 14, 1953

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on _____, 19____, (Cross out incorrect words)and approval of the proposed plan ~~was~~ (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Perforated 7" casing by Welox w/4, 1/2" jet holes per foot from 8220' to 8210'.

Witnessed by W. C. Ogle

(Name)

Gulf Oil Corporation

(Company)

Drilling Foreman

(Title)

Approved:

OIL CONSERVATION COMMISSION

Ray Yankrough

(Name)

Oil Cons Inspector

(Title)

APR 17 1953

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name

R. G. Spheron

Position

Asst. Area Prod. Supt.

Representing

Gulf Oil Corporation

Address

Box 2167, Hobbs, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

RECEIVED

APR 17 1953

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

April 16, 1953
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation

(Company or Operator)

Harry Leonard "A"

(Lease)

Fran Drilling Company

(Contractor)

Well No. 24 in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 2

T. 21-S, R. 37-E, NMPM, Hare Pool, Lea County.

The Dates of this work were as follows: April 12 - 13, 1953

Notice of intention to do the work ~~(was)~~ (was not) submitted on Form C-102 on _____, 19____,
(Cross out incorrect words)

and approval of the proposed plan ~~(was)~~ (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran 215 joints 8267' of 7" OD 23 & 26# N-80 & J-55 & S-95 SS Casing. Set and cemented at 8280' w/700 sacks 4% Gel Trinity Slow set cement. Plug at 8193'. Maximum pressure 1600#. Galf temperature survey in 8 hours found top of cement at 3790'.

After waiting over 30 hours tested 7" casing w/1000# pressure for 30 minutes. There was no drop in pressure. Drilled cement plug from 8193' to 8230'.

After approval of Mr. Yarbrough, State Oil and Gas Inspector, preparations were made to complete well.

Witnessed by W. G. Cagle
(Name)

Gulf Oil Corporation
(Company)

Drilling Foreman
(Title)

Approved:

OIL CONSERVATION COMMISSION

Ray Yarbrough
(Name)
Oil and Gas Inspector
(Title)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Champeron

Position Asst. Area Prod. Supt.

Representing Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico

APR 17 1953

(Date)