## (SUBMIT IN TRIPLICATE)

## UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office LAS CPUCCE
Losso No. 031741 b
RECEIVED
SEP 27 1951
ALEBKARANYLIGH COWNIZZION

## SUNDRY NOTICES AND REPORTS ON

NOTICE OF INTENTION TO DRILL	I	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	-	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		
	.l <b></b>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

W. C. Hawk B-3 No. 2	<del>2-</del> \$	dobbs, New	Musico Septem	sber 21. , 19 51.
Well No. 2-3 is lo	ocated 2130 ft. fr	om $\begin{cases} \mathbf{X} \\ \mathbf{S} \end{cases}$ line and	660 ft. from	E line of sec. 3
SE/4 Sec. 3	21-5	37-E	S.H.P.M.	,
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
Wildcat	Lea		Hen	Mexico
(Field)	(Count	y or Subdivision)	(Sta	te or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

## **DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)

It is our intention to drill a wall at the above location to a total depth of approximately 7830' with retary tools, in an attempt to obtain commercial production in the Simpson. All casing points will be canented in accordance with approved methods of the U.S. Geological Survey and any other special requirements will be complied with.

It is planned to use the following easing pattern: 250' of 10 3/4" easing to be cemented with approximately 250 sacks, count to be circulated; 7 5/8" casing to be set at approximately 3100' and comented with 1260 sacks coment, or sufficient coment to protect the salt section as determined by survey; 5 1/2" casing to be set at total depth and comented with 525 sacks coment as determined by survey, and to be perforated opposite the pay zone.

Approval to produce this well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company	Continental Oil Company	
Address	Box CC, Hobbs, New Mexico	
		By Z.L. Shape
		Title District Superintendent

GERTENET AL SERGES (COSERCIA) BOSER THE BRITISH THERMOTEARCH COSERCE LADVO SALE

Some State of the section of the sec

geten garage

A superior of the second superio

on danch late a of soldenel erode ode the line of little to on these was less of the bound of the bound of the line of little paster of the little of the bound of the state of little educate little colors of the consideration of the state of the little educate of the little of the

It is planned to the initerious coulty for each ty poliumner 25th of 10 4 coults in the to the trains of the expressionally for each ty occasi in a clemical about 15th scaling to the each to approximately alor same and the same in a clemical approximation of the each to approximate the each to a section as interested to express the each to the each to the each to a section of the each to each each to

percent to conserva title upon appropriate at the cities we also because

Trings (Sir Siderathor)

(1) 数据 (

THE STREET

COUNTY LEA THEO Har			re			SIA	STACE NM		
COUNTY	CONOCO, IN					API		25-06504	
OPR NO	4 1451 H	awk "B-3"				MAP			
	Sec 3, T21					(0-0	RD		
		660 FEL of S	ec				12-3	-30 NM	
	4 mi N/Eun			RE SP	o <b>10-</b> 21-	82RKMP	11-7	-82	
CSC			WELL	CLASS: IN	IT DX FIN	DO LSI	E. CODE		
10	3/4-265-250	sx	FOR	MATION	DATUM	FORMA	TION	DATUM	
	/8-3115-942								
	/2-7844-520		ļ						
						<del></del>			
			1D	7845	(MCKE)	PBI)	7830	)	
	(Cimpcon) I	Perfs 7479-77	786 N	IO NEW	POTENTI	AL			

CONIR OPENHEY 3474 GL sub-s

> 12-3-30 NM IC 30-025-70974-82