Form	9-881 a
(Feb	. 1951)

(SUBMIT IN TRIPLICATE)

Las Craces 032096 (b)

X	
	X

UNITED STATES HOBBS OFFICE OCC

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY APR 20 M 10 02

SUNDAT MOTIOZO	AND REPORTS ON WELLS
OTICE OF INTENTION TO DRILL	SURSFOUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
OTICE OF INTENTION TO SIMPLE WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	1 SUBSCOULAL ICE CALL
OTICE OF INTENTION TO SHOOT OR ACIDIZE	1 3093EQUEIT
OTICE OF INTENTION TO PULL OR ALI'ER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
	THE OF REPORT NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CHECK MA	IARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	April 17, 1962 , 19
Z/A 3ec. 11 213	rom. $\mathbb{R}^{\mathbb{N}}$ line and 1980 ft. from $\mathbb{R}^{\mathbb{E}}$ line of sec. 11 378 NIPM (Range) (Meridian)
(1/4 Sec. and Sec. No.)	(State or Territory)
(Field) (Cou	unty or Subdivision) (State of Territory)
·	
- - 1	. level in 3455 ft KB
he elevation of the derrick floor above sea	a level is 3455 ft. KB
DE'	TAILS OF WORK
DE'	TAILS OF WORK
DE State names of and expected depths to objective sands; she ing points, and	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment d all other important proposed work) 349* of 13 3/8" Of 18# H-40 and set at 368*
State names of and expected depths to objective sands; she ing points, and ing points in its points in i	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8" OD 48# H-40 and set at 368° circulated. Thirty minute casing test before y. Tested e. k.
DE State names of and expected depths to objective sands; she ing points, and ing points, and yearded at 6:00 PN 4-10-62. Ran 3/300 ax. WOC 24 hours. General after plug was drilled - 1000;	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8° OD 48° H-40 and set at 368° circulated. Thirty minute casing test before d. Tosted c. k.
State names of and expected depths to objective sands; she ing points, and ing points in it. 1000 st. ioc 24 hours. Coment in after plug was drilled - 1000. I understand that this plan of work must receive approach the company company of the company in the company in the company is a company in the company in the company in the company is a company in the company in the company in the company in the company is a company in the com	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8° OD 48° H-40° and set at 368° circulated. Thirty minute casing test before f. Tested o. k.
DE state names of and expected depths to objective sands; she ing points, and ing points, and ing points, and state at 6:00 PN 4-10-62. Ren 3/300 ex. 1000 24 hours. General after plug was drilled - 1000 and aft	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8° OD 48° H-40° and set at 368° circulated. Thirty minute casing test before f. Tested o. k.
I understand that this plan of work must receive approach. Company Continental Oil Company	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8° OD 48° H-40° and set at 368° circulated. Thirty minute casing test before f. Tested o. k.
DE state names of and expected depths to objective sands; she ing points, and ing points, and ing points, and state at 6:00 PN 4-10-62. Ren 3/300 ex. 1000 24 hours. General after plug was drilled - 1000 and aft	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8° OD 48° H-40° and set at 368° circulated. Thirty minute casing test before f. Tested o. k.
State names of and expected depths to objective sands; she ing points, and ing points, and yearded at 6:00 PN 4-10-62. Ran 3/300 ax. WOC 24 hours. General after plug was drilled - 1,000	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement d all other important proposed work) 349° of 13 3/8° OD 48° H-40° and set at 368° circulated. Thirty minute casing test before f. Tested o. k.