

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

JUN 1937
DUPLICATE

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by showing it with "Q". SUBMIT IN TRIPPLICATE.

J.E. Farrell

Company or Operator

Fort Worth Texas

Address

Walden

Well No. 8-2 Section 15-22

15

22

R. 37

N. M. P. M. 1937

Lea

County

Well is 660 feet south of the North line and 1100 feet west of the East line of Sec. 15 - 22 - 37

If State land the oil and gas lease is No. Private

Assignment No.

If patented land the owner is

W.C. Walden

Address

If Government land the permittee is

W.C. Walden

Address

The Lessee is

W.C. Walden

Address

Drilling commenced 3-26

6-13-37

Drilling was completed

6-13-37

Name of drilling contractor C.T. McLaughlin

Address Ft. Worth Texas

Elevation above sea level at top of casing 3475 feet

The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from 3538 to 3718 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED FROM TO | PURPOSE |
|--------|-----------------|------------------|------|--------|--------------|-------------------|--------------------|---------|
| 1 1/2" | 50 | 8 | rep | 243' | reg | | | |
| 8" | 28 | 8 | " | 1143' | " | | | |
| 6 5/8" | 24 | 10 | " | 3550' | Larkin | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 14" | 1 1/2" | 243' | 100 | Halliburton | | |
| 11" | 8" | 1143' | 200 | " | | |
| 8" | 6 5/8" | 3550' | 250 | " | | |

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|----------|---------|-----------------------|-------------------|
| 4" | Ignite | Nitro | 450 | 6-13-37 | 3535 3800 | 3800 |

Results of shooting or chemical treatment Flowing 15 bbls. natural and 100 bbls. 24 hours after shot

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from top feet to bottom feet, and from feet to feet

PRODUCTION

Put to producing 6-13-37 37
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Ba
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

Don Dean Driller Earl Gilbert Driller
W.F. Dyar Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this

day of June, 1937

Notary Public
Alvin M. Mason

Place

Date

Name

Position

5