SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICES AND REPORTS ON WELLS  SUBSEQUENT REPORT OF MATER SHUT-OFF.  HOTICE OF INTENTION TO CHANGE PLANS.  HOTICE OF INTENTION TO REPORT WELL  NOTICE OF INTENTION TO REPORT WELL  NOTICE OF INTENTION TO REPORT WELL  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION	APPI	ROVED	13000	Bridget Brown No. 40 Page
E. W. STANDLEY UNITED STATES DISTRICT ENGINEER DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY  SUNDRY NOTICES AND REPORTS ON WELLS  SUBSEQUENT REPORT OF WATER SHIT-OFF. HOBBS. R.E.L. NOTICE OF INTENTION TO DRILL. NOTICE OF INTENTION TO TEST WATER SHIT-OFF. NOTICE OF INTENTION TO TEST WATER SHIT-OFF. NOTICE OF INTENTION TO REDURLL OR REPAIR WELL. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO REDURLL OR REPAIR WELL. NOTICE OF INTENTION TO PULL OR ALIER CASING. NOTICE OF INTENTION TO ABANDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  Bradley 13  Well No.  Is is located 660 ft. from Splency (Meridian)  Crup)  (Robinson Crup)  (County or Subdivision)  The elevation of the derrick floor above sea level is 2327.7 ft.  DETAILS OF WORK  (State names of and expected depths to objective sandes, show disas, weights, and lengths of prognessed scalings; indicate muddling john, county of the county of the property of the prognessed scalings; indicate muddling john, county of the prognessed county of the progness			60BBS	Budget Bureau No. 42-R368. Approval expires 12-31-60.
E. W. STANDLEY UNITED STATES  DEPARTMENT OF THE INTERIOR  GEOLOGICAL SURVEY  SUNDRY NOTICES AND REPORTS ON WELLS  NOTICE OF INTENTION TO DRIL.  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALICE CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DEPARTMENT OF SHOOT OR ACIDIZE.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  NOTICE OF INTENTION TO SHOOT OR ALICE CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JABUSTY 17  19  Bradley 13  Well No.  Is is located 660 ft. from [E] line of sec. 13  SEA 30 13 (County or Subdivision)  (State or Twritory)  The elevation of the derrick floor above sea level is 3554.7 ft.  DETAILS OF WORK  (State names of and expected depths to objective searchs; show places wights, and lengths of proposed contage; indicate mudding jobs, county or Subdivision)  It is intended to drill in well at the above logation with rotar les to an approx. depth of 5400° in the Delaware Sand. Casing will see occupied with.  The following casing program is planned: 7 5/8" OF set at 350°	(Feb. 1961) JAN	19 1961 (SUBMET IN	TDIDIICATE	Land Office LAS GFURG
SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICES AND REPORTS ON WELLS  SUBSEQUENT REPORT OF SHOTTING OR ACIDETING.  NOTICE OF INTENTION TO DRIL.  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TO EST WATER SHUT-OFF.  NOTICE OF INTENTION TO TO EST WATER SHUT-OFF.  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  NOTICE OF INTENTION TO ABANDON WELL.  (NOTICE OF INTENTION TO ABANDON WELL.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  SUBSEQUENT REPORT OF RE-DR		(SUBMII IN	I KIPLICAI E)	T.C 06224.8
SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICES AND REPORTS ON WELLS  NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  SUBSEQUENT REPORT OF ALTERING CASING.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JARRIETY 17, 19  STEAD OF INTENTION TO THE DATA  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA  (IN	E. W.	STANDLEY UNITED	STATES	Louis No. 4.V MASS [ See ]
SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PARABODON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  SPACE	DISTRIC	DEPARTMENT O	F THE INTERIOR	Umit
NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **Supplementary Well History.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **PRACTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT OF REPORT OF REPORT OF REPORT OF REPORT OF SUBSTING.  **PRACTICE OF INTENTION TO ABANDON WELL  **INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT OF SUBSTING.  **INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF SUBSTING.  **INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF SUBSTING.  **INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF R		GEOLOGIC	AL SURVEY	The state of the s
NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALITE CASING.  NOTICE OF INTENTION TO PULL OR ALITE CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  **STACLEY** 17	X			
NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALTEXAM  NOTICE OF INTENTION TO PULL OR ALTEXAM  (RIDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)    Stradley 13	SUNDRY	NOTICES AND	REPORTS O	N WELLS JANES 1
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  SUBSEQUENT REPORT OF ABANDONMENT.  SUBSEQUENT REPORT OF ABA	NOTICE OF INTENTION TO DRILL	XX	SUBSEQUENT REPORT OF WATE	R SHUT-OFF HOBBS, NEV. 1
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO ABANDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  STATE OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  Well No. 1 is located 660 ft. from   S   line and 660 ft. from   E   line of sec. 13  SZ/A Sec 13 26-S 33-E NAPH  (Meridian)  Bradley Delaware  (Pold)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level is 3547.7 ft.  DETAILS OF WORK  (State or Territory)  The elevation of the derrick floor above seallevel is 400 ft. from   S   line and lengths of proposed casings; indicate mudding jobs, comming points, and all other important proposed work)  It is intended to drill a well at the above location with retarning the second of	NOTICE OF INTENTION TO CHANGE !	PLANS		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALFER CASING.  NOTICE OF INTENTION TO PULL OR ALFER CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JAMUSTY 17  JAMUSTY 17  JAMUSTY 17  JAMUSTY 17  JAMUSTY 17  JOHN  Well No. 1 is located 660 ft. from S line and 660 ft. from S line of sec. 13  SE/A Sec 13  26-S 33-E NAPH  (General Bee. No.) (Twp.) (Range) (Meridian)  Bradley Delaware  (Floid) (County or Subdivision) (State or Territory)  The elevation of the derrick floor above sea level is 3524. 7 ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work)  It is intended to drill a well at the above location with retarls to an approx. depth of 5400° in the Pelaware Sand. Casing will sented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" OF set at 350°	NOTICE OF INTENTION TO TEST WAT	TER SHUT-OFF		
NOTICE OF INTENTION TO PULL OR ALFER CASING NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)    Station   S	NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)    Station   St	NOTICE OF INTENTION TO SHOOT OF	R ACIDIZE	SUBSEQUENT REPORT OF ABAN	DONMENT
Well No. is located 660 ft. from S line and 660 ft. from E line of sec. 13  **SE/A Sec 13	NOTICE OF INTENTION TO PULL OR	ALITER CASING	SUPPLEMENTARY WELL HISTOR	Υ
Well No is located 660 ft. from   19.  SE/A Sec 13	NOTICE OF INTENTION TO ABANDON	WELL		
The elevation of the derrick floor above sea level is 5547 ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work)  It is intended to drill a well at the above location with retarls to an approx. depth of 5400° in the Dalaward Sand. Casing will ented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" OF set at 350°	Bradley 13	····		lanusry 17 , 19 61
(Field)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level is 5554.7 ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work)  It is intended to drill a well at the above location with retarls to an approx. depth of 5400° in the Delaware Sand. Casing will ented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" OF set at 350°	Bradley 13 Well No is located at the state of the	ted 660 ft. from S	line and 660 ft. f	lanusry 17 , 19 61
DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work)  It is intended to drill a well at the above location with retarls to an approx. depth of 5400° in the Dalaward Sand. Casing will ented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" OF set at 350°	Well No. is local  SE/A Sec 13  (64 Sec. and Sec. No.)	ted 660 ft. from S	line and 660 ft. f	rom E line of sec. 13
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work)  It is intended to drill a well at the above location with retarks to an approx. depth of 5600° in the Dalaward Sand. Casing will ented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" Of set at 350°	Bradley 13 Well No. is local SE/A Sec 13 (k) Sec. and Sec. No.) Bradley Delaware	ted 660 ft. from S	line and 660 ft. f	rom <sub>E</sub> line of sec. 13
It is intended to drill a well at the above location with retarls to an approx. depth of 5000° in the Delaward Sand. Casing will ented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" OF set at 350°	Bradley 13 Well No is local SE/A Sec 13 (kf Bec. and Bec. No.) Bradley Delaware (Field)	ted 660 ft. from S  25-S 33- (Twp.) (Range Lee) (County or Subconfidence and Subconfidence sea level is	line and 660 ft. f	rom <sub>E</sub> line of sec. 13
It is intended to drill a well at the above location with retarle to an approx. depth of 5400° in the Delaward Sand. Casing will ented in accordance with USGS regulations and other special requite will be complied with.  The following casing program is planned: 7 5/8" OF set at 350°	Bradley 13 Well No is local SE/A Sec 13 (kf Bec. and Bec. No.) Bradley Delaware (Field)	ted 660 ft. from S  25-S 33- (Twp.) (Range Lee) (County or Subconfidence and Subconfidence sea level is	line and 660 ft. f	rom <sub>E</sub> line of sec. 13
cement to return to 1100'.	Bradley 13 Well No. is local SE/A Sec 13 (b) Sec and Sec. No.) Bradley Delaware (Field) The elevation of the derrick (State names of and expected depths to	ted 660 ft. from S  26-S 33- (Twp.) (Rang Le (County or Subc floor above sea level is  DETAILS o objective sands; show sizes, we ing points, and all other is	line and 660 ft. f    IMPR	roman line of sec. 13
	Bradley 13  Well No. is local  SE/A Sec 13  (k Sec. and Sec. No.)  Bradley Delaware  (Field)  The elevation of the derrick  (State names of and expected depths to  It is intended to  is to an approx. de  inted in accordance  is will be complied  The following cas  ax, coment to retu	ted 660 ft. from S  26-S 33- (Twp.) (Rang Le (County or Subc floor above sea level is DETAILS objective sands; show sizes, weing points, and all other is drill a well a pth of 54,00° in with USGS regul with. ing program is rn to surface;	line and 660 ft. f  E RAPA  (Meridian)  (Meridian)  3334,7 ft.  OF WORK  Ights, and lengths of proposed comportant proposed work)  t the above loc  the Delaware 3  Lations and oth  planned: 7 5/6	romage line of sec. 13  [ew Mexico (State or Territory)  asings; indicate mudding jobs, coment sation with retary and. Casing will her special require
	Bradley 13  Well No. is local  SE/A Sec 13  (k Sec. and Sec. No.)  Bradley Delaware  (Field)  The elevation of the derrick  (State names of and expected depths to  It is intended to  is to an approx. de  inted in accordance  is will be complied  The following cas  ax, coment to retu	ted 660 ft. from S  26-S 33- (Twp.) (Rang Le (County or Subc floor above sea level is DETAILS objective sands; show sizes, weing points, and all other is drill a well a pth of 54,00° in with USGS regul with. ing program is rn to surface;	line and 660 ft. f  E RAPA  (Meridian)  (Meridian)  3334,7 ft.  OF WORK  Ights, and lengths of proposed comportant proposed work)  t the above loc  the Delaware 3  Lations and oth  planned: 7 5/6	romage line of sec. 13  [ew Mexico (State or Territory)  anings; indicate mudding jobs, coment sation with retary and. Casing will her special require

I understand that this plan of work must receive approval in writing by the Geological Survey before operati Company Continental Oil Company Bex 68 Address ..... Rumice, New Mexico Title District Superintendent O/A UMOS, ROP, WAM, WAR/plat, File

GPO 8620 40

The second of th

or Andalas

PERMIT

-

## NEW MEXICO OIL CONSERVATION COMMISSION FORM C-128 Revised 5/1/57 WELL LOCATION AND ACREAGE DEDICATION PLAT SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE SECTION A Operator CONTINENTAL OIL COMPANY BRADLEY 13 Unit Letter Section Township Range County 13 26 South 33 EAST LEA Actual Footage Location of Vell: 660 feet from the SOUTH 666 line and feet from the EAST line Ground Level Elev. Producing Formation Pool Dedicated Acreage: Bradley Delaware Eruciay Delaware Sd Acres 1. Is the Operator the only owner in the dedicated acreage outlined on the piat below? YES NO \_\_\_\_\_. ("Ouner" means the person ubo has the right to drill into and to produce from any pool and to appropriate the production either for himself and another. (65-3-29 (e) NMSA 1935 Comp.) 2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES\_\_\_\_\_NO \_\_\_\_\_. If answer is "yes," Type of Consolidation \_ 3. If the answer to question two is "no," list all the owners and their respective interests below: Owner Land Description SECTION B I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief. Pistrict Superintender Continental Oil Company January 17, 1961 I hereby certify that the well location shown on the plat in SECTION B was plotted from field actes of actual surveys made by me or under my supervision, and that the same is true and correct to the heat of my knowledge GINEER & LA -660'<del>-</del>

2000

1500

1000

500