

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
NOTICE OF INTENTION TO DRILL

DUPLICATE

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

El Paso, Texas

10-27-39

Place

Date

OIL CONSERVATION COMMISSION,
 Santa Fe, New Mexico.
 Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____

Western Gas Co.

Toby

Well No. #2 in C NE⁴ SE⁴

Company or Operator Western Gas Co. Lease N. Cooper Field, Lea County.
 of Sec. 12, T. 24s, R. 36e, N. M. P.M., N. Cooper

The well is 1980 feet (N.) 75 of the South line and 680 feet
 (W.) of the East line of Sec. 12, Twp 24s, Rge 36e

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____, Assignment No. _____

If patented land the owner is Geo. W. Toby

Address Cooper, New Mexico


If government land the permittee is _____

Address _____

The lessee is _____

Address _____

We propose to drill well with drilling equipment as follows: Rotary



AREA 640 ACRES
 LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Continuing \$10,000.00 bond filed July 12, 1937

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
15"	13"OD	40#	New	285'	Cemented	200
12-1/4"	9-5/8"OD	36#	"	2825	"	800
8-3/4"	7"OD	24#	"	3450	"	100

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about _____ feet.

Additional information:

Approved OCT 30 1939, 19____
 except as follows:

Sincerely yours,

Western Gas Co HOBBS OFFICE
 Company or Operator

By [Signature]

Position Supt.

Send communication regarding well to

Name Western Gas Co., Att: C.L. Perkins

Address Box 1492, El Paso, Texas

OIL CONSERVATION COMMISSION,
 By [Signature]
 Title OIL & GAS INSPECTOR

RECEIVED
 OCT 30 1939
RECEIVED

ANNALS OF ADOPTIONS IN 1940

The following table shows the number of adoptions in 1940, by sex and age of the child, and by race of the adoptive parents. The total number of adoptions was 1,147. The majority of adoptions were of white children, and the majority of adoptive parents were white. The number of adoptions of children under the age of 5 was 612, and the number of adoptions of children 5 years of age or over was 535. The number of adoptions of boys was 487, and the number of adoptions of girls was 660. The number of adoptions of children of color was 108, and the number of adoptions of white children was 1,039.

TABLE 1.—Adoptions in 1940, by sex and age of child, and by race of adoptive parents.

Sex of child	Age of child	White		Of color	
		Number	Percentage	Number	Percentage
Boys	Under 5	245	50.3	10	2.1
	5 years or over	242	49.7	10	2.1
Girls	Under 5	367	55.7	18	2.7
	5 years or over	303	44.3	10	1.5
Total	Under 5	612	53.0	28	2.4
	5 years or over	535	46.9	20	1.7

Source: U. S. Bureau of Census, *Adoptions in 1940*, Washington, D. C., 1942.

ELF

ELF

COUNTY LEA FIELD Langlie Mattix STATE NM
 OPR GETTY OIL CO. API 30-025-09554
 NO WI-239 LEASE Myers Langlie Mattix Ut. MAP
 Sec 12, T24S, R36E COORD
 1980' FSL, 660' FEL of Sec RE 6-4-28 NM
 12 mi NW/Jal RE SPD 11-22-78 CMP 1-20-79

CSG.
 12 1/2" at 255' w/200 sx
 9 5/8" at 2750' w/700 sx
 7" at 3400' w/75 sx
 4 1/2" lnr 3075-3690'
 w/150 sx

WELL CLASS: INTL DD FIN IW		ELEV		L & S	
FORMATION	DATUM	FORMATION	DATUM		
TD 3690' (QUEEN)		PRD			

(Queen) Perfs 3434-3620'; Water Injection Well

CONTR OPRS ELEV 3328' GL PD 3690' RT

6-18-79 F.R.C. 6-23-79 OWDD
 (Orig. Western Gas Co., #2 Toby, George,
 comp. 1-4-40 from (Queen) OH 3400-3570',
 OTD 3570')
 TD 3690'; Complete
 Deepened 3570' to 3690'
 Ran 4 1/2" lnr
 Perf (Queen) 3434-3620' w/1 SPF
 Acid (3434-3620') 3000 gals
 6-23-79 COMPLETION ISSUED

6-4-28 NM
 IC 30-025-70207-79