FORM C-103

NEW ICO OIL CONSERVATION COM ION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF 9-5/8" Csg.		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, New Mexico. (Place) October 21st 1935. (Date)

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Gypsy Oil Company (Company or Operator) J.M. Cooper (Lease) Well No. 2 in the SE/4 of Sec. 14, T. 24s, R. 36e, N. M. P. M., Cooper Field, Lea County.

The dates of this work were as follows: Cemented 17th, 1935 Tested 10-20-1935.

Notice of intention to do the work was [~~was not~~] submitted on Form C-102 on Oct 17th, 19 35

and approval of the proposed plan was [~~was not~~] obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Washed the hole to plug, tested the casing with 1200# Pressure applied for 30 min, drilled the plug and tested the hole with 1200# Pressure appiled for 30 min. drilled Both tests were Okeh and after approval of Mr. Vesely State Oil & Gas Inspector, preparations were made to drill ahead.

Witnessed by _____ Name _____ Company _____ Title

Subscribed and sworn to before me this 19th day of October, 1935

John L. Emerson
Notary Public
JUSTICE OF THE PEACE, PRECINCT 3
LEA COUNTY, NEW MEXICO AT HOBBS
My Commission expires

I hereby swear or affirm that the information given above is true and correct.

Name R. R. Cummings

Position District Superintendent

Representing Gypsy Oil Company (Company or Operator)

Address Hobbs, New Mexico.

Remarks:

F. J. Kelly
Name

Title

Form SG 106

NEW MEXICO STATE LAND OFFICE

OFFICE OF THE STATE GEOLOGIST

SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRIRLLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF 13" Casing		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Hobbs, New Mexico. (Place) October 7th, 1935 (Date)

Mr. E.H. Wells State Geologist,
Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Gypsy Oil Company (Company or Operator) J.M. Cooper (Lease) Well No. 8 in the SE/4 of Sec. 14, T. 24s, R. 36e N. M. P. M., Cooper Oil Field, Lea County.

The dates of this work were as follows: Cemtented 10-4-35 Tested 10-6-35.

Notice of intention to do the work was (was not) sumbitted on Form SG 103 on Oct 5th, 1935, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

The plug was drilled, hole ~~fritint~~ bailed dry and let stand for 1 hour, after rerunning the bailer and finding hole to be shut off Okeh, and after approval of Mr. Vesely State Oil & Gas inspector, Preparations were made to drill ahead.

Subscribed and sworn to before me this 14th day of October, 1935

John L. Cummings
Notary Public

JUSTICE OF THE PEACE PRECINCT TEN
LEA COUNTY, NEW MEXICO AT HOBBS

My Commission expires MY TERM EXPIRES FEB 1st, 1937

I hereby swear or affirm that the information given above is true and correct.

Name O.O. Cummings
Position District Superintendent
Representing Gypsy Oil Company (Company or Operator)
Address Hobbs, New Mexico.

Remarks:

F. Vesely
Name Title

Form SG 103

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF INTENTION TO TEST WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in triplicate.

Hobbs, N. Mex., October 5th, 19 35

Mr. E.H. Wells

State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in J.M. Cooper Well No. 2 in SE/4 of Sec. 14, T. 24s, R. 36e N. M. P. M., Eunice Oil Field Lea County, on Oct 6th 19 35. 13" in. 48# lb. casing was { cemented / ~~landed~~ } in Red Bed formation at a depth of 273' feet on October 4th 19 35 250 sacks of Trinity cement were used.

The method used in placing the cement was as follows: Halliburton

Fluid level will be bailed to a depth of Bottom feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows:

Additional information:

Approved 19

Except as follows:

State Geologist or Oil and Gas Inspector.

Sincerely yours,

Gypsy Oil Company
Company or Operator.

By C.C. Cummings

Position District Superintendent

Send communication regarding well to

Name C.C. Cummings

Address Hobbs, New Mexico.

FORM SG 101

V MEXICO STATE LAND OFFIC

Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. E.H. Wells, State Geologist. Hobbs N. Mex., Sept 30th 9 55

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as J.M. Cooper Well No. 2 in SE/4 of Sec. 14 T. 24S, R. 36E, N. M. P. M., Cooper Oil Field Lea County

N.



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is 1980' feet (N.) (S.) of South line and 1908' feet (E.) (W.) of the East line of Section 14-24-36. of line of

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No.

Assignment No.

If patented land the owner is J.M. Cooper

Address Cooper, New Mexico.

The lessee is Gypsy Oil Company Address Tulsa, Oklahoma.

The elevation of the derrick floor above sea level is feet. We propose to drill well with No. Rotary
Make of Drill

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
13" OD	48#	New	300'	Cemented
9-5/8"	36#	New	2250'	Cemented.
7" OD	24#	New	3500'	Cemented.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3500' feet.

Additional information:

DUPLICATE

Approved OCT 1955, 19

Except as follows:

State ~~Geologist or~~ Oil and Gas Inspector.

Sincerely yours,

Gypsy Oil Company
Company or Operator.

By C.C. Cummings

Position District Superintendent

Send communication regarding well to

Name C.C. Cummings

Address Hobbs, New Mexico.

K.R