


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Tulsa, Oklahoma

Gulf Oil Corporation
Company or Operator
G.W. Shahan
Well No. **1** in **NE-NE** of Sec. **35** T. **25S**
R. **57E**, N. M. P. M., **Jal** Field, **Lea** County.
Well is **600** feet south of the North line and **1000** feet west of the East line of **NE NE**
If State land the oil and gas lease is No. **0000**
If patented land the owner is **(None)** Address **3228**
If Government land the permittee is **(None)** Address **0910**
The Lessee is **Gulf Oil Corporation** Address **Tulsa, Oklahoma**
Drilling commenced **April 6,** 19 **57** Drilling was completed **May 24,** 19 **57**
Name of drilling contractor **T.J. Drilling Co.** Address **Fort Worth, Texas**
Elevation above sea level at top of casing **3011** feet
The information given is to be kept confidential until **Oil Sands or Zones**
No. 1, from **5110'** to **5200'** No. 4, from **5185'** to **5200'**
No. 2, from **Pay 5185'** to **5200'** No. 5, from **5185'** to **5200'**
No. 3, from **5110'** to **5200'** No. 6, from **5185'** to **5200'**

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **Rotary Hole** to **5200'** feet.
No. 2, from **5110'** to **5200'** feet.
No. 3, from **5110'** to **5200'** feet.
No. 4, from **5110'** to **5200'** feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10-3/4	32.78	2 1/2	Lapw.	250'				
7-5/8	26.4	8	Lapw.	2518				
5-1/2	17	10	**	5151				
** National Seamless Steel								

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10-3/4	10-3/4	280	225	Halliburton	Used 800# Calcium Chloride	
9-7/8	7-5/8	2518	408	Halliburton	Used 800# of Aquagel	
8-5/4	5-1/2	5151	150	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Hydrochloric acid	1000	5-24-57	5200'	

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **5200'** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **6-1**, 19 **57**
The production of the first 24 hours was **1638** barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours **1,899,000** Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **2nd**

Tulsa, Oklahoma

July 2, 1957

day of **July**, 19 **57**Name **R. R. Borden**Position **General Superintendent**Representing **Gulf Oil Corporation**My Commission expires **March 16, 1940**Address **Tulsa, Oklahoma**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	150		Galichie
	157		Shale and shells
	230		Shale and streaks of red bed
	250		Shells
	258		Red bed
	265		Red bed and red rock
	277		Red rock
	280		Red rock and red bed
	297		Red bed
	318		Anhydrite
	328		Salt
	338		Salt and anhydrite
	350		Anhydrite
	352		Shale
	360		Anhydrite
	362		Brown line
	364		Gray and brown line
	367		Sand
	370		Brown line
	373		Gray line (sandy)
	375		Brown line
	378		Sand
	380		Brown line
	382		Sand
	385		Shale
	387		Brown line
	390		Line
	392		Gray and brown line
	394		Gray line
	396		Gray and brown line
	398		Line
	400		Gray line
	402		Line
	404		Gray line
	406		Line
	408		Gray line
	410		Line
	412		Gray line
	414		Line
	416		Gray line
	418		Line
	420		Gray line
	422		Line
	424		Gray line
	426		Line
	428		Gray line
	430		Line
	432		Gray line
	434		Line
	436		Gray line
	438		Line
	440		Gray line
	442		Line
	444		Gray line
	446		Line
	448		Gray line
	450		Line
	452		Gray line
	454		Line
	456		Gray line
	458		Line
	460		Gray line
	462		Line
	464		Gray line
	466		Line
	468		Gray line
	470		Line
	472		Gray line
	474		Line
	476		Gray line
	478		Line
	480		Gray line
	482		Line
	484		Gray line
	486		Line
	488		Gray line
	490		Line
	492		Gray line
	494		Line
	496		Gray line
	498		Line
	500		Gray line
	502		Line
	504		Gray line
	506		Line
	508		Gray line
	510		Line
	512		Gray line
	514		Line
	516		Gray line
	518		Line
	520		Gray line
	522		Line
	524		Gray line
	526		Line
	528		Gray line
	530		Line
	532		Gray line
	534		Line
	536		Gray line
	538		Line
	540		Gray line
	542		Line
	544		Gray line
	546		Line
	548		Gray line
	550		Line
	552		Gray line
	554		Line
	556		Gray line
	558		Line
	560		Gray line
	562		Line
	564		Gray line
	566		Line
	568		Gray line
	570		Line
	572		Gray line
	574		Line
	576		Gray line
	578		Line
	580		Gray line
	582		Line
	584		Gray line
	586		Line
	588		Gray line
	590		Line
	592		Gray line
	594		Line
	596		Gray line
	598		Line
	600		Gray line
	602		Line
	604		Gray line
	606		Line
	608		Gray line
	610		Line
	612		Gray line
	614		Line
	616		Gray line
	618		Line
	620		Gray line
	622		Line
	624		Gray line
	626		Line
	628		Gray line
	630		Line
	632		Gray line
	634		Line
	636		Gray line
	638		Line
	640		Gray line
	642		Line
	644		Gray line
	646		Line
	648		Gray line
	650		Line
	652		Gray line
	654		Line
	656		Gray line
	658		Line
	660		Gray line
	662		Line
	664		Gray line
	666		Line
	668		Gray line
	670		Line
	672		Gray line
	674		Line
	676		Gray line
	678		Line
	680		Gray line
	682		Line
	684		Gray line
	686		Line
	688		Gray line
	690		Line
	692		Gray line
	694		Line
	696		Gray line
	698		Line
	700		Gray line
	702		Line
	704		Gray line
	706		Line
	708		Gray line
	710		Line
	712		Gray line
	714		Line
	716		Gray line
	718		Line
	720		Gray line
	722		Line
	724		Gray line
	726		Line
	728		Gray line
	730		Line
	732		Gray line
	734		Line
	736		Gray line
	738		Line
	740		Gray line
	742		Line
	744		Gray line
	746		Line
	748		Gray line
	750		Line
	752		Gray line
	754		Line
	756		Gray line
	758		Line
	760		Gray line
	762		Line
	764		Gray line
	766		Line
	768		Gray line
	770		Line
	772		Gray line
	774		Line
	776		Gray line
	778		Line
	780		Gray line
	782		Line
	784		Gray line
	786		Line
	788		Gray line
	790		Line
	792		Gray line
	794		Line
	796		Gray line
	798		Line
	800		Gray line
	802		Line
	804		Gray line
	806		Line
	808		Gray line
	810		Line
	812		Gray line
	814		Line
	816		Gray line
	818		Line
	820		Gray line
	822		Line
	824		Gray line
	826		Line
	828		Gray line
	830		Line
	832		Gray line
	834		Line
	836		Gray line
	838		Line
	840		Gray line
	842		Line
	844		Gray line
	846		Line
	848		Gray line
	850		Line
	852		Gray line
	854		Line
	856		Gray line
	858		Line
	860		Gray line
	862		Line
	864		Gray line
	866		Line
	868		Gray line
	870		Line
	872		Gray line
	874		Line
	876		Gray line
	878		Line
	880		Gray line
	882		Line
	884		Gray line
	886		Line
	888		Gray line
	890		Line
	892		Gray line
	894		Line
	896		Gray line
	898		Line
	900		Gray line
	902		Line
	904		Gray line
	906		Line
	908		Gray line
	910		Line
	912		Gray line
	914		Line
	916		Gray line
	918		Line
	920		Gray line
	922		Line
	924		Gray line
	926		Line
	928		Gray line
	930		Line
	932		Gray line
	934		Line
	936		Gray line
	938		Line
	940		Gray line
	942		Line
	944		Gray line
	946		Line
	948		Gray line
	950		Line
	952		Gray line
	954		Line
	956		Gray line
	958		Line
	960		Gray line
	962		Line
	964		Gray line
	966		Line
	968		Gray line
	970		Line
	972		Gray line
	974		Line
	976		Gray line
	978		Line
	980		Gray line
	982		Line
	984		Gray line
	986		Line
	988		Gray line
	990		Line
	992		Gray line
	994		Line
	996		Gray line
	998		Line
	1000		Gray line

FORMATION TOPS;

(THICKNESS IN FEET)

Anhydrite	900'
Salt Base	2800'
Brown line	2850'
Upper Ash Andites	3150'
Pay	3180'