

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company Cimarex Energy	Contact Christine Alderman
Address 600 N Marienfeld Ste 600 Midland TX	Telephone No. 432-853-7059
Facility Name Witherspoon 26-23 State Com 1H	Facility Type production

Surface Owner State	Mineral Owner State	API No. 30-025-43291
---------------------	---------------------	----------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
M	26	21S	33E	330	S	630	W	Lea

Latitude 32.443458 Longitude -103.549728

NATURE OF RELEASE

Type of Release produced water/oil	Volume of Release 4 bbls oil/11 bbls PW	Volume Recovered 3 bbls oil/8 bbls PW
Source of Release valve	Date and Hour of Occurrence 11/21/2017	Date and Hour of Discovery 11/21/2017 7:00am
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Olivia Yu/Amber Groves	
By Whom? Gloria Garza	Date and Hour 11/21/2017 5:20 pm	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.

RECEIVED

By Olivia Yu at 7:42 am, Dec 18, 2017


Describe Cause of Problem and Remedial Action Taken.

A hole developed on a back pressure valve on a 2" tee. The valve has been replaced.

Describe Area Affected and Cleanup Action Taken.*

A vacuum truck recovered 11 bbls of the 15 bbls that were released. The fluids were around the wellhead, and impacted part of the pasture area. An environmental company has been contacted to assess and delineate the areas. A scope of work will be submitted ASAP.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: Christine Alderman	OIL CONSERVATION DIVISION	
Printed Name: Christine Alderman	Approved by Environmental Specialist: 	
Title: ESH Supervisor	Approval Date: 12/18/2017	Expiration Date:
E-mail Address: calderman@cimarex.com	Conditions of Approval: see attached directive	Attached <input checked="" type="checkbox"/>
Date: 12/13/2017 12/5/2017 Phone: 432-853-7059		

* Attach Additional Sheets If Necessary

1RP-4893

nOY1734133250

pOY1735229062

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 12/13/2017 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 1RP-4893 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 1 office in Hobbs on or before 1/18/2018. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-476-3465
jim.griswold@state.nm.us

From: [Yu, Olivia, EMNRD](#)
To: ["Christine Alderman"; Gloria Garza](#)
Cc: [Groves, Amber; Billings, Bradford, EMNRD](#)
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017
Date: Monday, December 18, 2017 8:16:00 AM
Attachments: 1RP4893.pdf
image002.png

Dear Ms. Alderman:

The 1RP for this incident is

4893	12/13/2017	A	Cimarex	Witherspoon 26-23 State Com 1H	30-025-43291	21S-33E-26M	11/21/2017
-------------	------------	---	---------	-----------------------------------	--------------	-------------	------------

Please remember to include this 1RP identifier to all communications. Also, please be advised that a release characterization/delineation workplan as detailed in the attachment must be approved by NMOCD BEFORE any remediation work.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Christine Alderman [mailto:calderman@cimarex.com]
Sent: Wednesday, December 13, 2017 7:27 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>; Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Here you go.

Thank you,

Christine Alderman

Cimarex Energy Co.



ESH Supervisor – Permian Basin
Midland TX
Cell – 432.853.7059

From: Yu, Olivia, EMNRD [mailto:Olivia.Yu@state.nm.us]
Sent: Wednesday, December 13, 2017 8:18 AM
To: Christine Alderman <calderman@cimarex.com>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>; Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Good morning Ms. Alderman:

NMOCD requires a revised initial C-141 to be submitted by December 15, 2017.

Thanks,
Olivia

From: Yu, Olivia, EMNRD
Sent: Monday, December 11, 2017 2:01 PM
To: Christine Alderman <calderman@cimarex.com>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Dear Ms. Alderman:

Thank you for your prompt response. Please submit a corrected initial C-141 with the updated information and volume released.

Olivia

From: Christine Alderman [<mailto:calderman@cimarex.com>]
Sent: Monday, December 11, 2017 1:53 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Ms. Yu,

I apologize, I had some miscommunication with my co-workers. This spill was not in containment, rather around the wellhead.

I am reaching out today to an environmental consultant and will get sampling and a scope of work to you ASAP.

Again, I apologize and I will be in touch with you soon.

Respectfully,

Christine Alderman

Cimarex Energy Co.



ESH Supervisor – Permian Basin
Midland TX
Cell – 432.853.7059

From: Yu, Olivia, EMNRD [<mailto:Olivia.Yu@state.nm.us>]
Sent: Monday, December 11, 2017 2:24 PM
To: Christine Alderman <calderman@cimarex.com>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Ms. Alderman:

NMOCD requests that Cimarex confirm that this release occurred inside a lined containment. NMOCD has photo documentation that a larger volume than reported has impacted the pasture.

Thanks,
Olivia

From: Yu, Olivia, EMNRD
Sent: Thursday, December 7, 2017 9:22 AM
To: Christine Alderman <calderman@cimarex.com>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Dear Ms. Alderman:

Please see the attachment for your records. NMOCD requests confirmatory laboratory analyses of discrete soil samples (0-6" bgs) from the impacted pasture area.

Please inspect the liner in question. It is NMOCD's understanding that all impacted material in the containment has been removed and the liner inspected for integrity. Provide NMOCD with a concise report of the inspection with affirmation the liner has and will continue to contain liquids. Pictures and a record of the removal of contaminated fill or proper disposal of liquids are strongly encouraged to accompany submission of initial C-141s.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Christine Alderman [<mailto:calderman@cimarex.com>]
Sent: Tuesday, December 5, 2017 9:32 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>
Subject: RE: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Here is the C-141.

Respectfully,

Christine Alderman

Cimarex Energy Co.



ESH Supervisor – Permian Basin
Midland TX
Cell – 432.853.7059

From: Yu, Olivia, EMNRD [<mailto:Olivia.Yu@state.nm.us>]
Sent: Monday, December 04, 2017 2:41 PM
To: Gloria Garza <ggarza@cimarex.com>
Cc: Groves, Amber <agroves@slo.state.nm.us>; Christine Alderman <calderman@cimarex.com>
Subject: [External] RE: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Ms. Garza:

Please be advised that an initial C-141 is due before Wednesday, December 6, 2017 for the below release.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Gloria Garza [<mailto:ggarza@cimarex.com>]
Sent: Tuesday, November 21, 2017 5:20 PM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Groves, Amber <agroves@slo.state.nm.us>; Christine Alderman <calderman@cimarex.com>
Subject: Spill - Witherspoon 26 23 State 1H - 11/21/2017

Hello

We had a spill today at the Witherspoon 26 23 State 1H.

A hole developed on baird back pressure valve on a 2 inch tee due to material failure. We will replace baird back pressure valve with a choke and replace connections with extra heavy nipples.

4 barrels of crude oil were released and we recovered 3 barrels.

11 barrels of produced water were released and we recovered 8 barrels.

The majority of the fluid stayed on location but due to the high winds today at 30 MPH a mist reached the pasture measuring 40' X 60'.

The haul ticket is attached.

API Number:	3002543291
ULSTR:	M-26-21S-33E
Footages	330 FSL & 630 FWL
Well Name & Number:	WITHERSPOON 26 23 STATE No. 001H
Operator:	CIMAREX ENERGY CO.

Gloria Garza
ES&H Specialist
432.234.3204