WAFMSS

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

APD ID: 10400028460

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: FLAGLER 8 FED

Well Type: OIL WELL

Submission Date: 03/19/2018

Well Number: 26H

Highlighted data reflects the most recent changes

07/16/2018

SUPO Data Report

Show Final Text

Well Work Type: Drill

Section 1 - Existing Roads

Will existing roads be used? YES

Existing Road Map:

Flagler_8_Fed_26H_Access_Rd_20180315133021.pdf

Existing Road Purpose: ACCESS, FLUID TRANSPORT

Row(s) Exist? NO

ROW ID(s)

ID:

Do the existing roads need to be improved? YES

Existing Road Improvement Description: Improve road to accommodate Drilling and Completion operations.

Existing Road Improvement Attachment:

Section 2 - New or Reconstructed Access Roads

Will new roads be needed? YES		
New Road Map:		
Flagler_8_Fed_26H_New_Access_Rd_20180315133034.pdf		
New road type: LOCAL		
Length: 913	Feet	Width (ft.): 30
Max slope (%): 6		Max grade (%): 4
Army Corp of Engineers (ACOE) permit	required? NO
ACOE Permit Number(s):		
New road travel width: 14		
New road access erosion	control: Water	Drainage Ditch
New road access plan or	profile prepare	d? YES
New road access plan atta	achment:	
Flagler_8_Fed_26H_New_	Access_Rd_20	180315133054.pdf
Access road engineering design? YES		

Well Name: FLAGLER 8 FED

Well Number: 26H

Access road engineering design attachment: Flagler_8_Fed_26H_New_Access_Rd_20180315133103.pdf Access surfacing type: OTHER Access topsoil source: ONSITE Access surfacing type description: caliche Access onsite topsoil source depth: 6 Offsite topsoil source description: Onsite topsoil removal process: See attached Interim reclamation diagram. Access other construction information: Access miscellaneous information:

Number of access turnouts:

Access turnout map:

Drainage Control

New road drainage crossing: OTHER

Drainage Control comments: Water Drainage Ditch

Road Drainage Control Structures (DCS) description: N/A

Road Drainage Control Structures (DCS) attachment:

Access Additional Attachments

Additional Attachment(s):

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

Flagler_8_Fed_26H_OneMiMap_20180315133113.pdf

Existing Wells description:

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Production Facilities description: 15 ATTACHMENTS - FLAGLER WELLPAD 1 & CTB 3 - 3 BATT CONN PLATS, CTB PAD AND ELECTRIC PLAT, 4 LATERAL PLATS, WELLPAD PLAT, 3 WELLPAD CTB TO FLOWLINE PLATS, WELLPAD ELECTRIC PLAT AND MULTI USE EASEMENT PLAT. **Production Facilities map:**

Flagler_8_Fed_26H_CTB_3_20180315133416.pdf Flagler_8_Fed_26H_CTB_3_BATCON_Crude_20180315133418.PDF Flagler_8_Fed_26H_CTB_3_BATCON_GAS_20180315133421.PDF Well Number: 26H

Flagler_8_Fed_26H_CTB_3_BATCON_Water_20180315133423.PDF Flagler_8_Fed_26H_LAT_CRUDE_20180315133426.PDF Flagler_8_Fed_26H_CTB_3_ELE_20180315133424.PDF Flagler_8_Fed_26H_LAT_ELE_20180315133427.PDF Flagler_8_Fed_26H_LAT_ELE_SNM_20180315133427.PDF Flagler_8_Fed_26H_LATERAL_20180315133430.PDF Flagler_8_Fed_26H_WP_3_to_CTB_3_FL_20180315133441.PDF Flagler_8_Fed_26H_WP_3_20180315133525.pdf Flagler_8_Fed_26H_WP_3_ELE_20180315133526.PDF Flagler_8_Fed_26H_WP_4_TO_CTB_3_FL_20180315133527.PDF Flagler_8_Fed_26H_WP_5_TO_CTB_3_FL_20180315133528.PDF Flagler_8_Fed_26H_MULTI_USE_Ease_20180315133554.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Water source use type: STIMULATION

Describe type:

Source latitude:

Source datum:

Water source permit type: OTHER

Source land ownership: FEDERAL

Water source transport method: PIPELINE

Source transportation land ownership: FEDERAL

Water source volume (barrels): 150000

Source volume (gal): 6300000

Water source type: RECYCLED

Source longitude:

Source volume (acre-feet): 19.333965

Water source and transportation map:

Flagler_8_Fed_26H_Water_Map_20180315133640.pdf

Water source comments: The attached Water Transfer Map is a proposal only and the final route and documentation will be provided by a Devon contractor prior to installation. When available Devon will always follow existing disturbance. **New water well?** NO

Est thickness of aquifer:

New Water Well Info

Well latitude:

Well Longitude:

Well datum:

Well target aquifer:

Est. depth to top of aquifer(ft):

Aquifer comments:

Aquifer documentation:

Well Name: FLAGLER 8 FED

Well Number: 26H

Well casing outside diameter (in.):Well casing inside diameter (in.):New water well casing?Used casing source:Drilling method:Drill material:Grout material:Grout depth:Casing length (ft.):Casing top depth (ft.):Well Production type:Completion Method:Water well additional information:State appropriation permit:Additional information attachment:Used casing inside diameter (in.):	Well depth (ft):	Well casing type:
Drilling method:Drill material:Grout material:Grout depth:Casing length (ft.):Casing top depth (ft.):Well Production type:Completion Method:Water well additional information:State appropriation permit:	Well casing outside diameter (in.):	Well casing inside diameter (in.):
Grout material:Grout depth:Casing length (ft.):Casing top depth (ft.):Well Production type:Completion Method:Water well additional information:State appropriation permit:	New water well casing?	Used casing source:
Casing length (ft.):Casing top depth (ft.):Well Production type:Completion Method:Water well additional information:State appropriation permit:	Drilling method:	Drill material:
Well Production type: Completion Method: Water well additional information: State appropriation permit:	Grout material:	Grout depth:
Water well additional information: State appropriation permit:	Casing length (ft.):	Casing top depth (ft.):
State appropriation permit:	Well Production type:	Completion Method:
	Water well additional information:	
Additional information attachment:	State appropriation permit:	
	Additional information attachment:	

Section 6 - Construction Materials

Construction Materials description: Dirt fill and caliche will be used to construct well pad. See attached map.

Construction Materials source location attachment:

Flagler_8_Fed_26H_Caliche_Map_20180315133656.pdf

Section 7 - Methods for Handling Waste

Waste type: DRILLING Waste content description: Water Based Cuttings Amount of waste: 1824 barrels Waste disposal frequency : Daily Safe containment description: N/A Safe containmant attachment: Waste disposal type: HAUL TO COMMERCIAL **Disposal location ownership: COMMERCIAL** FACILITY **Disposal type description:** Disposal location description: All cuttings will disposed of at R360, Sundance, or equivalent. Waste type: COMPLETIONS/STIMULATION Waste content description: Flow back water during completion operations. Amount of waste: 3000 barrels Waste disposal frequency : One Time Only Safe containment description: N/A Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL Disposal location ownership: COMMERCIAL FACILITY

Well Name: FLAGLER 8 FED

Disposal type description:

Disposal location description: Various disposal locations in Lea and Eddy counties.

Waste type: PRODUCED WATER Waste content description: Produced formation water Amount of waste: 2000 barrels Waste disposal frequency : Daily Safe containment description: N/A Safe containmant attachment: Waste disposal type: OFF-LEASE INJECTION **Disposal location ownership: COMMERCIAL Disposal type description:** Disposal location description: Various disposal locations in Lea and Eddy counties. Waste type: FLOWBACK Waste content description: Produced formation water Amount of waste: 3000 barrels Waste disposal frequency : Daily Safe containment description: N/A

Safe containmant attachment:

Waste disposal type: OFF-LEASE INJECTION Disposal location ownership: COMMERCIAL

Disposal type description:

Disposal location description: Various disposal locations in Lea and Eddy counties.

Reserve Pit

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.) Reserve pit width (ft.)

Reserve pit depth (ft.)

Reserve pit volume (cu. yd.)

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Well Name: FLAGLER 8 FED

Well Number: 26H

Cuttings Area being used? NO Are you storing cuttings on location? NO Description of cuttings location Cuttings area length (ft.) Cuttings area width (ft.) Cuttings area depth (ft.) Cuttings area volume (cu. yd.) Is at least 50% of the cuttings area in cut? WCuttings area liner Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: NO Ancillary Facilities attachment:

Comments:

Section 9 - Well Site Layout

Well Site Layout Diagram:

Flagler_8_Fed_26H_Well_Layout_20180315133217.pdf

Comments:

Section 10 - Plans for Surface Reclamation

Type of disturbance: New Surface Disturbance

Multiple Well Pad Name: FLAGLER 8

Multiple Well Pad Number: 3

Recontouring attachment:

Flagler_8_Fed_26H_Interim_Recl_20180315133719.pdf

Drainage/Erosion control construction: All areas disturbed shall be reclaimed as early and as nearly as practicable to their original condition or their final land use and shall be maintained to control dust and minimize erosion to the extent practicable. Drainage/Erosion control reclamation: Topsoils and subsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns. The disturbed area then shall be reseeded in the first favorable growing season.

Well Name: FLAGLER 8 FED	Well Number: 26H	
		
Well pad proposed disturbance	Well pad interim reclamation (acres):	Well pad long term disturbance
(acres): 8.264	4.023	(acres): 4.241
Road proposed disturbance (acres): 0.629	Road interim reclamation (acres): 0	Road long term disturbance (acres): 0.629
Powerline proposed disturbance	Powerline interim reclamation (acres):	Powerline long term disturbance
(acres): 0.466	0	(acres): 0.466
Pipeline proposed disturbance	Pipeline interim reclamation (acres): 0	Pipeline long term disturbance
(acres): 0.781	Other interim reclamation (acres): 0	(acres): 0.781
Other proposed disturbance (acres): 0		Other long term disturbance (acres):
Tetel managed disturbances 40.44	Total interim reclamation: 4.023	Total laws tawn disturbance 0.117
Total proposed disturbance: 10.14		Total long term disturbance: 6.117

Disturbance Comments:

Reconstruction method: Operator will use Best Management Practices"BMP" to mechanically recontour to obtain the desired outcome.

Topsoil redistribution: Topsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns.

Soil treatment: Topsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns.

Existing Vegetation at the well pad: Shinnery, yucca, grasses and mesquite.

Existing Vegetation at the well pad attachment:

Existing Vegetation Community at the road: Shinnery, yucca, grasses and mesquite.

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline: Shinnery, yucca, grasses and mesquite.

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances: Shinnery, yucca, grasses and mesquite.

Existing Vegetation Community at other disturbances attachment:

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO Seed harvest description:

Seed harvest description attachment:

Well Number: 26H

•		
Seed	Management	

Seed Type

Seed Summary	Total pounds/Acre:
PLS pounds per acre:	Proposed seeding season:
Seed use location:	
Seed cultivar:	
Source phone:	
Source name:	Source address:
Seed name:	
Seed type:	Seed source:
Seed Table	

Pounds/Acre

Seed reclamation attachment:				
Operator Contact/Responsible Official Contact Info				
First Name: Travis	Last Name: Phibbs			
Phone: (575)748-9929	Email: travis.phibbs@dvn.c			
Seedbed prep:				
Seed BMP:				
Seed method:				
Existing invasive species? NO				
Existing invasive species treatment description	:			
Existing invasive species treatment attachment	:			
Weed treatment plan description: Maintain weed	s on an as need basis.			
Weed treatment plan attachment:				
Monitoring plan description: Monitor as needed.				
Monitoring plan attachment:				

Success standards: N/A

Pit closure description: N/A

Pit closure attachment:

Well Name: FLAGLER 8 FED

Well Number: 26H

Section 11 - Surface Ownership

Disturbance type: NEW ACCESS ROAD

Describe:

Surface Owner: BUREAU OF LAND MANAGEMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Disturbance type: EXISTING ACCESS ROAD Describe: Surface Owner: BUREAU OF LAND MANAGEMENT Other surface owner description: BIA Local Office: BOR Local Office: COE Local Office: DOD Local Office: NPS Local Office: State Local Office: Military Local Office: USFWS Local Office: Other Local Office: USFS Region: Well Name: FLAGLER 8 FED

Well Number: 26H

USFS Forest/Grassland:

USFS Forest/Grassland:

USFS Ranger District:

Disturbance type: PIPELINE Describe: Surface Owner: BUREAU OF LAND MANAGEMENT Other surface owner description: BIA Local Office: BOR Local Office: COE Local Office: DOD Local Office: NPS Local Office: State Local Office: USFWS Local Office: Other Local Office: USFS Region:

USFS Ranger District:

Disturbance type: WELL PAD Describe: Surface Owner: BUREAU OF LAND MANAGEMENT Other surface owner description: BIA Local Office: BOR Local Office: COE Local Office: DOD Local Office: NPS Local Office: State Local Office:

Well Name: FLAGLER 8 FED

Well Number: 26H

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Section 12 - Other Information

Right of Way needed? YES

Use APD as ROW? YES

ROW Type(s): 281001 ROW - ROADS,288100 ROW - O&G Pipeline,288101 ROW - O&G Facility Sites,289001 ROW-O&G Well Pad,FLPMA (Powerline),Other

ROW Applications

SUPO Additional Information: PERMITTING NINE WELLS ON PAD. SEE C-102 FOR GRADING PLAN PLATS. SEE SEC. 4 FOR INFRASTRUCTURE PLATS. **Use a previously conducted onsite?** YES

Previous Onsite information: Onsite 11/9/2017

Other SUPO Attachment