District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Separtment

OCD - HOBBS
04|09|2020
04|09|2020
04|09|2020

MCF/D

Vented

Flared

Flaring is expected to be

sporadic

Submit Original to Appropriate District Office

GAS CAPTURE PLAN

☑ Original		Operator	Operator & OGRID No.: ConocoPhillips Company/ 217817						
☐ Amended		Date: 6/19/19							
Reason for Ar	nendment:								
This Gas Capture Planew completion (new		•	•	o reduce wel	ll/product	tion	facility flaring/venting fo		
Note: A C-129 must be	e submitted and ap	pproved prior to exc	eeding 60 da	ys allowed by	Rule 19.	15.1	8.12.A		
Well(s)/Production F	acility – Name o	of facility							
The well(s) that will b	e located at the p	roduction facility a	re shown in	the table bel	ow.				
Well Name	API	Well Location	Footages	Expected	Flared	or	Comments		

Gathering System and Pipeline Notification

Pending

30-025-47076

ZHU 2032 BS 13H. 14H.

15H, 16H

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in
place. The gas produced from production facility is dedicated toEnterprise and will be connected toEnterprise
low/high pressure gathering system located in Lea County, New Mexico. It will require 568' of pipeline to
connect the facility to low/high pressure gathering system. Conocophillips provides (periodically) toEnterprise a drilling,
completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition,
Enterprise and Conocophillips have periodic conference calls to discuss changes to drilling and completion schedules. Gas from
these wells will be processed at <u>Enterprise</u> Processing Plant located in <u>Oral</u> , <u>Texas</u> <u>Reeves County</u> ,
Texas. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Various

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Gas Transporter</u> system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

(ULSTR)

Sec. 20, T26S, 32E

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - O Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines