Form 3160-5									
(June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS						FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018			
					5. Lease Serial No. NMNM19143				
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. If Indian, Allottee or Tribe Name			
						7. If Unit or CA/Agreement, Name and/or No.			
	SUBMIT IN	TRIPLICATE - Other ins	structions on	page 2		7. If Ohn of CA/Agie	ement, Name a	10/01 110.	
1. Type of Well ☑ Oil Well □ Gas Well □ Other						8. Well Name and No. MAXUS 8026 FED 3H			
2. Name of Operator BTA OIL PROD	DELL		9. API Well No. 30-025-46815-00-X1						
3a. Address 104 SOUTH PECOS STREET MIDLAND, TX 79701			3b. Phone No. (include area code) Ph: 432-682-3753 Ext: 139			10. Field and Pool or Exploratory Area ANTELOPE RIDGE-BONE SPRING NC			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State			State		
Sec 34 T22S R 32.354595 N L	0FNL 1230FEL W Lon		LEA COUNTY, NM						
12. CH	HECK THE A	PPROPRIATE BOX(ES) TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	HER DATA		
TYPE OF SUB	BMISSION			TYPE OF	FACTION				
□ Notice of Inte	ent	□ Acidize	Dee	-	—	ion (Start/Resume)	□ Water S		
🛛 Subsequent R	eport	 Alter Casing Casing Repair 	-	Iraulic Fracturing v Construction	Reclamation Recomplete		 Well Integrity Other 		
☐ Final Abandonment Notice		Change Plans	_			arily Abandon	Drilling O	perations	
_		Convert to Injection Plug Back Water			□ Water I	Disposal			
If the proposal is to Attach the Bond un following complet	o deepen directiona nder which the wor ion of the involved ompleted. Final At	eration: Clearly state all pertin ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices must be f inal inspection.	7, give subsurface le the Bond No. o results in a multip	locations and measure n file with BLM/BIA le completion or reco	red and true ve Required sub moletion in a	ertical depths of all pertin procedure reports must be new interval, a Form 316	ent markers an filed within 30 0-4 must be file	d zones.) days ed once	
SPUD WELL:	2/13/2020								
2/17/2020: DRI CEMENT CIRC		HOLE AND SET 13 3/8" SURFACE.	54.4#J-55 ST	C CASING WITH	1715 SAC	KS OF CEMENT.			
2/24/2020: TES	ST 13 3/8" CAS	SING TO 1500 PSI. GOO	OD TEST.						
2/29/2020: DRI DV TOOL AT 4 DID NOT CIRC	1096', CEMENT	HOLE AND SET 9 5/7" 4 F CIRCULATED TO SUF 70'.	0# J-55 LTC (RFACE OFF D	CASING WITH 58 V TOOL, PUMP	35 SACKS (2ND STAG	DF CEMENT. OPEN E WITH 1290 SACK	I S. CEMENT		
14. I hereby certify th	hat the foregoing is	s true and correct.							
	Con	Electronic Submission a For BTA	OIL PRODUCI	RS, sent to the H	lobbs	-			
Committed to AFMSS for processing by PRI Name(Printed/Typed) KATY REDDELL									
Signature (Electronic Submission) Date 04/24/2020									
		THIS SPACE F	OR FEDER	L OR STATE	OFFICE U	SE			
APProved By ACCEPTED					JONATHON SHEPARD TitlePETROELUM ENGINEER		Date (05/01/2020	
	d. Approval of this notice doe uitable title to those rights in the act operations thereon.	Office Hobbs							
		U.S.C. Section 1212, make it statements or representations a			willfully to m	ake to any department or	agency of the U	United	
			J	J			<u> </u>	/	

(Instructions on page 2) ** BLM REVISED **



Additional data for EC transaction #512583 that would not fit on the form

32. Additional remarks, continued

3/1/2020: TOP OUT WITH 25 SACKS OF CEMENT. CEMENT TO SURFACE. TEST 9 5/8" CASING TO 1500 PSI FOR 30 MINUTES. GOOD TEST.

3/14/2020: DRILLED 8 3/4" HOLE AND SET 5 1/2" 17# P-110IC TXP-BTC CASING WITH 2925 SACKS OF CEMENT. CEMENT CIRCULATED TO SURFACE.

3/14/2020: RIG RELEASED.

Revisions to Operator-Submitted EC Data for Sundry Notice #512583

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG NOI	DRG SR
Lease:	NMNM19143	NMNM19143
Agreement:		
Operator:	BTA OIL PRODUCERS, LLC 104 S. PECOS STREET MIDLAND, TX 79701 Ph: 432-682-3753	BTA OIL PRODUCERS 104 SOUTH PECOS STREET MIDLAND, TX 79701 Ph: 432.682.3753 Fx: 432.683.0325
Admin Contact:	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com
	Ph: 432-682-3753	Ph: 432-682-3753 Ext: 139
Tech Contact:	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com
	Ph: 432-682-3753	Ph: 432-682-3753 Ext: 139
Location: State: County:	NM LEA	NM LEA
Field/Pool:	ANTELOPE RIDGE-BONE SPRIN	ANTELOPE RIDGE-BONE SPRING NOR
Well/Facility:	MAXUS 8026 FED 3H Sec 34 T22S R34E NENE 300FNL 1230FEL 32.354595 N Lat, 103.453369 W Lon	MAXUS 8026 FED 3H Sec 34 T22S R34E NENE 300FNL 1230FEL 32.354595 N Lat, 103.453369 W Lon