B SUNDRY Do not use th abandoned we	ERIOR MENT S ON WELLS I or to re-enter an or such proposals. tions on page 2	6. 7. 8.	 NMOCD FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM114991 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. NMNM137572 8. Well Name and No. GREEN WAVE 20 32 FED STATE COM 1H 9. API Well No. 30-025-43186-00-S1 			
 3a. Address P O BOX 250 ARTESIA, NM 88201 4. Location of Well (Footage, Sec., 2) 	Ph	Phone No. (include area code) 1: 405-228-8429		 10. Field and Pool or Exploratory Area WC-025 G06 S263407P 11. County or Parish, State 		
Sec 20 T26S R34E NWSW 2				LEA COUNTY,		
TYPE OF SUBMISSION	PPROPRIATE BOX(ES) TO		F NOTICE, RE	PORT, OR OTH	HER DATA	
Image: Notice of Intent Image: Acidize Image: Deepen Image: Production (Start/Resume) Image: Water Shut-Off Image: Subsequent Report Image: Alter Casing Image: Hydraulic Fracturing Image: Reclamation Image: Well Integrity Image: Subsequent Report Image: Casing Repair Image: New Construction Image: Recomplete Image: Change Plans Image: Convert to Injection Image: Plug and Abandon Image: Temporarily Abandon PD 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. Image: Temposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandoment Notices must be filed only after all requirements, including reclamation, have been completed. Image: and the operation results in a multiple completion or recompleted new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandoment Notices must be filed only after all requirements, including reclamation, have been completed. Image: and the operator has determined that the site is ready for final inspection. Devon Energy Production Co						
14. I hereby certify that the foregoing i	s true and correct	Entered 06/05/2020 -	NMOCD			
	Electronic Submission #5160 For DEVON ENERGY P nmitted to AFMSS for processir	RODUCTION COM LP, ser	nt to the Hobbs n 05/21/2020 (20		SSI	
Signature (Electronic	Submission)	Date 05/20/20				
	THIS SPACE FOR F	EDERAL OR STATE	OFFICE USE			
Approved By ACCEPT	ED		UM ENGINEE	२	Date 06/01/2020	
Conditions of approval, if any, are attached certify that the applicant holds legal or eq which would entitle the applicant to cond Title 18 U.S.C. Section 1001 and Title 43 States any false fictitious or fraudulent	uitable title to those rights in the subj uct operations thereon. U.S.C. Section 1212, make it a crime	e for any person knowingly and	willfully to make	to any department or	agency of the United	

(Instruction	(n n n n n n n n)
(Instruction	s on page 2)

** BLM REVISED **

Revisions to Operator-Submitted EC Data for Sundry Notice #516086

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH SR
Lease:	NMNM114991	NMNM114991
Agreement:		NMNM137572 (NMNM137572)
Operator:	DEVON ENERGY PRODUCTION COMPAN 333 WEST SHERIDAN AVE OKLAHOMA CITY, OK 73102 Ph: 405-228-8429	DEVON ENERGY PRODUCTION COM LP P O BOX 250 ARTESIA, NM 88201 Ph: 575-748-1854
Admin Contact:	REBECCA DEAL REGULATORY COMPLIANCE PROFESSI E-Mail: Rebecca.Deal@dvn.com	REBECCA DEAL REGULATORY COMPLIANCE PROFESSI E-Mail: Rebecca.Deal@dvn.com
	Ph: 405-228-8429	Ph: 405-228-8429
Tech Contact:	REBECCA DEAL REGULATORY COMPLIANCE PROFESSI E-Mail: Rebecca.Deal@dvn.com	REBECCA DEAL REGULATORY COMPLIANCE PROFESSI E-Mail: Rebecca.Deal@dvn.com
	Ph: 405-228-8429	Ph: 405-228-8429
Location: State: County:	NM LEA	NM LEA
Field/Pool:	WC-025 G-06 S263407P; UBS	WC-025 G06 S263407P
Well/Facility:	GREEN WAVE 20-32 FED STATE COM 1H Sec 20 T26S R34E Mer NMP NWSW 2155FSL 270FWL	GREEN WAVE 20 32 FED STATE COM 1H Sec 20 T26S R34E NWSW 2155FSL 270FWL

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV


1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office


AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT											
¹ API Number ² Pool C			² Pool Code	2	³ Pool Name						
30-025-43186 97892					WC-025 G-06 S263407P; Upper Bone Spring						
⁴ Property O	Code				⁵ Property	Name			⁶ Well Number		
30884	Ł			GREEN	WAVE 20-32	0-32 FED STATE COM				1H	
⁷ OGRID N	No.				⁸ Operator	Name	⁹ Elevation			⁹ Elevation	
6137			DEV	ON ENER	RGY PRODUC	CTION COMPAN	NY, L.P.		3358.2		
					¹⁰ Surface	Location					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line County			
L	20	26 S	34 E		2155	SOUTH	270	WEST LEA		LEA	
	¹¹ Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/W	East/West line Co		
4	32	26 S	34 E	C.	2186	NORTH	375	WEST LEA		LEA	
¹² Dedicated Acres	¹³ Joint of	r Infill ¹⁴ C	onsolidation	Code 15 Or	der No.	-	•				
1264.64		R-21013									


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.


			" OPERATOR CERTIFICATION
W/4 CORNER SEC. 20 LAT. = 32.0289377'N	GREEN WAVE 20-32 FED STATE COM 1H	E/4 CORNER SEC. 20 () LAT. = 32.0289285'N	I hereby certify that the information contained herein is true and complete to the
LONG. = $103.5004198^{\circ}W$	$e^{-270'}$ ELEV. = 3358.2'	8 LONG. = 103.4833553 W	best of my knowledge and belief, and that this organization either owns a
W/4 CORNER SEC. 20 LAT. = 32.0289377'N LONG. = 103.5004198'W NMSP EAST (FT) N = 375261.22 E = 799453.63	SURFACE LAT. = 32.0276010'N (NAD83) LOCATION LONG. = 103.4995479'W	생 NMSP EAST (FT) 자 N = 375299.06	working interest or unleased mineral interest in the land including the proposed
E = 799453.63 ដ្ឋី	NMSP EAST (FT)	E = 804742.05	bottom hole location or has a right to drill this well at this location pursuant to
¥ 2	N = 374777.01 G = 799727.61	26	a contract with an owner of such a mineral or working interest, or to a
641	G	42.0	
	SEC 20	SECTION CORNER	voluntary pooling agreement or a compulsory pooling order heretofore entered
LAT. = 32.0216783'N LONG. = 103.5004145'W	N89'33'30'E N89'38'12"E	→ LAT. = 32.0216672'N LONG. = 103.4833470'W	by the division.
NMSP EAST (FT)	2649.54 FT QUARTER CORNER 2641.14 FT	NMSP EAST (FT)	Reput Deal 5/18/2020
$N = 372620.35 \atop C = 799475.65 \ C = 799475.6$	LAT. = 32,0216780'N LONG. = 103,4918672'W	$V_{0}N = 372657.52$ $C_{0}E = 804765.39$	Signature Date
32	NMSP EAST (FT)	0	
57"	N = 372640.77 E = 802124.71	30'10"E	Rebecca Deal, Regulatory Analyst
× 2		advant of the second	Printed Name
63 55 6		2640.38	nahaaaa daaladun aam
W/4 CORNER SEC. 29	SEC 29	38 _	rebecca.deal@dvn.com
LAT. = 32.0144318'N 긔 LONG. = 103.5003985'W	SEC 29	⊣ E/4 CORNER SEC. 29	
NMSP EAST (FT)	NOTE: LATITUDE AND LONGITUDE COORDINATES ARE	SCALED	
N = 369984.22 Z E = 799500.91	SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NADB3). LISTED NEW MEXICO STATE PLANE EAST	soc	I SURVEYOR CERTIFICATION
E = 799500.91 C	COORDINATES ARE GRID (NAD83). BASIS OF BEARING	7.30	I hereby certify that the well location shown on this plat was
47	AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE.	S00'.30'10"E	plotted from field notes of actual surveys made by me or under
ج ک	ELEVATION' VALUES ARE NAVD88		
2640	LAT. = 32,0071665'N	2640.	my supervision, and that the same is true and correct to the
SECTION CORNER	LONG. = 103.4918767'W NMSP EAST (FT)	SECTION CORNER	best of my belief.
LAT. = 32.0071758'N	N89'37'47"E N = 367361.65	긔 LAT. = 32.0071538'N	MARCH 21, 2017 ON F. JAR
LONG. = 103.5003928 W	2640.32 F E = 802162.88 N89'39'06"E BOTTOM OF HOLE 2649.29 FT	LONG. = 103.4833316 W	
NMSP EAST (FT) N = 367344.59	LAT. = 32.0011831 N	S N = 367377.75 S E = 804811.71	Date of Survey
E = 799523.02	LONG. = 103.4991590'W NMSP EAST (FT) SEC. 32	SE = 804811./1	14 STAR
SW CORNER SEC. 32	N = 365167.50		1 22 March ASA W
LAT. = 32.0002724′N ≤ LONG. = 103.5003833′W №		m ³ SE CORNER SEC. 32 N LAT. = 32.0002706'N	HANK HIMMIN
LONG. = 103.5003833 W B NMSP EAST (FT) \dashv		6 LONG. = 103.4833323'W	1 DUNCAUVINI
N = 364833.26 👾	OF HOLE	$^{+-}_{}$ NMSP EAST (FT) $^{}_{}$ N = 364873.73	Signature and Seal of Professional Surveyor.
E = 799545.33	375' S/4 CORNER SEC. 20	그 E = 804831.17	Certificate Number: FLAMON F. JARAMILLO, PLS 12797
NEW MEXICO TEXAS	36.28 AC. BLM SCALED SB9'33'41"W 2643.40 FT SB9'33'41"W 2643.40 FT	NEW MEXICO	SURVEY NO. 3917A
.2.00			-




















ACCESS ROAD PLAT ACCESS ROAD FOR GREEN WAVE 20-32 FED STATE COM 1H

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 20, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO MARCH 21, 2017

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 20, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SW/4 NW/4 OF SAID SECTION 20, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE WEST QUARTER CORNER OF SAID SECTION 20, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS S68°45'30"W, A DISTANCE OF 147.80 FEET; THENCE SOO'00'57"W A DISTANCE OF 337.74 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE WEST QUARTER CORNER OF SAID SECTION 20, TOWNSHIP 26 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N25'50'45"W, A DISTANCE OF 315.78 FEET;

SAID STRIP OF LAND BEING 337.74 FEET OR 20.47 RODS IN LENGTH, CONTAINING 0.233 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SW/4 NW/4	52.56 L.F.	3.19 RODS	0.036 ACRES
NW/4 SW/4	285.18 L.F.	17.28 RODS	0.196 ACRES

SURVEYOR CERTIFICATE

GENERAL NOTES								
1.)	THE	INTENT	OF	THIS	ROUTE	SURVEY	IS	TO

SURVÉY.

SHEET: 2-2

ACQUIRE AN EASEMENT. 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

DAY OF MARCH 2017 NEW MEXICO, THIS 2 ADRON SURVEYING, INC. 01 SOUTH CANAL (FEET) COORDINATE SYSTEMS USED IN THE CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 FUTMON LT. SAFAMILI SURVEY NO. 3917A PLS TO SOUTH CARLSBAD MADRON SURVEYING NEW MEXICO INC