Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

RI		MENI			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			5. Lease Serial No NMLC03471		
			6. If Indian, Allot	6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No.	
Type of Well ☐ Gas Well ☐ Oth		8. Well Name and No. BAYLUS CADE FED 04			
Name of Operator OXY USA INCORPORATED	RIL SANTOS 0@OXY.COM	9. API Well No. 30-025-30693-00-S2			
		b. Phone No. (include area code) h: 713-215-7000	10. Field and Poo TEAGUE	10. Field and Pool or Exploratory Area TEAGUE	
4. Location of Well (Footage, Sec., T		11. County or Parish, State			
Sec 35 T23S R37E NWSW 23		LEA COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES) TO) INDICATE NATURE O	F NOTICE, REPORT, OR (OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent ■ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume	Water Shut-Off	
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	▼ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit TD-7560?MD PBTD-7606? 12-1/2? hole, 8-5/8? csg @ 11 7-7/8? hole, 4-1/2? csg @ 760 4 ?? DV Tool @ 4511? OXY USA Inc. respectfully rec 2021. OXY is currently evaluate for future prospect and to rem. 1. POOH with production equi 2. Notify NMOCD of casing interpretations.	ally or recomplete horizontally, give k will be performed or provide the operations. If the operation results handonment Notices must be filed of inal inspection. MD Perfs-5116? ? 7343?N 170? w/ 750sx, TOC-Surf-Cir 166? w/ 1495 sx, TOC~1650? I puests to temporarily abandoting potential and therefore vain in compliance. pment. RIH and set CIBP @ tegrity test 24 hours in advantage.	e subsurface locations and measu Bond No. on file with BLM/BIA s in a multiple completion or recomply after all requirements, includ MD TC In this well. The TA is plant would like to TA the product +/- 4116?, dump 35sx CI (nece.	red and true vertical depths of all p Required subsequent reports musumpletion in a new interval, a Form ing reclamation, have been comple ned for March ing interval C cement on top.	ertinent markers and zones. st be filed within 30 days 3160-4 must be filed once	
	Electronic Submission #524 For OXY USA II nmitted to AFMSS for process	NCORPORATED, sent to the ing by PRISCILLA PEREZ or	Hobbs		
Tame (Tranca Typea) AT INL OA		The NEGOL	ATOM OF LOIALIOT		
Signature (Electronic S	Submission)	Date 08/03/2	020		
	THIS SPACE FOR	FEDERAL OR STATE	OFFICE USE		
Approved By_JONATHON SHEPARD		· 	UM ENGINEER	Date 08/14/2020	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Hobbs		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #524059 that would not fit on the form

32. Additional remarks, continued

3. RU pump truck, circulate well with treater water, pressure test casing to 500# for 30 min. RDMO.

****Dual pool is actually [58330] Teague; Devonian/[58300] Teague; Paddock-Blinebry****

Revisions to Operator-Submitted EC Data for Sundry Notice #524059

Operator Submitted BLM Revised (AFMSS)

TA NOI TA NOI Sundry Type:

NMLC034711 NMLC034711 Lease:

Agreement:

OXY USA INC 5 GREENWAY PLAZA SUITE110 HOUSTON, TX 77046 Operator: **OXY USA INCORPORATED**

P O BOX 4294

HOUSTON, TX 77210-4294 Ph: 713-215-7000 Ph: 713.366.5303

Admin Contact:

APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM

Ph: 713-366-5771 Ph: 713-215-7000

Tech Contact:

APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM

Ph: 713-366-5771 Ph: 713-215-7000

Location:

NM LEA State: County: NM LEA

Field/Pool: DEVONIAN/PADDOCK-BLIEBRY **TEAGUE**

BAYLUS CADE FEDERAL COM 004 Sec 35 T23S R37E Mer NMP NWSW 2310FSL 660FWL 32.259895 N Lat, 103.140091 W Lon Well/Facility: BAYLUS CADE FED 04

Sec 35 T23S R37E NWSW 2310FSL 660FWL

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.