UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

5. Lease Serial No. NMLC064118

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well		8. Well Name and No.				
☑ Oil Well ☐ Gas Well ☐ Other				E C HILL B FED 08		
2. Name of Operator Contact: APRIL SANTOS OXY USA INCORPORATED E-Mail: APRIL_HOOD@OXY.COM				9. API Well No. 30-025-31730-00-S1		
3a. Address P O BOX 4294 HOUSTON, TX 77210-4294	3b. Phone No. (include area code) Ph: 713-215-7000		10. Field and Pool or TEAGUE	Exploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State		
Sec 34 T23S R37E SWSE 800FSL 1980FEL				LEA COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE NATURE OF	F NOTICE, I	REPORT, OR OTH	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent ■	☐ Acidize	□ Deepen	☐ Production (Start/Resume)		■ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamat	tion	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair			nplete		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon		☐ Temporarily Abandon		
_	☐ Convert to Injection	☐ Plug Back	☐ Water Di	•		
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. TD-10080?MD PBTD-10033?MD Perfs-4898? ? 10000?MD 12 1/4? hole, 8 5/8? csg @ 1175? w/ 610 sx, TOC-surf 7 7/8? hole, 5 1/2? csg @ 6000? w/ 1750 sx, TOC-4890? DV Tool @ 4890 OXY USA Inc. respectfully requests to temporarily abandon this well. The TA is planned for March 2021. OXY is currently evaluating potential and therefore would like to TA the producing interval for future prospect and to remain in compliance. 1. POOH with production equipment. RIH and set CIBP @ +/- 5005?, dump 35sx CI C cement on top. 2. Notify NMOCD of casing integrity test 24 hours in advance.						
14. I hereby certify that the foregoing is true and correct. Electronic Submission #524092 verified by the BLM Well Information System						

For OXY USA INCORPORATED, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 08/04/2020 (20PP3243SE) Name(Printed/Typed) APRIL SANTOS Title REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/03/2020 THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By JONATHON SHEPARD Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

TitlePETROELUM ENGINEER

Date 08/14/2020

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office Hobbs

Additional data for EC transaction #524092 that would not fit on the form

		_	
วว	Additional	romarke	continued
JZ.	Audilioliai	TEILIAINS.	COMMINUED

3. RU pump truck, circulate well with treater water, pressure test casing to 500# for 30 min. RDMO.

Revisions to Operator-Submitted EC Data for Sundry Notice #524092

Operator Submitted BLM Revised (AFMSS)

TA NOI TA NOI Sundry Type:

NMLC064118 NMLC064118 Lease:

Agreement:

OXY USA INC 5 GREENWAY PLAZA SUITE110 HOUSTON, TX 77046 Operator: **OXY USA INCORPORATED**

P O BOX 4294

HOUSTON, TX 77210-4294 Ph: 713-215-7000 Ph: 713.366.5303

Admin Contact:

APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM

Ph: 713-366-5771 Ph: 713-215-7000

Tech Contact:

APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM

Ph: 713-366-5771 Ph: 713-215-7000

Location:

NM LEA State: County: NM LEA

Field/Pool: TEAGUE, PADDOCK-BLINEBRY **TEAGUE**

E C HILL B FEDERAL 008 Sec 34 T23S R37E Mer NMP SWSE 800FSL 1980FEL Well/Facility:

E C HILL B FED 08 Sec 34 T23S R37E SWSE 800FSL 1980FEL 32.255745 N Lat, 103.148636 W Lon

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.