Form 3160-5 (June 2015)

RECVD 11/16/20

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM138895

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

| SUBMIT IN TRIPLICATE - Other instructions on page 2 | | | | | 7. If Unit or CA/Agreen | ment, Name and/or No. |
|---|-------------------------------|--------------------------------------|--|----------------------------|--|-----------------------|
| 1. Type of Well | | | | | 8. Well Name and No. MULVA FED COM 132H | |
| ☐ Oil Well ☑ Gas Well ☐ Other 2. Name of Operator Contact: BILL RAMSEY | | | | | 9. API Well No. | |
| TAP ROCK OPERATING LLC E-Mail: bramsey@taprk.com | | | | | 30-025-47743-00-X1 | |
| 3a. Address 602 PARK POINT DRIVE SUI GOLDEN, CO 80401 | (include area code) 0-4028 | | 10. Field and Pool or Exploratory Area WC025G09S243532M-WOLFBONE | | | |
| 4. Location of Well (Footage, Sec., T. | | | 11. County or Parish, State | | | |
| Sec 27 T24S R35E SESW 23: 32.181889 N Lat, 103.357307 | | | LEA COUNTY, NM | | | |
| 12. CHECK THE AF | PPROPRIATE BOX(ES) | ΓΟ INDICAT | TE NATURE OI | F NOTICE, | REPORT, OR OTH | ER DATA |
| TYPE OF SUBMISSION | TYPE OF ACTION | | | | | |
| ☐ Notice of Intent | ☐ Acidize | dize Deep | | ☐ Production (Start/Resume | | ☐ Water Shut-Off |
| _ | ☐ Alter Casing | ☐ Hydraulic Fracturing ☐ Reclamation | | ation | ■ Well Integrity | |
| Subsequent Report | ☐ Casing Repair ☐ N | | Construction | ☐ Recomplete | | Other |
| ☐ Final Abandonment Notice | ☐ Change Plans | Change Plans | | □ Tempor | arily Abandon | Drilling Operations |
| | ☐ Convert to Injection | Plug | Back | ■ Water D | Disposal | |
| If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 10/14/2020: Drill 12.25 inch first intermediate hole to 5050 ft. 10/16/2020: Run 9.625 inch 40 lb J55 first intermediate casing to 5026 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 1238 sks of 13.5 ppg lead cmt, 429 sks of 14.8 ppg tail cmt. Drop plug and displace with 378 bbls of freshwater. 115 bbls of cmt returned back to surface. Test casing to 1500 PSI for 30 minutes, good test. 10/16/2020: Drill 8.75 inch second intermediate hole to 11440 ft. 10/19/2020: Run 7.625 inch 29.7 lb P-110 casing to 11421 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 466 sks of 11.5 ppg lead cmt, 101 sks of 13.2 ppg tail cmt. Drop plug and displace with 522 bbls of cut brine. 0 bbls of cmt returned back to surface. Est TOC at 1860 ft. Test casing to 2650 PSI for 30 minutes, good test. | | | | | | |
| | | | | | 12/3/2020 - | PM NMOCD |
| 14. I hereby certify that the foregoing is true and correct. Electronic Submission #534975 verified by the BLM Well Information System For TAP ROCK OPERATING LLC, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 10/23/2020 (21PP0285SE) | | | | | | |
| Name(Printed/Typed) BILL RAM | Title REGULATORY ANALYST | | | | | |
| | | | | | | |
| Signature (Electronic Submission) Date 10/21/2020 | | | | | | |
| THIS SPACE FOR FEDERAL OR STATE OFFICE USE | | | | | | |
| Approved By ACCEPTED | | | JONATHON SHEPARD TitlePETROELUM ENGINEER | | Date 10/28/2020 | |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | | | Office Hobbs | | | |
| Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. | | | | | | |

Additional data for EC transaction #534975 that would not fit on the form

32. Additional remarks, continued

First Intermediate Casing Details: Casing ran: 10/16/2020, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5026 ft, Cement 1667 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0.

Second Intermediate Casing Details: Casing ran: 10/19/2020, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 1860 ft, Depth set 11421 ft, Cement 567 sacks, Yield 1.35, Class H, Pressure Held 2650 psi, Pres Drop 0.

Revisions to Operator-Submitted EC Data for Sundry Notice #534975

Operator Submitted BLM Revised (AFMSS)

DRG SR Sundry Type: DRG SR

NMNM138890 Lease: NMNM138895

Agreement:

Operator:

TAP ROCK RESOURCES 523 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401

Ph: 720-360-4028 Ph: 7204603316

BILL RAMSEY REGULATORY ANALYST **BILL RAMSEY** Admin Contact:

REGULATORY ANALYST E-Mail: bramsey@taprk.com E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ph: 720-360-4028

Tech Contact:

BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ph: 720-360-4028

Location:

State: County: NM LEA NM LEA

Field/Pool: WOLFBONE WC025G09S243532M-WOLFBONE

Well/Facility:

MULVA FED COM 132H Sec 27 T24S R35E SESW 235FSL 2046FWL 32.181887 N Lat, 103.357310 W Lon MULVA FED COM 132H Sec 27 T24S R35E SESW 235FSL 2046FWL

32.181889 N Lat, 103.357307 W Lon