District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

OCD – HOBBS 11/18/2020 RECEIVED

#### **GAS CAPTURE PLAN**

| Date: 11/18/2020   |  |
|--|--|
| <ul><li>☑ Original</li><li>Amended - Reason for Amendment:</li></ul> | Operator & OGRID No.: Franklin Mountain Energy, LLC 373910 |
|  |  |

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

#### Well(s)/Production Facility – Name of facility

The well(s) that will be located at the production facility are shown in the table below.

| Well Name                  | API                        | Well Location<br>(ULSTR) | Footages            | Expected MCF/D | Flared or<br>Vented | Comments                             |
|----------------------------|----------------------------|--------------------------|---------------------|----------------|---------------------|--------------------------------------|
| Bus Driver Fed Com<br>602H | TBD                        | N-36-25S-35E             | 312 FSL<br>2410 FWL | 1100 +/-       | Flared              | New well; expect to tie-<br>in at IP |
| Bus Driver Fed Com<br>702H | TBD                        | N-36-25S-35E             | 312 FSL<br>2375 FWL | 1100 +/-       | Flared              | New well; expect to tie-<br>in at IP |
| Kaston Fed Com 603H        | TBD                        | N-36-25S-35E             | 312 FSL<br>2480 FWL | 1100 +/-       | Flared              | New well; expect to tie-<br>in at IP |
| Kaston Fed Com 703H        | TBD<br><b>30-025-48105</b> | N-36-25S-35E             | 312 FSL<br>2445 FWL | 1100 +/-       | Flared              | New well; expect to tie-<br>in at IP |
|                            |                            |                          |                     |                |                     |                                      |
|                            |                            |                          |                     |                |                     |                                      |

### **Gathering System and Pipeline Notification**

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to Energy Transfer Company and will be connected to Energy Transfer Company's gathering system located in Lea County, New Mexico. It will require 6,000' of pipeline to connect the facility to low/high pressure gathering system. Franklin Mountain Energy, LLC provides (periodically) to Energy Transfer Company a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Franklin Mountain Energy, LLC and Energy Transfer Company have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at Energy Transfer Company's Keystone Gas Processing Facility located in Sec.5, Block B-2, Kermit, Winkler Co., Texas. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to permanent central tank battery and gas will be sold or flared. Gas sales should start as soon as the wells start producing gas unless there are operational issues on Energy Transfer Company's system at that time. Based on current information, it is Franklin Mountain Energy's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines