

Submit 1 Copy To Appropriate District Office  
 District I  
 1625 N. French Dr., Hobbs, NM 88240  
 District II  
 1301 W. Grand Ave., Artesia, NM 88210  
 District III  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 October 13, 2009

OIL CONSERVATION DIVISION

RECEIVED

APR 05 2012

1220 Smith St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-025-32271
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-155
7. Lease Name or Unit Agreement Name NEW MEXICO 'O' State NCT-1
8. Well Number 34
9. OGRID Number
10. Pool name or Wildcat VACUUM YATES
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well  Gas Well  Other

2. Name of Operator  
CHEVRON USA INC

3. Address of Operator  
15 SMITH RD, MIDLAND, TX 79705

4. Well Location  
 Unit Letter P: 380 feet from the SOUTH line and 330 feet from the EAST line  
 Section 36 Township 17S Range 34E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK
- TEMPORARILY ABANDON
- PULL OR ALTER CASING
- DOWNHOLE COMMINGLE
- PLUG AND ABANDON
- CHANGE PLANS
- MULTIPLE COMPL

SUBSEQUENT REPORT OF:

- REMEDIAL WORK
- COMMENCE DRILLING OPNS
- CASING/CEMENT JOB
- ALTERING CASING
- P AND A

OTHER: EXTEND TA 1 yr  OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2-22-11: MIRU. 2-23-11: RIH W/ PERF GUNS. PERF 3018'-3132'. PU AND SET PKR. 2-24-11: ACIDIZE W/3,000 GALS 15% HCL. SWAB. 2-25-11: POH W/TBG AND PKR. RIH W/ PKR AND SET PKR. 2-26-11: PU O/O TOOL. PU NEW 2 3/8" J-55 TK-15 IPC TBG. RIH W/92 JTS. LATCH ONTO PKR. 2-28-11: RDMO.

AS AGREED TO PER THE CONVERSATION WITH ELIDIO GONZALES ON APRIL 4<sup>th</sup>, 2012, CHEVRON U.S.A. RESPECTFULLY REQUESTS A 1 YEAR TA EXTENSION FOR NEW MEXICO 'O' STATE NCT-1 #34. THE WELL HAS BEEN COMPLETED IN THE YATES AND PRODUCTION IS PENDING DUE TO THE INSTALLATION OF THE FACILITIES.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Petroleum Engineer DATE 4-5-12  
 Type or print name Edgar Acero E-mail address: eadx@chevron.com PHONE: 432-230-0704  
**For State Use Only**  
 APPROVED BY [Signature] TITLE STATE MAR DATE 4-5-2012  
 Conditions of Approval (if any):

**New Mexico "O" State NCT-1 # 34**

Lease: New Mexico "O" State NCT-1  
 Field: Vacuum  
 Surf. Loc.: 380' FSL & 330' FEL  
 Section: 36  
 County: LEA St.: NM

Well #: 34  
 API: 30-025-32271  
 Surface: Tshp/Rng: T17S & R34E  
 Unit Ltr.: P Section: 36

**Surface Casing**

Size: 8-5/8"  
 Wt., Grd.: 24#, WC-50  
 Depth: 1460'  
 Sxs Cmt: 650  
 Circulate: Yes, 100 sxs  
 TOC: Surf  
 Hole Size: 11"


**Production Casing**

Size: 5-1/2"  
 Wt., Grd.: 17#, L-80, WC-50  
 Depth: 8000'  
 Sxs Cmt: 3285 sxs  
 Circulate: Yes, 116 sxs  
 TOC: Surf  
 Hole Size: 7-7/8"  
 DV Tool: 5003'

**Tubing**

2 3/8" J-55 TK-15 IPC, 1.992 ID  
 5 1/2" X 2 3/8" O/O  
 1.43 'F' PN @ 2996'  
 5 1/2" X 2 3/8" ASIX 10K COATED

<b>Geology - Tops</b>	
Queen	3690'
San Andres	4253'
Glorietta	5880'
Paddock	5958'
Tubb	7450'
Drk	7548'



KB: 4000'  
 DF: \_\_\_\_\_  
 GL: 3986'  
 Ini. Spud: 12/05/93  
 Ini. Comp.: 01/03/94

PACKER SET @ 2997'

YATES PERFS  
 3018'-3026', 3042'-3046', 3076'-3078',  
 3090'-3096', 3118'-3122', 3128'-3132'

CIBP SET @ 6400'  
 BLINEBRY PERFS  
 6482'-84', 6512'-18', 6696'-98', 6714'-20', 6732'-40',  
 6751'-54', 6784'-98', 6822'-26', 6832'-42', 7056'-58',  
 7098'-7110', 7154'-56',

DRK PERFS  
 7452'-64', 7477'-80', 7498'-7510', 7516'-20', 7526'-30',  
 7526'-37', 7542'-48', 7624'-32'  
 7551'-56', 7561'-88', 7602'-08', 7612'-20'  
 7632'-39', 7642'-48', 7655'-62', 7642'-48',  
 7655'-62', 7666'-70', 7679'-88', 7693'-7705',  
 7724'-34', 7741'-46', 7755'-61', 7765'-74',  
 7778'-80', 7792'-98', 7808'-10', 7819'-32',  
 7838'-42', 7856'-58', 7870'-72'

TD: 8000'