## State of New Mexico

HOBBS OCEnergy Minerals and Natural Resources

Department

1000 Rio Brazos Road, Aztec, NM 87410 NOV 2 6 2012

Oil Conservation Division 1220 South St. Francis Dr.

Revised August 1, 2011 For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Form C-144 CLEZ

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

1625 N. French Dr., Hobbs, NM 88240

811 S. First St., Artesia, NM 88210

District I.

District II

Santa Fe, NM 87505

RECEIVED Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
1.  Operator:McElvain Energy, Inc OGRID #:22044		
Address:1050 - 17 <sup>th</sup> Street, Suite 2500 Denver, Colorado 80265		
Facility or well name:Little Lake 16 State # 1		
Facility or well name:Little Lake 16 State # 1		
U/L or Qtr/QtrSENW Section16 Township18S Range32E County:Lea		
Center of Proposed Design: LatitudeN32° 44′ 58.45" LongitudeW103° 46′ 23.12" NAD: □1927 ☑ 1983		
Surface Owner:   Federal   State   Private   Tribal Trust or Indian Allotment		
2.  □ Closed-loop System: Subsection H of 19.15.17.11 NMAC  Operation: □ Drilling a new well □ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) □ P&A  □ Above Ground Steel Tanks or □ Haul-off Bins		
Signs: Subsection C of 19.15.17.11 NMAC		
Signs: Subsection Col 19.15.17.11 NWAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
Signed in compliance with 19.15.16.8 NMAC		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API Number:		
Previously Approved Operating and Maintenance Plan API Number:		
S.  Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)  Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.  Disposal Facility Name:Sundance Services, Inc Disposal Facility Permit Number:NM-003		
Disposal Facility Name:R 360 Disposal Facility Permit Number:NM-006		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
6. Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): E_Reed_Fischer Title: Operations Manager		
Signature: Date: November 17, 2012		
e-mail address:reedf@mcelvain.com: Telephone: (303) 893-0933 xtn 330		

7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature:	Approval Date:	
Title: Dest have	OCD Permit Number: 91-05466	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)  No		
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

## **Closed Loop Mud System**

Drilling fluids will circulate through a "closed system" consisting of above ground steel tanks, mud pumps, a chemical injection and flocculation system and various pieces of solids control equipment located in series and above ground along the "drilling fluid returns" side of the mud circulation system. Solids will be removed from the returns and temporarily stored in steel roll-off bins prior to haul-off to an approved NMOCD facility. This closed loop system will consist of steel piping and various pieces of equipment as follows:

- 1. Conventional shale shakers with graduated screens will handle the initial removal of drill cuttings from the mud return stream.
- 2. A conventional mud cleaner will then remove still finer solid particles.
- 3. One or more centrifuges may be utilized to receive effluent downstream of the mud cleaner and remove additional cuttings and drill particles.
- 4. Flocculants may be added via a chemical injection system (which includes a settling tank) in order to flocculate and settle additional solid particles.
- 5. Roll off bins will be utilized to store the solids removed by the shale shaker, mud cleaner, centrifuge(s) and flocculation settling tank. These waste solids will either drop directly into the bins or be transferred immediately upon cleanout of any settling or catch tank. Once a bin is full it will be hauled to, emptied and cleaned out at an NMOCD approved disposal site.

## Operation and Maintenance

Personnel with appropriate training and experience will be on-site 24 hours per day to operate and maintain the solids control equipment. If equipment problems occur the repairs or parts replacement will be done by qualified personnel. Personnel will monitor the solids levels in the roll off bins. Trucking companies will be notified to pick up the full bins and move the new bins into place.

## Closure Plan

Cuttings and solids will be disposed of at an OCD permitted facility according to OCD guidelines. Where possible, fluids will be recycled. If unable to use the fluids the fluids will be hauled to an approved disposal facility. Fluids will be temporarily stored in tanks of sufficient volume to maintain the liquids on-site. Following drilling and completion operations all stored fluids necessary for or a waste product of drilling and completion operations will be removed from location and hauled to an approved disposal facility before releasing and removing the temporary storage tanks.