istrict i

istrict III

istrict IV

State of New Mexico

HOBBS OCD Energy Minerals and Natural Resources

301 W. Grand Avenue, Artesia, NM 88210

Istrict III

Form C-144 CLEZ 21-Jul-08

220 S. St. Francis Dr., Santa Fe, NM 87505

DOO Rio Brazos Road, Aztec, NM 87410 DEC 0 6 2012

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul off bins and purpose to implement waste removal for closure, submit to the appropriate **NMOCD District Office.**

DEACHUEID

	Writing Ed Stoop System Permi	t or Closure Plan Applic	<u>auon</u>		
<u>(tha</u>	at only use above ground steel tanks or haul-off bi		waste removal for closure)		
	Type of action:	Permit 🗆 (Closure		
closed-loop system that onle ease be advised that approv	one application (Form C-144 CLEZ) per individual closed by use above ground steel tanks or haul-off bins and pro val of this request does not relieve the operator of liabilit oval relieve the operator of its responsibility to comply w	pose to Implement waste remove y should operations result in poli	val for closure, please submit a Form C-: ution of surface water, ground water or	the	
perator	Apache Corporation	OGRID#	873		
ddress:	303 Veterans Airpark Lane, Ste 3000, Midland, TX 79705				
cility or Well Name:	Southland Royalty "A" #15				
Pl Number:	30-025-36141	OCD Permit Number:	PT-05497		
L or Qtr/Qtr	Q Section 4 Township	21S Range	37E County: Lea		
enter of Proposed Design	n: Latitude	Longitude	NAD: 192	27 🗌 1983	
ırface Owner:	Federal State Private	Tribal Trust or Indian A	llotment		
✓ Closed-loop System: Subsection H of 19.15.17.11 NMAC Description: Drilling a new well Workover of Drilling (Applies to activities which require prior approval of a permit or notice of intent) ✓ P&A Above Ground Steel Tanks or Haul-off Bins					
ens: Subsection C of 19.15.17.11 NMAC 12" x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC					
tached. Design Plan - base Operating and N Closure Plan (Ple	seed upon the appropriate requirements of 19.15.17.11 N daintenance Plan - based upon the appropriate requirements of seed upon the appropriate requirements complete Box 5) - based upon the appropriate requirements (attach copy of design) API Number: Sperating and Maintenance Plan API Number:	MAC ents of 19.15.17.12 NMAC			
	Closed-loop Systems That Utilize Above ground Steel To the facility or facilities for the disposal of liquids, drilling Sundance Services	······································	ttachment if more than two	103	
sposal Facility Name:	Controlled Recovery Inc.	Disposal Facility Per Disposal Facility Per			
ill any of the proposed clos	ed-loop system operations and associated activities occupied the Information below) V No				
Soil Backfill and Cove Re-vegetation Plan -	which will not be used for future service and operations: or Design Specifications based upon the appropriate re- based upon the appropriate requirements of Subsection on - based upon the appropriate requirements of Subsecti	l of 19.15.17.13. NMAC).15.17.13 NMAC		
perator Application Cer					
	mation submitted with this application is true, accurate a	and complete to the best of my k	nowledge and belief.		
Name (Print)	Guinn Burks	Title:	Reclamation Foreman		
Signature:	Sun Backs	Date:	12/5/2012		
e-mail address:	guinn.burks@apachecorp.com	Telephone	432-556-9143		
			137-77	0.0010	

•	<u> </u>	_			
CD Approval:	ermit Application (including closure plan)	Closure Plan (only)			
CD Representative Signat	ture: Wah Whitel	·	Approval Date: 12-07-2012		
itle:	Compliance Officer	OCD Per	Approval Date: 12-67- 2012 mit Number: 71-05497		
losure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13. NMAC istructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this action of the form until an approved closure plan has been obtained and the closure activities have been completed.					
	Waste Removal Closure For Closed-loop Systen he facility or facilities for where the liquids, drilling fi				
isposal Facility Name:		Disposal facility Permit Number:			
isposal Facility Name:	Disposal facility Permit Number:				
/ere the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes), plea	se demonstrate compliance to the Items below)	l I No			
equired for impacted areas w	rhich will not be used for future service and operations	:			
Site Reclamation	n (Photo Documentation)				
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
0.					
perator Closure Certifica	tion:				
hereby certify that the inform	nation and attachments submitted with this closure re	port is true, accurate and co	mplete to the best of my knowledge		
nd belief. I also certify that the closure compiles with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print)	Guinn Burks	Title:	Reclamation Foreman		
Signature:		Date:			
e-mail address:	guinn.burks@apachecorp.com	Telephone:	432-556-9143		



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.
Sundance Incorporated

(877) 505-4274

(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection.

Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline

(800) 874-3262

NMOCD District Office

In the event of oil reaching water, include the following notification;

Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.


Prepared by


Guinn Burks

Reclamation Foreman

<u>Guinn Burks</u>

Apache Corporation





Closed-loop Tank Min 50' from WH