District 1						State	of N	New N	Мех	cico	AL	N O Y	<u>Σ013</u>	F	Form C-	104	
1625 N. Frenc								es Department		_	Re	vised Ju	ine 10, 2	2003			
District II 1301 W. Grar	ıd, Artesia	NM 88	210								Sul	RECEI	<b>VEU</b> II Appropi	nstruction riate Dis	ons on t strict Of	ack Tice	
District III															5 Cop		
1000 Rio Braz District IV												L		MENDE	D REPO	RT	
1220 S. St. Fr <b>I. R</b>	-				W.	ABLE	ANI	D AU	тн	ORIZAT	'ION	тот	ΓRAI	NSPO	RT		
Operator N	ame and	Address				<b>/</b>							OGRII	) Numb		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
FULFE P.O. BO			TTLI	E LLC		İ							1414	02			
JAL, NI																Effective	e <b>Date</b> n Oil Sold
API Numbe			Pool N	Jame										ool Cod			
30-025-		/			TES	S-SEVI	EN F	RIVE	RS		*************************	***************************************		6141			
Property C	ode			rty Nam	e	!								Vell Nun	iber		
29160			BRC	)WN					/				0	05			
	rface ]			D	-	L'-4 ID	Tr		41	N. 4.164	T .			- I E - 7	MX/4 X /		
UL or Lot	Section	Twnsl		Range		Lot ID		t from	the	North/South		Feet fro	om the		/West Li		unty
Е	25 ttom H	25S		36E			10	550		NORTH		990		Wi	EST	L.	EA /
UL or Lot	Section	Twnsl		OII Range		Lot ID	Fee	t from	the	North/South	Line	Feet fro	om the	East	/West Li	ne Co	unty
Lse Code P	Produci Dispo	26	od Cod	e Ga	as Co	nnection	Date	C-129	) Peri	mit Number	C-12	9 Effecti	ive Date		C-129	Expiratio	on Date
	il and																
Transporter 243484	OGRID			Name a		ddress ETINC	: INIC		POD	9999		O/G O		ulstr 5-25S		n and De	scription
243464			11130	IL WIF	XIXIN	i i iive	11110	·		79999		$\perp$	E-2.	) <b>-</b> 238	-30E		
		1								Harris I		jui.					
- Linear	April 1									3316							:
and a second						<del></del>		33		entra d	1.00						
											į						
								AND									
ND.	a Alba					:											
IV. PI	oduce	d Wa		LCTDI	4!	on and Des											
POD		,,	rob o	LSIKL	ocatio	on and Des	scriptic	)n							,		
	ell Co			ata													
Spud Date		Ready D	ate		Γ	TD		]	PBTI	D		Perfo	rations			DHC,M	С
Hole Size				Casin	g & 7	Fubing Siz	e			Depth Set				Sacks	Cement		
				ļ								:					
						:											
				<del> </del>		·			-					<u> </u>			
VI. W	ell Tes	t Dat	a			· .				<del></del>				<u> </u>			
Date New Oil		Gas Del	ivery D	ate	Tes	st Date		Tes	st Len	igth	Tt	g. Pressı	ıre		Csg. Pre	ssure	
Choke Size		Oil			Wa	iter		Gas	s		A	OF			Test Met	thod	
I hereby certify	that the r	ules of th	ne Oil C	onservat	ion f	ivision ba	ve hee	n						$-\bot$	<u> </u>		
complied with best of my kno	and that th	ne inform									5/	IL COM	SERVA	DON DI	YSION		
Signature:	: <i>4</i>	かみ	7.1	7	,,	_ <u></u>			A	approved by:			7			***************************************	
Printed name:	<u> v</u>	<u> </u>	)ee	7					Т	itle:	)	5/1	Wic	=			
Debbie M	cKelve	у				1			A	approval Date:		_ 0	7	01	<del></del>		
Agent for	Greg I	ulfer,	Prin	cipal						-pp.orai Date.		<u> </u>		// <u></u>	<b>)</b>		
Date: 1/3/13				hone: 05-39	)2 2	575											
If this is a char	ige of ope	ator, fill					e of th	e previo	ous or	perator				·			
Previous Opera	ator's Sigr	ature:				Printed	Name	2:			Tit	le:			Date	e:	
											1				į		



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

				RUN IICI	NE I		
Date:	1-1	:#2 RRC#:	<u>\</u>	7/ATir	me In: 9:00A Time Out: 9:30R		
Operat	or: _	Fulf	ù r	Oil			
Lease .	/ Loc	ation:	obec	it Swd	/		
Produc	:t:(	Ov wàe O	1	Observed	Gravity: 49 Temp: 70		
BS&W	• •	3/10	i		Tank Size:500		
Gua Ft.	ges In.	Meter Read	dings	Tank Bottom	Delivery Station: Hawley		
OPEN	9	OPEN		OPEN	Meter		
SLOSE	4%	CLOSE		CLOSE	Reading:		
Estimat	ed B	bls	İ	Net Bbis	Truck / Trailer No.: 90-130		
	1	80	 !		Mileage: 166634 -		
PRODUCT DESCRIPTION (Check One)  1. Petroleum Crude Oil, 3, UN 1267, PG II  2. Gasoline, 3, UN 1203, PG II  3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ  4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ					EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.		
PACKAG	THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.						
Driver:	15	onnie	Nd.		EMERGENCY CONTACT:		
Shippe	r:			1	1-325-698-0200		
Seal Of	ff:				or		
Seal Or	n:			·	1-325-260-8996		
Seal O	n:				1-323-200-0990		
Form # 100 -					- DAM Purinsen Forms a 602 0277		



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: 11-2-12 RRC#:	Tr	ne In:Time Out:
Operator: Fully	2;1	
Lease / Location: BoBna	+ 5W	<u>D</u>
Product: Crude	Observed	Gravity: <u>45</u> Temp: <u>63</u>
BS&W: 5/10 Tan	k #:	Tank Size: 500
Guages Meter Readings Ft. In.	Tank Bottom	Delivery Station: China Grove
0 14 9 R	OPEN	Station: Ch. Ja Choud
307 /0 BSOTO	CLOSE	Reading:
Estimated Bbls	Net Bbls	Truck / Trailer No.: 48-34  Mileage: 570849
PRODUCT DESCRIPTION (Ch. 1. ☐ Petroleum Crude Oil, 3, UN 1267, F. 2. ☐ Gasoline, 3, UN 1203, PG II  3. ☐ Flammable Liquids, toxic n.o.s. (na condensate, sour), 3, UN 1992, PG I, F. 4. ☐ Flammable Liquids, n.o.s. (natural UN 1993, PG I, RQ	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.	
PACKAGED, MARKED, LABELED, A	and are in Pr	ALS ARE PROPERLY CLASSIFIED, DESCRIBED, OPER CONDITION FOR TRANSPORTATION HE DEPARTMENT OF TRANSPORTATION.
Driver: <u>Fedeliu Gonza</u> Shipper:	اخ	<b>EMERGENCY CONTACT:</b> 1-325-698-0200
Seal Off:		or 1-325-260-8996



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: 11-3	-12 RRC#:	7)	A Tir	ne In: 6:45 A Tim	e Out: 7:38A		
Operator: _	Fulfur	0,1	·				
Lease / Loc	Lease / Location: Bobcat SwD						
Product:	lio sours		Observed	Gravity: 47	Temp:76		
BS&W:	3/10	Tan	k#:	Tank Size:	500		
Guages Ft. In.	Meter Readin	gs	Tank Bottom	Delivery Station: Chino	. 6 3.		
OPEN 8	OPEN		OPEN	Meter	. 01836		
SCIOSE 3	CLOSE		CLOSE	Reading:	90-130		
Estimated B	bls	1.	Net Bbls	iruck / Irailer No.: _	10 138		
	174			Mileage: 16758	<u>t :                                   </u>		
<ol> <li>Petroleur</li> <li>Gasoline</li> <li>Flammat condensate</li> </ol>	DESCRIPTION TO Crude Oil, 3, UN 15 TO Crude Oil, 3, UN 15 TO TO TO TO TO TO TO TO TO TO TO TO TO T	267, F s. (na PG I, F	PG II utural gas RQ	1. See U.S. Dept. of Tran and/or Petroleum Cru 2. See U.S. Dept. of Tran and/or Gasoline MSD 3. See U.S. Dept. of Tran and/or Natural Gas Co	de Oil MSDS. sportation Guide 128 S. sportation Guide 131 ondensate (Sour) MSDS. sportation Guide 128		
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.							
Driver:	Konne	T	اللل	EMERGENCY	CONTACT		
Shipper:	<del></del>	1	· · · · · · · · · · · · · · · · · · ·	1-325-69			
Seal Off:	·	-	·	or 1-325-26	60-8996		
Seal On:		1			AM Business Forms • 692-0377		



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: 11-5-12 RRC#: 1/A Time In: 1:30 A Time Out: 9:00 f							
Operator: _	Operator: Fulfur O.1						
Lease / Loc	ation: <u>Bob</u>	cat Swi	<u> </u>				
Product:	Crude oil	Observed	I Gravity: 48 Temp: 66				
BS&W:	3/10 Ta	ank #:	Tank Size: Soo				
Guages Ft. In.	Meter Readings	Tank Bottom	Delivery Charles Charles Carry				
S 7 S	OPEN	OPEN	Station: China Crose				
2 4	CLOSE	CLOSE	Reading:				
Estimated B	bls	Net Bbis	Truck / Trailer No.: 90-130				
	179		Mileage: 167637 -				
<ol> <li>☐ Petroleur</li> <li>☐ Gasoline</li> <li>☐ Flammal condensate</li> </ol>	DESCRIPTION ( In Crude Oil, 3, UN 126 I, 3, UN 1203, PG II DIE Liquids, toxic n.o.s. I, sour), 3, UN 1992, PG DIE Liquids, n.o.s. (natu	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.					
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.							
Driver:	Koume 1	<i>M</i>	EMERGENCY CONTACT:				
Shipper:	-		1-325-698-0200				
Seal Off:	.		or 1-325-260-8996				
Seal On:			RAM Business Forms • 692-0377				



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: 1/-5-12-RRC#:	Time In: 10:15 Time Out: 11:15						
Operator: Full	en						
Lease / Location: 30	Bear						
Product: Cride ast	Product: CALde Col Observed Gravity: 45 Temp: 75						
BS&W: //o Tan	k#:/	Tank Size:					
Guages Meter Readings Ft, In.	Tank Bottom	Delivery A TX					
OPEN 3 7 OPEN	OPEN	Station: Hamley TY  Meter					
3010 / 5/N	CLOSE	Reading:					
Estimated Bbls	Net Bbls	Truck / Trailer No.: 15 /120					
72		Mileage:					
PRODUCT DESCRIPTION (CF 1. 3 Petroleum Crude Oil, 3, UN 1267,		EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.					
2. Gasoline, 3, UN 1203, PG II		2. See U.S. Dept. of Transportation Guide 128					
3.   Flammable Liquids, toxic n.o.s. (no	the state of the s	and/or Gasoline MSDS. 3. See U.S. Dept. of Transportation Guide 131					
condensate, sour), 3, UN 1992, PG I, I		and/or Natural Gas Condensate (Sour) MSDS.					
4. ☐ Flammable Liquids, n.o.s. (natural	gas condensate), 3,	See U.S. Dept. of Transportation Guide 128     and/or Natural Gas Condensate MSDS.					
UN 1993, PG I, RQ							
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.							
Driver: By Welly	/	EMERGENCY CONTACT:					
Shipper:	1-325-698-0200						
Seal Off:		or					
Seal On:	1-325-260-8996						



		UOU IICI	<b>VE</b> 1				
Date: //-5-	12 RRC#:	Time In: 10:15 Time Out: 11:15					
Operator:	Fulf	en					
	ation: Bo						
Product:	CAndrast	Observed	I Gravity: 47 Temp: 75  Tank Size: 500				
BS&W:	2/10 Tan	ık#:	Tank Size: 500				
Guages	Meter Readings	Tank					
Ft. In.		Bottom	Station: Haw by				
Wa ス 4	OPEN	OPEN	Meter				
1 4/A	OSE	CLOSE	Reading:				
8/9/	OFC		Truck / Trailer No : 15/12 c				
Estimated Bl	ols	Net Bbls	Truck / Trailer No.: 15/12 c				
	33		Mileage:				
<ol> <li>Gretroleun</li> <li>Gasoline,</li> <li>Flammab condensate,</li> </ol>	DESCRIPTION (CI n Crude Oil, 3, UN 1267, 3, UN 1203, PG II le Liquids, toxic n.o.s. (na sour), 3, UN 1992, PG I, le Liquids, n.o.s. (natural	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.					
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.							
Driver:	my Shall		EMERGENCY CONTACT:				
Shipper:			1-325-698-0200				
Seal Off:			or 1-325-260-8996				
Seal On:			1-325-260-8996				

516 m. 14 59909 59908

# TRANSUIL MARKETING, LLC

Ticket # **59910** 

	, or maple street	RUN TICK	(ET			
Date: 1/-5	-/2.RRC#:	Time In: 10:15 Time Out: 11:15				
Operator:	Fulfar					
	ation: $Bc/3$					
Product:	enude or	Observed	Gravity: 45 Temp: 75			
BS&W: 4/0 Tank #: 3 Tank Size: 500						
Guages Ft. In.	Meter Readings	Tank Bottom	Delivery			
P & OBEN	OPEN	OPEN	Station: Haw bey			
1 5/A	CLOSE	CLOSE	Reading:			
Estimated Bb	ols	Net Bbls	Truck / Trailer No.: 15/12c			
	30		Mileage:			
<ol> <li>3-Petroleum</li> <li>Gasoline,</li> <li>Flammable condensate,</li> </ol>	DESCRIPTION (Ch n Crude Oil, 3, UN 1267, F 3, UN 1203, PG II le Liquids, toxic n.o.s. (na sour), 3, UN 1992, PG I, F le Liquids, n.o.s. (natural I, RQ	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.				
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.						
Driver:	3DM/m		EMERGENCY CONTACT: 1-325-698-0200 or 1-325-260-8996			
Form # 100			RAM Business Forms • 692-0377			



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: 1-10-12 RRC#:	Time In:Time Out:					
Operator:	Fulfer					
Lease / Location:	Bascat					
Product: 1267	Observed	Gravity: 53 Temp: 85				
BS&W: , 8/,0	Tank #: ろ	Tank Size:				
Guages Meter Rear Ft. In.	dings Tank Bottom	Delivery China Grove				
14/0 0 HP	OPEN	Meter				
8 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CLOSE	Reading:				
Estimated Bbls	Net Bbls	Truck / Trailer No.: 30-155				
183		Mileage: 570 9 Po				
PRODUCT DESCRIPTION  1 Petroleum Crude Oil, 3, UI  2 Gasoline, 3, UN 1203, PG  3. Gasoline, 3, UN 1203, PG  4. Flammable Liquids, toxic condensate, sour), 3, UN 199  4. Flammable Liquids, n.o.s. UN 1993, PG I, RQ	N 1267, PG II II n.o.s. (natural gas 92, PG I, RQ	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.				
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.						
Driver:	Corry	EMERGENCY CONTACT:				
Shipper:		1-325-698-0200				
Seal Off:	· · · · · · · · · · · · · · · · · · ·	or 1-325-260-8996				
Seal On:		PAM Business Forms • 692-0377				



	Tro. Mapio Gaoc	RUN TICI	CET Texas			
Date: 11/11	اک RRC#:	Tir	ne In: 11:00an Time Out: 11:30an			
	Fulfer					
Lease / Loc	eation: <u>BobCa</u>	t S.W.D				
Product: <u></u>	rude Oil	Observed	Gravity: <u>50</u> Temp: <u>78</u>			
BS&W: /	<b>2</b> Tan	k#:3_	Tank Size: <u>500</u>			
Guages Ft. In.	Meter Readings	Tank Bottom	Delivery Station: Midland			
8 6	O DEN	OPEN	Station: Plogland  Meter			
11 C 508	SOTOSE	CLOSE	Reading:			
Estimated B	bls	Net Bbls	Truck / Trailer No.: <u>55/110</u>			
186 Bb	5		Mileage: 434008/			
<ol> <li>A Petroleur</li> <li>Gasoline</li> <li>Flammat condensate</li> </ol>	DESCRIPTION (CH in Crude Oil, 3, UN 1267, F 3, UN 1203, PG II ole Liquids, toxic n.o.s. (na sour), 3, UN 1992, PG I, F ole Liquids, n.o.s. (natural	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.				
PACKAGED, ACCORDING 1	MARKED, LABELED, / TO THE APPLICABLE RE	AND ARE IN PR	ALS ARE PROPERLY CLASSIFIED, DESCRIBED, OPER CONDITION FOR TRANSPORTATION HE DEPARTMENT OF TRANSPORTATION.			
	chard White		EMERGENCY CONTACT:			
Shipper:			1-325-698-0200			
Seal Off:			or 1-325-260-8996			
Seal On:	<del></del>		A			



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: 11.29 RRC#: Time In: 315 Time Out: 745							
Operator:	Operator: Fulful						
Lease / Loc	Lease / Location:						
Product:	cr.de	Observed	Gravity: 4/0, 5 Temp: 60				
BS&W:	Tan	k#:	Tank Size: 500				
Guages Ft. In.	Meter Readings	Tank Bottom	Delivery				
11 PEN	N 434.45	OPEN	Station: /// d / 19 m. d				
10 / O		CLOSE	Reading:				
Estimated B	ols	Net Bbls	Truck / Trailer No.: <u>STS-WIS</u>				
	9,59	·	Mileage: 17044				
<ol> <li>Detroleum</li> <li>Gasoline,</li> <li>Flammabl condensate,</li> </ol>	DESCRIPTION (Ch Crude Oil, 3, UN 1267, P 3, UN 1203, PG II le Liquids, toxic n.o.s. (na sour), 3, UN 1992, PG I, R le Liquids, n.o.s. (natural	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.					
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.							
Driver:	of Athe		EMERGENCY CONTACT:				
Shipperc		1-325-698-0200					
Seal Off: Seal On:		1-325-260-8996					
Form # 100	1	RAM Business Forms • 692-0377					



11 12	RUN TICH	
Date: 1/24-/2 RRC#:_	N/A Tir	ne In: 900 Time Out: 930
Operator: Fult	er	
Lease / Location:	Bobent	
Product: CRUDE O	Observed	Gravity: 44.0 Temp: 60°
BS&W: <u>1/0</u>	_Tank #: <u></u>	Tank Size:
Guages Meter Read	ings Tank Bottom	Delivery Station: Midland
ODEN 1-4-1 NO	OPEN	Station: 1131/11/10 G
SCIOSE SCIOSE	CLOSE	Reading:
Estimated Bbls	Net Bbls	Truck / Trailer No.: <u>50-180</u>
174.44		Mileage: 17/220/
PRODUCT DESCRIPTION  1.	1267, PG II .o.s. (natural gas 2, PG I, RQ	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.
PACKAGED, MARKED, LABE	LED, AND ARE IN PR	ALS ARE PROPERLY CLASSIFIED, DESCRIBED, OPER CONDITION FOR TRANSPORTATION HE DEPARTMENT OF TRANSPORTATION.
Driver: ST//Ki	July	EMERGENCY CONTACT:
Shipper:		1-325-698-0200
Seal Off:		or 1-325-260-8996
eeal On:		1 020 200 0000



	_	RUN TIC	KET
Date: //2/	1-/2 RRC#://	<u>/</u>	me In: 10.30 Time Out: 11.00
Operator: _	Fu/den_		
Lease / Loc	ation: <u>Bobo</u>	PAF	
Product:	_ / .	,	d Gravity: <u>43.0</u> Temp: <u>78</u>
BS&W: Z	O E Tai	nk#:3	Tank Size:
Guages Ft. In.	Meter Readings	Tank Bottom	Delivery M Ma
O 12-10-2	OPEN	OPEN	Station: MIMMA
37-7-1	CLOSE	CLOSE	Reading:
Estimated B	bls	Net Bbls	Mileage: 5645/7
1/5/	83	<u> </u>	Mileage: 36737
<ol> <li>See U.S. Dept. of Transportation Guide 12 and/or Petroleum Crude Oil MSDS.</li> <li>Gasoline, 3, UN 1203, PG II</li> <li>Flammable Liquids, toxic n.o.s. (natural gas</li> </ol> <ol> <li>See U.S. Dept. of Transportation Guide 12 and/or Gasoline MSDS.</li> <li>See U.S. Dept. of Transportation Guide 12 and/or Gasoline MSDS.</li> <li>See U.S. Dept. of Transportation Guide 13</li> </ol>			1. See U.S. Dept. of Transportation Guide 128
			2. See U.S. Dept. of Transportation Guide 128
			See U.S. Dept. of Transportation Guide 131     and/or Natural Gas Condensate (Sour) MSDS.
4. ☐ Flammable Liquids, n.o.s. (natural gas condensate), 3,			4. See U.S. Dept. of Transportation Guide 128
UN 1993, P	G I, RQ	÷	and/or Natural Gas Condensate MSDS.
			ALS ARE PROPERLY CLASSIFIED, DESCRIBED,
			ROPER CONDITION FOR TRANSPORTATION THE DEPARTMENT OF TRANSPORTATION.
Driver:	to Motor		EMERGENCY CONTACT:
Shipper:			1-325-698-0200
Seal Off:			or 1-325-260-8996
Cool One			. 525 200 555



Date: 112112 RRC#: Time In: 4:458,01 Time Out: 8:458.0				
Operator: Fulfer DIL & CAHle				
Lease / Location:	BOB C	nt SWD.		
Product: Crude DIL Observed Gravity: 42.4 Temp: 68°				
BS&W: 9/10% Tank #: 1 Tank Size: 500				
Guages Meter Readings Ft. In.	Tank Bottom	Delivery Station: MIDLAND		
N 3/4	OPEN	6.		
Los E	CLOSE	Meter Reading:		
Estimated Bbls	Net Bbls	Truck / Trailer No.: 35/115		
175.51	· · ·	Mileage: <u>260 695</u>		
PRODUCT DESCRIPTION (Ch. 1.	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.  BPH=			
PACKAGED, MARKED, LABELED,	and are in Pr	ALS ARE PROPERLY CLASSIFIED, DESCRIBED, OPER CONDITION FOR TRANSPORTATION HE DEPARTMENT OF TRANSPORTATION.		
Driver: 1 Dan K Jaran	<u> </u>	EMERGENCY CONTACT:		
Shipper: <u>UN - 1267</u>	1-325-698-0200			
Seal Off: NIA	1-325-260-8996			
Seal On: N/A	RAM Business Forms • 682-0377			



}	1-14-16	RRC#: N/	RUN TICK	KET ne In: 10AM Time Out: 1030	
	Date:	FULFER	• •	ne in: 10713 Time Out: 1000	
	Lease / Location: BOBCAT - SWD				
	-	RUDE OI	1		
	BS&W:		Ι	Tank Size: 5 00	
	Guages Ft. In.	Meter Readings	Tank Bottom	Delivery CUTNIA GOOT TO	
16	3-6-4	OPEN	OPEN	Station: CHINA GROVE, TX.	
7	3/4	CLOSE	CLOSE	Reading:	
	Estimated B	8.9	Net Bbls	Mileage:	
PRODUCT DESCRIPTION (Check One)  1. Petroleum Crude Oil, 3, UN 1267, PG II  2. Gasoline, 3, UN 1203, PG II  3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ  4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ			EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleurn Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.		
	PACKAGED,	MARKED, LABELED, A	and are in Pr	ALS ARE PROPERLY CLASSIFIED, DESCRIBED, OPER CONDITION FOR TRANSPORTATION HE DEPARTMENT OF TRANSPORTATION.	
Driver: Shipper: Seal Off: Seal On: Form # 100			EMERGENCY CONTACT: 1-325-698-0200 or		
			1-325-260-8996 RAM Business Forms • 692-0377		



Date: <u>// - / // - / - /</u> RRC#:	Time In:Time Out:		
Operator: Full:	<b>9.</b> 1		
Lease / Location: Bobas Sud Sub			
	Observed Gravity: 42 Temp: 67		
· ·	Tank #: 2 Tank Size: 500		
Guages Meter Readi	Delivery Station: China Cone		
- 10   00	CLOSE Reading:		
SCIOSE SCIOSE	Truck / Trailer No.: 48 34		
Estimated Bbls / 7C	Net Bbls Mileage: <u>573369</u>		
PRODUCT DESCRIPTION  1.	1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS. 2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS. 3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.		
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.			
Driver: <u>fecter:</u> 10	EMERGENCY CONTACT: 1-325-698-0200		
Seal Off:	or 1-325-260-8996		
Seal On:	RAM Business Forms • 692-0377		



4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

Date: //-/6 RRC#: Time In: Time Out:				
Operator: Fulful		<u> </u>		
Lease / Location: Bob of				
Product: Observed Gravity: 43 Temp: 63				
BS&W: Tank #: Tank Size:				
Guages Meter Readings Ft. In.	Tank Bottom	Delivery Station: China Grove		
O P P P P P P P P P P P P P P P P P P P	OPEN	Meter		
2 // 2 SO NO	CLOSE	Reading:		
Estimated Bbls	Net Bbls	Truck / Trailer No.: <15.215		
Estimated bbis	Net obis	Mileage:		
PRODUCT DESCRIPTION (Ch. 1. □ Petroleum Crude Oil, 3, UN 1267, P. 2. □ Gasoline, 3, UN 1203, PG II 3. □ Flammable Liquids, toxic n.o.s. (narcondensate, sour), 3, UN 1992, PG I, R. 1. □ Flammable Liquids, n.o.s. (natural gun) (UN 1993, PG I, RQ	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.			
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.				
Driver: Kay AHA		EMERGENCY CONTACT:		
Shipper/	1-325-698-0200			
Seal Off:	1-325-260-8996			
Seal On:	RAM Business Forms • 692-0377			



Date: //- 30 1 - RRC#: Time In: Time Out:			
Operator: Fulfer oil			
Lease / Location: BoBC+			
Product: Crude Oil Observed Gravity: 68 Temp: 68			
BS&W: 10 Tank #: 2 Tank Size: 500			
Guages Meter Readings Tank Ft. In. Bottom	Delivery Station: Child Glove		
N 7 9 N OPEN	Meter		
Solo CLOSE	Reading:		
O O Not Phis	Truck / Trailer No.: 43-34		
Esumated bbis 167 Net Bbis	Mileage: 577234		
PRODUCT DESCRIPTION (Check One)  1.	EMERGENCY INFO.  1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude 0il MSDS.  2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS.  3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS.  4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.		
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.			
Driver: Federico Gonzales	EMERGENCY CONTACT:		
Shipper:	1-325-698-0200		
Seal Off:	1-325-260-8996		
Seal On:	RAM Business Forms • 692-0377		