

Office

Energy, Minerals and Natural Resources

Revised August 1, 2011

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBS OCD

WELL API NO.

30-025-03919

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

West Lovington Unit

8. Well Number: 49

9. OGRID Number:

241333

10. Pool name or Wildcat

Lovington Upper San Andres

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Water Injection ☒

2. Name of Operator

Chevron Midcontinent L.P.

3. Address of Operator

15 Smith Road Midland, TX 79705

4. Well Location

Unit Letter B : 660 feet from the North line and 1980 feet from the East line

Section 9 Township 17-S Range 36-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3866' GL

Appropriate Box to Indicate Nature of Notice, Report or Other Data

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11-20-12 - Todd Churchill contacted OCD, sqz 50 sks of cement class C under packer

11-21-12 - Todd Churchill, contacted OCD squeeze 50 sacks of cement class C under packer, last sqz didn't hold TOC 4715'

11-28-12 - Todd C., contacted OCD, Set CIBP @ 4655'

11-29-12 - Todd C. OCD Tag CIBP @ 4652', circulate 25 sks salt gel, spot 25 sks of cement on top CIBP @ 4411'

Perf @ 3350'

11-30-12 - Spot 25 sks @ 3401' TOC 3158' tag plug @ 3158' tag plus 3120' perf @ 2150' spot 35 sks plug @ 2118' TOC, 1777'

12-13-12 - Last plug @ 1764' pref @ 365' circulate 140 sks to surface

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Representative

DATE

01/07/2013

Type or print name

Robert Holden

E-mail address:

rholden@keyenergy.com

PHONE: 432-523-5155

For State Use Only

APPROVED BY

TITLE

DATE

Conditions of Approval (if any):

PM