
, State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 5-27-200

FILE IN TRIPLICATE	HOBBSOMPCONSERV	ATION DIVISION	•	/
DISTRICT I	1220 South	St. Francis Dr.	WELL API NO.	<i>7</i> :
1625 N. French Dr., Hobbs, NM 88240	FEB 07 2013 Santa Fe,	NM 87505	30-025-05436 5. Indicate Type of Lease	<u>/ </u>
DISTRICT II 1301 W. Grand Ave, Artesia, NM 88210	LED A		STATE X	FEE -
DISTRICT III	RECEIVED		6. State Oil & Gas Lease No.	I
1000 Rio Brazos Rd, Aztec, NM 87410	BECEIA E-			
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (Form C-101) for such proposals.)			North Hobbs (G/SA) Unit Section 13	
1. Type of Well:	TELEVITOR FOR FEMALE	(or) for such proposals.)	8. Well No. 241	
Oil Well	/ Gas Well Other In	jector		
2. Name of Operator			9. OGRID No. 157984	
Occidental Permian Ltd. 3. Address of Operator			10. Pool name or Wildcat	Hobbs (G/SA)
HCR 1 Box 90 Denver City, TX	79323			```
4. Well Location				
Unit Letter N : 660 Feet From The South Line and 1980 Feet From The West Line				
Section 13	Township 18-S	Range 37-I	E NMPM	Lea County
	11. Elevation (Show whether DF, R. 3660.8 GL	KB, RT GR, etc.)		
Pit or Below-grade Tank Application or Closure				
Pit Type Depth of Ground Water Distance from nearest fresh water well Distance from nearest surface water				
Pit Liner Thickness mil Below-Grade Tank: Volume bbls; Construction Material				
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	X ALTERING	CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING OP	NS. PLUG & A	BANDONMENT
PULL OR ALTER CASING	Multiple Completion	CASING TEST AND CEMEN	NT JOB	
OTHER:		OTHER:		
 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. RUPU & RU. ND wellhead/NU BOP. POOH w/tubing and injection packer. RIH w/bit & drill collars. Tag @4235'. NU stripper head & power swivel. Drill on iron sulfide, shoe, cement & CIBP down to 4322'. Drill new formation from 4322-4360'. New TD. ND stripper head & power swivel. POOH w/bit & drill collars. RIH w/treating packer set @4087'. RU and pump 1500 gall of 15% NEFE acid & 1000 lbs of rock salt in 3 stages. POOH w/packer. RIH w/Arrowset 1-X Double grip packer set on 127 jts of 2-7/8" Duoline 20 tubing. Packer set @4080'. Test casing to 590 PSI for 30 minutes and chart for the NMOCD. Mark Whitaker w/NMOCD on site for test. ND BOP/NU wellhead. RDPU & RU. Clean location and return well to injection. RUPU 11/7/2012 RDPU 11/16/2012 				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or				
closed according to NMOCD guidelines	, a general permit	or an (attached) alternative plan	e OCD-approved	
SIGNATURE / NOUS	Warmon	TITLE Administrative	Associate DATE	02/06/2013
TYPE OR PRINT NAME Mendy A. Jo	ohnsor E-mail address:	mendy_johnson@oxy.com	TELEPHONE NO.	806-592-6280
For State Use Only		7-1.0	100°	011212
APPROVED BY	- Su	TITLE / 157. ///	DAT	2-11-2013
CONDITIONS OF APPROVAL IF ANY:		•		




N- 13 -18-37 85436

Work Plan Report for Well:NHSAU 241-13

Packer (Retrievable) (Unknown Type) - 4.500" X 9.5-13.5# Arrowset Packer Size-4.5000 Wt-0.0000 Grade- Coating-1-X Double Grip Pkr Status- G-6, 11.6#

Wellbore Diagram



Survey Viewer