

Submit 1 Copy To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED  
FEB 12 2013  
HOBBS  
State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
October 13, 2009

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-34017
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection Well <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Apache Corp.		6. State Oil & Gas Lease No.
3. Address of Operator P O box Drawer D Monument NM 88265		7. Lease Name or Unit Agreement Name J H Williams
4. Well Location Unit Letter <u>O</u> : <u>660</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>34</u> Township <u>19S</u> Range <u>37E</u> NMPM Lea County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 873
		10. Pool name or Wildcat Monument Tubb

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/13/13 MIRU and POOH with prod equipment. Run cement bond log from 3100' to surface. Shoot squeeze hole at top of cement And try to circulate cement to surface.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Instrument Tech

DATE 2-12-13


Type or print name Jim Ellison

E-mail address: JD.Ellison@apacheccorp.com

PHONE:

For State Use Only


APPROVED BY



TITLE DIST. MGR

DATE 2-13-2013

FEB 19 2013



P.O. Drawer D Monument, NM 88265 (575)393-2144 Fax (575)393-1927

Apache Corp. will use a closed loop system in the work being done on this well. The following equipment will be on location:

- (1) 100bbls steel reverse tank
- (2) Pump with connections

**Operations & Maintenance:**

During each day of operation, the operator will inspect and closely monitor the fluids contained within the tank and visually monitor for any release that may occur. The NMOCD District 1 office will be notified as required in rule 19.15.29.8 @ 575-393-6161

**Closure:**

After completion of work solids will be hauled to Sundance disposal, permit # NM 01-0003

Or Gandy Marley disposal, permit # NM 01-0019

