<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210 HOBBS OCD
Phone: (575) 748-1283 Fax: (575) 748-9720
Pistrict III

rouu Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170 FEB 2 0 2013

District IV
1220 S S 15

Date: 02/18/2013

Phone: (432)686-1883

Energy Minerals and Natural Resources

State of New Mexico

Oil Conservation Division

☐AMENDED REPORT

Form C-101

Revised November 14, 2012

1220 South St. Francis Dr.

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462				ECEIVED				a Fe,										
APPLICATION FOR PERMIT TO DRILL, RE-EN Operator Name and Address Celero Energy II, LP 400 W. Illinois, Ste. 1601 Midland, TX 79701						NTER, DEEPEN, PLUGBACK, OR ADD A ZONE COGRID Number 247128 CAPI Number												
						·Y						5-00209		Nic				
3004h	orty 8947	38	N	orth Capro	ck Cel	ero Que	Property 1 en Unit	Name						•	32=4	No.	27	_
					,	7. Su	rface Lo	ocation	1									
UL - Lot L	Section 32	Township 12S	32F	Range E	Lot	t Idn	Feet fi 1980	om	FSL	S Line	66	Feet From	F	E/W Line		.ea	County	
			γ				d Botto											
UL - Lot	Section	Township	nship Range L		Lot	t Idn	ldn Feet from		m N/S Line			Feet From E/W L		E/W Line	ine County			
						9. Po	ol Infor	matio)				_1				`	_
Caprock; Q	ueen					Pool 1	Name								8	551	Pool Code	
					Ac	dditiona	al Well I		ation									
E			Well Type	R ·			S			4372'								
No 16. Multiple 17. Proposed Depth Oueen 18. Form						^{18.} Forma	tion 19. Contractor 20. Spud Date Unassigned 04/25/2013											
Depth to Grou	ınd water	15005	······································	1	ince from	nearest fi	resh water											
				21.	Propos	sed Cas	sing and	Ceme	nt Pro	ogram								
Туре	Type Hole Size		Cas	Casing Size Casi			Casing Weight/ft So			Setting Depth Sac		Sacks of	s of Cement		I	Estimated TOC		
Surf	13 3/4	" 10	10 3/4"		40 .		313'		250			Surf-Calc						
Prod	Prod 8 3/4"		7'		23		3001'		600			348'-Calc						
Liner 6 1/4"		5	1/2" Unk					2983-3013'				38 2983'					_	
	B.O			Casin	ıg/Cem	ent Pro	gram: A	Additio	onal C	Comme	nts					- A -	mmrowall	
				22.	Propos	sed Blov	want Pr	eventi	on Pro	Pe	ermi	ic Expires	Te.	<u>Years</u> rilling	rron Un	der	MSA Eduacion	_
				osed Blowout Prevention Program og Pressure Test Pressu									1anufacturer					
Dual-Pipe/Blinds			5000 psi			100	1000			Unassigned				_				
	A		36	73		R-	136	70	1				<u></u>					
23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC and/or 19.15.14.9 (B) NMAC high signature.					OIL CONSERVATION DIVISION													
					Approved By:							ď						
Printed name: Lisa Hunt							Title: Petroleum Engineer											
Title: Regulatory Analyst						Appro	oved Da	té:	2/	12/13	Expira	tion _s Dat	•		12/11/1			
E-mail Address: lhunt@celeroenergy.com											·							

Conditions of Approval Attached

District I 1625 N, French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 BBS OCD

Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec. NM 87410 0 2013) Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

State of New Mexico

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

Phone: (505) 476-3460 Fax: (505) 47			
,		ION AND ACREAGE DEDICA	ATION PLAT
¹ API Numbe	er ² Pool (Code	³ Pool Name
30-025-00209	8551	Caprock; Queen	
Property Code		⁵ Property Name	⁶ Well Number
30041397350	North Caprock Celero Qu	ieen Unit	32-4 27
⁷ OGRID No.		⁸ Operator Name	⁹ Elevation
247128	Celero Energy II, LP		4372' GR

[™] Surface Location Feet from the UL or lot no. Section Township Lot Idn North/South line East/West line County Range Feet from the 32 12S 32E 1980 L **FSL** 660 **FWL** Lea "Bottom Hole Location If Different From Surface UL or lot no. Lot Idn Feet from the Section Township North/South line Feet from the East/West line County 12 Dedicated Acres ¹³ Joint or Infill ¹⁴ Consolidation Code ¹⁵ Order No. 40 R-13674

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

				<u></u>
16				"OPERATOR CERTIFICATION
				I hereby certify that the information contained herein is true and complete
				to the best of my knowledge and belief, and that this organization either
				owns a working interest or unleased mineral interest in the land including
				the proposed bottom hole location or has a right to drill this well at this
				location pursuant to a contract with an owner of such a mineral or working
				interest, or to a voluntary pooling agreement or a compulsory pooling
				order heretofore entered by the division.
				Jua Hunt 02/18/2013
				Signature Date
				Lisa Hunt
				Printed Name
		•	,	
				Ihunt@celeroenergy.com
				E-mail Address
				*SURVEYOR CERTIFICATION
				I hereby certify that the well location shown on this
				plat was plotted from field notes of actual surveys
£ 660'00				made by me or under my supervision, and that the
A				same is true and correct to the best of my belief.
				Date of Survey
				•
				Signature and Scal of Professional Surveyor:
10001				·
19801				
				Certificate Number
	<u> </u>		l	<u></u>

CELERO ENERGY DATE: 30-Sep-12 BY: **WWW** FIELD: Caprock LEASE/UNIT: State 32(formerly NCQU 1 TR 11 SEC 32L #12) WELL: COUNTY: STATE: **New Mexico** Location: 1980' FSL & 660' FWL, Sec 32L, T12S, R32E KB = SPUD: 2/48 COMP: 3/48 GL = 4372' top CHFCURRENT STATUS: P&A Injector (09-04) API = 30-025-00209Original Well Name: Mid-Continent Petroleum Corp. State Land # 13 13-3/4" Perf @ 200' and spotted 80 sx cmt plug 200' - surface 10-3/4" 40# @ 313' cmt'd. w/ 250 sx (circ'd) Perf @ 350' and spotted 25 sx cmt plug 350' - 200' (tagged) Calc'd primary T-O-C = 348' w/enlargement = 15%; yld = 1.26 ft3/sk Mud T-Anhy @ 1450' T-Salt @ 1525 B-Salt @ 1914' Tag @ 1332' Perf @ 1500' and spotted 40 sx cmt plug 1550' - 1332' (tagged) 8-3/4" Mud Spotted 25 sx plug 2950' - 2820' (tagged) 7", 23#, J-55 @ 3001' w/600 sx Top of Queen @ 3030': Queen Open Hole: 3001' - 3036' (3-48); 3001' - 3043' (6-50) 5-1/2" liner from 2983' - 3013' w/38 sx (5-58) **Queen Open Hole:** 3013' - 3043' (5-58) PBTD - 3043' TD - 3043'

