



32

New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

No PODs found.

PLSS Search:

Section(s): 4

Township: 13S

Range: 32E

HOBBS OCD

FEB 20 2013

RECEIVED

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:38 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION

FEB 25 2013



New Mexico Office of the State Engineer
Active & Inactive Points of Diversion
(with Ownership Information)

No PODs found.

PLSS Search:

Section(s): 33

Township: 12S

Range: 32E



(quarters are smallest to largest) (NAD83 UTM in meters)

ACTIVE & INACTIVE POINTS OF DIVERSION



New Mexico Office of the State Engineer Water Right Summary



WR File Number: L 04965
Primary Purpose: EXP EXPLORATION
Primary Status: PMT PERMIT
Total Acres:
Total Diversion: 0
Owner: TEXACO INC
Contact: B D LIVELY

Documents on File

| Trn # | Doc | File/Act | Status | | Transaction Desc. | From/ To | Acres | Diversion | Consumptive |
|--------|------|------------|--------|-----|-------------------|-------------|-------|-----------|-------------|
| | | | 1 | 2 | | | | | |
| 500928 | EXPL | 1962-08-30 | PMT | APR | L 04965 | T | 0 | 0 | |

Current Points of Diversion

(NAD83 UTM in meters)

| POD Number | Source | Q Q Q | 6416 4 | SecTwsRng | X | Y | Other Location Desc |
|----------------|--------|-------|--------|------------|--------|----------|---------------------|
| <u>L 04965</u> | | | | 29 12S 32E | 617359 | 3679664* | |

An () after northing value indicates UTM location was derived from PLSS - see Help

Source

| Acres | Diversion | CU | Use | Priority | Source Description |
|-------|-----------|----|-----|----------|--------------------|
| 0 | 0 | | EXP | | GW |



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 04965

29 12S 32E

617359 3679664*

Driller License:

Driller Name:

Drill Start Date:

Drill Finish Date:

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size:

Depth Well:

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:42 PM

Page 1 of 1

POD SUMMARY - L 04965



(quarters are smallest to largest) (NAD83 UTM in meters)

(acre ft per annum)

| WR File Nbr | basin | Use | Diversion | Owner | County | POD Number | Code | Grant | Source | 6416 4 | Sec | Tws | Rng | X | Y |
|-------------|-------|-----|-----------|------------|--------|------------|------|-------|---------|--------|-----|-----|-----|--------|----------|
| L 04967 | L | EXP | 0 | TEXACO INC | LE | L 04967 | | | Shallow | | 32 | 12S | 32E | 617380 | 3678055* |

Record Count: 1

PLSS Search:

Section(s): 32

Township: 12S

Range: 32E

Sorted by: File Number

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Right Summary



WR File Number: L 04967

Primary Purpose: EXP EXPLORATION

Primary Status: PMT PERMIT

Total Acres:

Total Diversion: 0

Owner: TEXACO INC

Contact: B D LIVELY

Documents on File

| Trn # | Doc | File/Act | Status | | Transaction Desc. | From/ | Acres | Diversion | Consumptive |
|--------|------|------------|--------|-----|-------------------|-------|-------|-----------|-------------|
| | | | 1 | 2 | | To | | | |
| 500932 | EXPL | 1962-08-30 | PMT | LOG | L 04967 | T | 0 | 0 | |

Current Points of Diversion

(NAD83 UTM in meters)

| POD Number | Source | Q | Q | Q | Sec | Tws | Rng | X | Y | Other Location Desc |
|------------|---------|----|----|---|-----|-----|-----|--------|----------|---------------------|
| L 04967 | Shallow | 64 | 16 | 4 | 32 | 12S | 32E | 617380 | 3678055* | NO QTRS GIVEN |

An () after northing value indicates UTM location was derived from PLSS - see Help

Source

| Acres | Diversion | CU | Use | Priority | Source Description |
|-------|-----------|----|-----|----------|--------------------|
| 0 | 0 | | EXP | | GW |



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 04967

32 12S 32E

617380 3678055*

Driller License: ABBOTT BROTHERS COMPANY

Driller Name:

Drill Start Date: 02/26/1963

Drill Finish Date: 02/27/1963

Plug Date:

Log File Date: 03/11/1963

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield: 38

Casing Size: 8.30

Depth Well: 172 feet

Depth Water: 145 feet

Water Bearing Stratifications:

Top Bottom Description

145 160 Sandstone/Gravel/Conglomerate

Casing Perforations:

Top Bottom

125 160

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)
closed) (quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

| POD Number | Code | Subbasin | County | 64 | 16 | 4 | Sec | Tws | Rng | X | Y | Well | Water Column |
|------------|------|----------|--------|----|----|---|-----|-----|-----|---|---|------|--------------|
|------------|------|----------|--------|----|----|---|-----|-----|-----|---|---|------|--------------|

L 03837

L ED 3 3 3 01 13S 31E 613458 3675548* 165

L 03837 X

L ED 3 3 3 01 13S 31E 613458 3675548* 190

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 2

PLSS Search:

Section(s): 1

Township: 13S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

L 03837

Q64 Q16 Q4 Sec Tws Rng

3 3 3 01 13S 31E

X

Y

613458 3675548*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1910

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 30

Casing Size: 6.00

Depth Well: 165 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 03837 X

3 3 3 01 13S 31E

613458 3675548*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1947

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 50

Casing Size: 7.00

Depth Well: 190 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 6

Township: 13S

Range: 32E



New Mexico Office of the State Engineer **Water Column/Average Depth to Water**

No records found.

PLSS Search:

Section(s): 31

Township: 12S

Range: 32E



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,

O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)

closed) (quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

| POD Number | POD | Code | Subbasin | County | Sec | Tws | Range | X | Y | Well | Water Column |
|------------|-----|------|----------|--------|-----|-----|-------|---|---|------|--------------|
|------------|-----|------|----------|--------|-----|-----|-------|---|---|------|--------------|

L 04966

L

LE

30 12S 32E

615736

3679644*

172

110

62

Average Depth to Water: 110 feet

Minimum Depth: 110 feet

Maximum Depth: 110 feet

Record Count: 1

PLSS Search:

Section(s): 30

Township: 12S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

| | | | | | | |
|------------|------------|-----|-----|-----|--------|----------|
| POD Number | Q64 Q16 Q4 | Sec | Tws | Rng | X | Y |
| L 04966 | | 30 | 12S | 32E | 615736 | 3679644* |

Driller License: ABBOTT BROTHERS COMPANY

Driller Name:

| | | | | | |
|-------------------|------------|----------------------|------------|------------------|----------|
| Drill Start Date: | 02/05/1963 | Drill Finish Date: | 02/07/1963 | Plug Date: | |
| Log File Date: | 02/28/1963 | PCW Rcv Date: | | Source: | Shallow |
| Pump Type: | | Pipe Discharge Size: | | Estimated Yield: | |
| Casing Size: | 8.63 | Depth Well: | 172 feet | Depth Water: | 110 feet |

| | | | |
|--------------------------------|-----|--------|-------------------------------|
| Water Bearing Stratifications: | Top | Bottom | Description |
| | 110 | 155 | Sandstone/Gravel/Conglomerate |

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 36

Township: 12S

Range: 31E



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

| POD Number | POD Code | Subbasin | County | 64 | 16 | 4 | Sec | Tws | Rng | X | Y | Well | Water Column |
|------------|----------|----------|--------|----|----|---|-----|-----|-----|---|---|------|--------------|
|------------|----------|----------|--------|----|----|---|-----|-----|-----|---|---|------|--------------|

L 04170

L

LE

1

4

1

35

12S

31E

612224

3678152*

55

25

30

Average Depth to Water: 25 feet

Minimum Depth: 25 feet

Maximum Depth: 25 feet

Record Count: 1

PLSS Search:

Section(s): 35

Township: 12S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

| | | | | | | |
|-------------------|-------------------|------------|------------|------------|----------|----------|
| POD Number | Q64 Q16 Q4 | Sec | Tws | Rng | X | Y |
| L 04170 | 1 4 1 | 35 | 12S | 31E | 612224 | 3678152* |

Driller License: TATUM, CLAUDE E.

Driller Name:

Drill Start Date: 06/19/1959

Drill Finish Date: 06/20/1959

Plug Date:

Log File Date: 07/28/1959

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size: 8.00

Depth Well: 55 feet

Depth Water: 25 feet

| Water Bearing Stratifications: | Top | Bottom | Description |
|---------------------------------------|------------|---------------|-------------------------------|
| | 25 | 55 | Sandstone/Gravel/Conglomerate |

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)
closed) (quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

| POD Number | POD | Code | Subbasin | County | 64 | 16 | 4 | Sec | Tws | Rng | X | Y | Well | Water Column |
|------------|-----|------|----------|--------|----|----|---|-----|-----|-----|---|---|------|--------------|
|------------|-----|------|----------|--------|----|----|---|-----|-----|-----|---|---|------|--------------|

L 10141

L

LE

3 25 12S 31E

613723

3679076*

250

125

125

Average Depth to Water: 125 feet

Minimum Depth: 125 feet

Maximum Depth: 125 feet

Record Count: 1

PLSS Search:

Section(s): 25

Township: 12S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 10141

3 25 12S 31E

613723 3679076*

Driller License: ABBOTT BROTHERS COMPANY

Driller Name: ABBOTT, FLOYD

Drill Start Date: 10/17/1990

Drill Finish Date: 11/06/1990

Plug Date:

Log File Date: 11/13/1990

PCW Rcv Date: 04/11/1991

Source: Shallow

Pump Type: SUBMER

Pipe Discharge Size: 4

Estimated Yield: 100

Casing Size: 10.75

Depth Well: 250 feet

Depth Water: 125 feet

Water Bearing Stratifications:

Top Bottom Description

127 190 Shallow Alluvium/Basin Fill

Casing Perforations:

Top Bottom

130 250

Meter Number: 4079

Meter Make:

Meter Serial Number: 3SBF3478

Meter Multiplier: 1.0000

Number of Dials: 6

Meter Type: Diversion

Unit of Measure: Barrels 42 gal.

Return Flow Percent:

Usage Multiplier: 1.00

Reading Frequency: Quarterly

Meter Readings (in Acre-Feet)

| Read Date | Year | Mtr Reading | Flag | Rdr | Comment | Mtr Amount |
|------------|------|-------------|------|-----|----------------|------------|
| 04/01/2000 | 2000 | 242218 | A | jw | | 0 |
| 06/30/2000 | 2000 | 293428 | A | jw | | 6.601 |
| 09/30/2000 | 2000 | 349692 | A | jw | | 7.252 |
| 12/31/2004 | 2004 | 25054 | R | jw | Meter Rollover | 87.050 |
| 04/11/2005 | 2005 | 71139 | A | jw | | 5.940 |
| 07/12/2005 | 2005 | 108656 | A | jw | | 4.836 |
| 10/27/2005 | 2005 | 156985 | A | jw | | 6.229 |
| 12/31/2005 | 2005 | 222420 | A | RPT | | 8.434 |
| 03/31/2006 | 2006 | 291294 | A | RPT | | 8.877 |
| 06/30/2006 | 2006 | 362920 | A | RPT | | 9.232 |
| 09/30/2006 | 2006 | 411887 | A | RPT | | 6.312 |

**YTD Meter Amounts: Year Amount

2000 13.853

2001 0

*UTM location was derived from PLSS - see Help

****YTD Meter Amounts: Year Amount**

| | |
|------|--------|
| 2003 | 0 |
| 2004 | 87.050 |
| 2005 | 25.439 |
| 2006 | 24.421 |



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)
closed) (quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

| POD | | Q Q Q | | | Depth | Depth | Water | | | | |
|------------|------|----------|--------|---------|-------|-------|-------|---|---|------|--------------|
| POD Number | Code | Subbasin | County | 64 16 4 | Sec | Tws | Range | X | Y | Well | Water Column |

L 02726

L

LE

2

2

4

07

13S

32E

616506

3674736*

194

120

74

Average Depth to Water: 120 feet

Minimum Depth: 120 feet

Maximum Depth: 120 feet

Record Count: 1

PLSS Search:

Section(s): 7

Township: 13S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

L 02726

Q64 Q16 Q4 Sec Tws Rng

2 2 4 07 13S 32E

X

Y

616506 3674736*

Driller License: MATTHEWS DRILLING CO.

Driller Name: JAMES WILLIAM MATTHEWS

Drill Start Date: 02/01/1955

Drill Finish Date: 03/31/1955

Plug Date:

Log File Date: 12/23/1955

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size: 7.00

Depth Well: 194 feet

Depth Water: 120 feet

Water Bearing Stratifications:

Top Bottom Description

130 192 Sandstone/Gravel/Conglomerate

Casing Perforations:

Top Bottom

164 194

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

| POD | | Q Q Q | | | Depth | Depth | Water | | | |
|------------|------|----------|--------|-------------|-------|-------|-------|---|------|--------------|
| POD Number | Code | Subbasin | County | 64 16 4 Sec | Tws | Ring | X | Y | Well | Water Column |

L 03836

L

ED

4

1

05

13S

32E

617188

3676656*

154

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 1

PLSS Search:

Section(s): 5

Township: 13S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 03836

4 1 05 13S 32E

617188 3676656*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1943

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 15

Casing Size: 7.00

Depth Well: 154 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

| POD Number | POD Code | Subbasin | County | 64 | 16 | 4 | Sec | Tws | Range | X | Y | Depth Well | Depth Water | Water Column |
|------------|----------|----------|--------|----|----|---|-----|-----|-------|---|---|------------|-------------|--------------|
|------------|----------|----------|--------|----|----|---|-----|-----|-------|---|---|------------|-------------|--------------|

L 03836 X L ED 1 1 3 08 13S 32E 616709 3674741* 190

L 03836 X2 L ED 1 1 3 08 13S 32E 616709 3674741* 165

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 2

PLSS Search:

Section(s): 8

Township: 13S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

| | | | | | | | | |
|------------|------------------------------------|-------|---|---|------------------------------------|---|-----------------------|---------|
| POD Number | (quarters are 1=NW 2=NE 3=SW 4=SE) | | | | (quarters are smallest to largest) | | (NAD83 UTM in meters) | |
| | Q64 Q16 Q4 Sec Tws Rng | | | | X | Y | | |
| | L | 03836 | X | 1 | 1 | 3 | 08 | 13S 32E |

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1945

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 30

Casing Size: 7.00

Depth Well: 190 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

L 03836 X2

Q64 Q16 Q4 Sec Tws Rng

1 1 3 08 13S 32E

X

Y

616709 3674741*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date:

12/31/1945

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 15

Casing Size: 6.00

Depth Well: 165 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 18

Township: 13S

Range: 32E



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 17

Township: 13S

Range: 32E



New Mexico Office of the State Engineer **Water Column/Average Depth to Water**

No records found.

PLSS Search:

Section(s): 12

Township: 13S

Range: 31E



New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 13

Township: 13S

Range: 31E